

EMS 332B
Enterprise Marine Services LLC

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. A 1344

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	5,126.15	5,126.15	4,810.08	4,440.95	4,071.84	3,702.72	3,331.60	2,951.48	2,591.36	2,226.24	1,857.12	1,488.00	1,118.88	6	749.76	0
1	5,124.25	5,124.25	4,802.39	4,433.27	4,064.15	3,700.93	3,325.91	2,950.79	2,591.55	2,218.35	1,849.43	1,480.31	1,111.19	6	742.07	14
2	5,122.36	5,122.36	4,794.40	4,425.26	4,056.46	3,687.34	3,318.02	2,949.01	2,579.98	2,210.86	1,841.74	1,472.62	1,103.50	6	742.38	14
3	5,120.47	5,120.47	4,786.51	4,417.89	4,048.77	3,670.53	3,303.41	2,934.77	2,579.29	2,203.77	1,841.74	1,468.53	1,095.81	6	742.69	14
4	5,119.18	5,119.18	4,778.62	4,409.01	4,041.08	3,671.96	3,302.84	2,933.47	2,564.60	2,195.48	1,842.36	1,457.24	1,088.12	1	719.00	1
5	5,118.01	5,118.01	4,777.32	4,410.20	4,041.08	3,671.96	3,302.84	2,933.47	2,564.60	2,195.48	1,842.36	1,457.24	1,088.12	1	719.00	1
6	5,116.83	5,116.83	4,776.63	4,410.25	4,042.51	3,671.63	3,302.84	2,933.47	2,564.60	2,195.48	1,842.36	1,457.24	1,088.12	1	719.00	1
7	5,115.65	5,115.65	4,775.94	4,410.25	4,043.39	3,671.34	3,302.84	2,933.47	2,564.60	2,195.48	1,842.36	1,457.24	1,088.12	1	719.00	1
8	5,115.43	5,115.43	4,775.26	4,410.25	4,043.39	3,671.34	3,302.84	2,933.47	2,564.60	2,195.48	1,842.36	1,457.24	1,088.12	1	719.00	1
9	5,105.20	5,105.20	4,765.13	4,387.13	4,018.01	3,648.89	3,279.77	2,902.65	2,541.53	2,172.41	1,802.29	1,434.17	1,065.05	34	695.93	34
10	5,105.00	5,105.00	4,764.56	4,387.44	4,018.32	3,648.10	3,279.77	2,902.65	2,541.53	2,172.41	1,802.29	1,434.17	1,065.05	34	695.93	34
11	5,096.26	5,096.26	4,764.87	4,371.75	4,002.63	3,633.51	3,264.39	2,895.52	2,526.15	2,164.68	1,817.91	1,441.79	1,049.67	14	686.55	14
12	5,091.82	5,091.82	4,763.16	4,384.06	4,022.63	3,625.82	3,256.58	2,887.58	2,518.46	2,149.34	1,817.91	1,441.79	1,049.67	14	686.55	14
13	5,086.09	5,086.09	4,762.57	4,377.25	4,022.63	3,618.13	3,249.01	2,879.89	2,511.65	2,141.65	1,817.91	1,441.79	1,049.67	14	686.55	14
14	5,080.25	5,080.25	4,761.80	4,384.68	4,022.63	3,610.44	3,241.32	2,872.20	2,503.08	2,135.96	1,816.84	1,441.79	1,049.67	14	686.55	14
15	5,074.61	5,074.61	4,761.11	4,379.87	4,022.63	3,602.75	3,233.63	2,864.51	2,495.39	2,125.27	1,816.84	1,441.79	1,049.67	14	686.55	14
16	5,068.87	5,068.87	4,760.42	4,379.87	4,022.63	3,605.06	3,225.94	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
17	5,061.15	5,061.15	4,759.73	4,379.87	4,022.63	3,606.42	3,225.94	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
18	5,054.47	5,054.47	4,759.00	4,379.87	4,022.63	3,607.37	3,226.25	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
19	5,047.80	5,047.80	4,758.26	4,379.87	4,022.63	3,608.71	3,226.25	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
20	5,041.40	5,041.40	4,757.52	4,379.87	4,022.63	3,609.06	3,226.25	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
21	5,031.69	5,031.69	4,756.87	4,384.85	4,022.63	3,609.51	3,226.25	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
22	5,025.40	5,025.40	4,756.20	4,287.16	4,022.63	3,609.84	3,198.04	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
23	5,010.02	5,010.02	4,755.52	4,279.47	4,022.63	3,610.19	3,191.23	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
24	5,002.33	5,002.33	4,754.83	4,284.09	4,022.63	3,610.54	3,191.47	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
25	4,994.64	4,994.64	4,754.16	4,279.47	4,022.63	3,610.87	3,191.71	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
26	4,988.95	4,988.95	4,753.52	4,279.47	4,022.63	3,612.20	3,192.14	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
27	4,982.54	4,982.54	4,752.86	4,279.47	4,022.63	3,613.42	3,192.50	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
28	4,977.14	4,977.14	4,752.20	4,279.47	4,022.63	3,614.67	3,192.87	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
29	4,971.57	4,971.57	4,751.54	4,279.47	4,022.63	3,615.93	3,193.24	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
30	4,965.88	4,965.88	4,750.87	4,279.47	4,022.63	3,617.20	3,193.60	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
31	4,960.33	4,960.33	4,750.20	4,279.47	4,022.63	3,618.47	3,193.97	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
32	4,954.59	4,954.59	4,749.53	4,279.47	4,022.63	3,620.00	3,194.34	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
33	4,949.81	4,949.81	4,748.87	4,279.47	4,022.63	3,621.17	3,194.71	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
34	4,933.12	4,933.12	4,748.20	4,279.47	4,022.63	3,622.43	3,195.08	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
35	4,925.43	4,925.43	4,747.53	4,279.47	4,022.63	3,623.59	3,195.45	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
36	4,917.74	4,917.74	4,746.86	4,279.47	4,022.63	3,624.86	3,195.82	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
37	4,910.05	4,910.05	4,746.20	4,279.47	4,022.63	3,626.13	3,196.19	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
38	4,902.34	4,902.34	4,745.54	4,279.47	4,022.63	3,627.40	3,196.56	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
39	4,896.61	4,896.61	4,744.87	4,279.47	4,022.63	3,628.67	3,196.93	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
40	4,881.90	4,881.90	4,744.20	4,279.47	4,022.63	3,630.00	3,197.30	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
41	4,866.51	4,866.51	4,743.53	4,279.47	4,022.63	3,631.27	3,197.67	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
42	4,850.95	4,850.95	4,742.86	4,279.47	4,022.63	3,632.54	3,198.04	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
43	4,844.34	4,844.34	4,742.20	4,279.47	4,022.63	3,633.81	3,198.41	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
44	4,838.73	4,838.73	4,741.53	4,279.47	4,022.63	3,635.08	3,198.78	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
45	4,833.01	4,833.01	4,740.86	4,279.47	4,022.63	3,636.35	3,199.15	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
46	4,827.29	4,827.29	4,740.20	4,279.47	4,022.63	3,637.62	3,199.52	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
47	4,821.57	4,821.57	4,737.53	4,279.47	4,022.63	3,638.89	3,200.89	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
48	4,815.94	4,815.94	4,736.86	4,279.47	4,022.63	3,640.16	3,201.26	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
49	4,810.32	4,810.32	4,736.20	4,279.47	4,022.63	3,641.43	3,201.63	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
50	4,804.69	4,804.69	4,735.53	4,279.47	4,022.63	3,642.70	3,201.90	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
51	4,799.05	4,799.05	4,734.86	4,279.47	4,022.63	3,643.97	3,202.27	2,856.82	2,487.97	2,118.58	1,816.84	1,441.79	1,049.67	14	686.55	14
52	4,793.43	4,793.43	4,734.													

EMS 332B
Enterprise Marine Services LLC

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

2 PORT

HULL NO. A-1344	HULL NO. A-1344											
	W	0 FT.	W	1 FT.	W	2 FT.	W	3 FT.	W	4 FT.	W	5 FT.
W	0	4,481.23	0	4,448.83	0	4,078.41	0	3,708.00	0	3,337.58	0	2,967.17
W	1/4	5,142.23	1/4	4,811.53	1/4	4,441.11	1/4	4,078.70	1/4	3,339.87	1/4	2,959.67
W	1/2	5,337.15	1/2	4,803.81	1/2	4,433.08	1/2	4,082.88	1/2	3,682.66	1/2	2,851.32
W	3/4	5,140.33	3/4	4,803.90	3/4	4,433.10	3/4	4,082.78	3/4	3,684.85	3/4	2,849.50
W	1	5,133.96	1	4,798.10	1	4,425.88	1	4,055.26	1	3,614.43	1	2,844.07
W	1/4	5,137.78	1/4	4,781.38	1/4	4,417.86	1/4	4,047.45	1/4	3,607.13	1/4	2,833.77
W	1/2	5,127.59	1/2	4,786.66	1/2	4,410.25	1/2	4,039.83	1/2	3,669.41	1/2	2,828.00
W	3/4	5,123.12	3/4	4,772.84	3/4	4,402.53	3/4	4,032.11	3/4	3,661.70	3/4	2,820.25
W	1	5,116.64	1	4,765.23	1	4,394.81	1	4,024.40	1	3,653.88	1	2,813.50
W	1/2	5,114.17	1/2	4,757.51	1/2	4,387.49	1/2	4,016.68	1/2	3,646.06	1/2	2,805.45
W	3/4	5,108.70	1/4	4,749.78	1/4	4,379.06	1/4	4,008.05	1/4	3,638.33	1/4	2,795.43
W	1	5,103.94	1/2	4,742.08	1/2	4,371.66	1/2	4,009.14	1/2	3,630.53	1/2	2,785.70
W	1/4	5,098.18	1/4	4,734.36	1/4	4,363.84	1/4	4,002.34	1/4	3,623.11	1/4	2,780.00
W	1/2	5,092.42	1/2	4,727.64	1/2	4,356.23	1/2	3,985.61	1/2	3,615.39	1/2	2,774.50
W	3/4	5,086.67	1/4	4,711.93	1/4	4,348.51	1/4	3,978.09	1/4	3,607.68	1/4	2,770.25
W	1	5,078.79	1/2	4,705.21	1/2	4,340.79	1/2	3,970.79	1/2	3,599.38	1/2	2,766.00
W	1/2	5,072.57	1/2	4,705.49	1/2	4,335.06	1/2	3,962.66	1/2	3,592.13	1/2	2,761.50
W	3/4	5,065.52	1/4	4,698.77	1/4	4,325.36	1/4	3,954.84	1/4	3,584.53	1/4	2,755.00
W	1	5,060.12	1/2	4,698.06	1/2	4,317.64	1/2	3,947.23	1/2	3,572.00	1/2	2,749.50
W	1/4	5,050.76	1/4	4,680.34	1/4	4,309.56	1/4	3,939.51	1/4	3,569.38	1/4	2,743.80
W	1/2	5,045.04	1/2	4,672.62	1/2	4,302.21	1/2	3,931.79	1/2	3,561.38	1/2	2,738.50
W	3/4	5,035.32	1/4	4,664.91	1/4	4,298.49	1/4	3,924.07	1/4	3,553.86	1/4	2,732.00
W	1	5,027.61	1/2	4,657.19	1/2	4,286.77	1/2	3,916.36	1/2	3,545.86	1/2	2,726.50
W	1/2	5,019.89	1/2	4,649.47	1/2	4,279.06	1/2	3,908.64	1/2	3,538.22	1/2	2,721.00
W	3/4	5,012.17	1/4	4,641.76	1/4	4,271.34	1/4	3,902.96	1/4	3,530.51	1/4	2,715.50
W	1	5,004.45	1/2	4,634.04	1/2	4,265.62	1/2	3,895.21	1/2	3,520.79	1/2	2,709.88
W	1/4	4,996.74	1/4	4,625.32	1/4	4,255.91	1/4	3,885.49	1/4	3,515.07	1/4	2,704.37
W	1/2	4,989.02	1/2	4,618.60	1/2	4,248.16	1/2	3,877.77	1/2	3,507.36	1/2	2,700.00
W	3/4	4,981.30	1/4	4,610.89	1/4	4,240.47	1/4	3,870.66	1/4	3,501.56	1/4	2,695.70
W	1	4,975.59	1/2	4,603.17	1/2	4,232.75	1/2	3,862.97	1/2	3,495.85	1/2	2,690.00
W	1/2	4,965.87	1/2	4,595.45	1/2	4,225.04	1/2	3,854.62	1/2	3,484.92	1/2	2,684.50
W	3/4	4,958.15	1/4	4,587.74	1/2	4,217.32	1/2	3,846.90	1/2	3,474.50	1/2	2,678.00
W	1	4,950.44	1/2	4,580.02	1/2	4,209.50	1/2	3,839.50	1/2	3,464.77	1/2	2,672.50
W	1/2	4,942.72	1/2	4,572.99	1/2	4,202.37	1/2	3,831.95	1/2	3,455.46	1/2	2,667.00
W	3/4	4,935.00	1/4	4,564.59	1/4	4,196.17	1/4	3,822.77	1/4	3,445.34	1/4	2,662.50
W	1	4,927.29	1/2	4,556.87	1/2	4,186.45	1/2	3,815.04	1/2	3,435.62	1/2	2,657.00
W	1/2	4,919.57	1/2	4,549.15	1/2	4,177.40	1/2	3,809.32	1/2	3,437.00	1/2	2,651.50
W	3/4	4,911.85	1/4	4,541.43	1/4	4,171.02	1/4	3,800.60	1/4	3,436.50	1/4	2,645.87
W	1	4,904.13	1/2	4,533.77	1/2	4,163.50	1/2	3,792.89	1/2	3,422.47	1/2	2,640.25
W	1/2	4,896.42	1/2	4,526.00	1/2	4,155.58	1/2	3,785.17	1/2	3,414.75	1/2	2,634.50
W	3/4	4,888.70	1/4	4,518.28	1/4	4,147.47	1/4	3,777.45	1/4	3,407.04	1/4	2,628.86
W	1	4,880.98	1/2	4,510.57	1/2	4,140.15	1/2	3,769.89	1/2	3,399.32	1/2	2,623.27
W	1/4	4,873.27	1/4	4,502.85	1/4	4,132.43	1/4	3,762.02	1/4	3,391.80	1/4	2,618.67
W	1/2	4,867.55	1/2	4,495.13	1/2	4,124.72	1/2	3,754.30	1/2	3,383.08	1/2	2,613.98
W	3/4	4,859.16	1/4	4,487.82	1/4	4,117.00	1/4	3,747.00	1/4	3,376.54	1/4	2,608.35
W	1	4,850.11	1/2	4,485.11	1/2	4,119.70	1/2	3,738.67	1/2	3,369.03	1/2	2,603.70
W	1/2	4,847.93	1/2	4,482.40	1/2	4,101.57	1/2	3,731.15	1/2	3,360.73	1/2	2,598.05
W	3/4	4,846.03	1/4	4,483.48	1/4	4,093.85	1/4	3,723.43	1/4	3,355.92	1/4	2,592.50
W	1	4,844.13	1/2	4,485.55	1/2	4,086.13	1/2	3,715.72	1/2	3,345.30	1/2	2,586.87
W	1/2	4,835.20	1/2	4,486.55	1/2	4,086.13	1/2	3,715.72	1/2	3,345.30	1/2	2,581.97

STRAPPED: 1/8/96

STRAPPED:

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE

IN ACCORDANCE WITH APPLICABLE API STANDARDS AND

ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

[Signature]
INSPECTORATE AMERICA CORPORATION

REFERENCE GAUGE HEIGHT

15-0 1/4" (TO RIM OF 2" DIAMETER BALL VALVE

LOCATED (NEAR CENTER OF TANK)

CAPACITY BELOW STRIKE POINT

1 CAPACITIES IN BARRELS OF 42 U.S. GALLONS

CAPACITIES GREEN IN BARRELS OF 42 U.S. GALLONS

CAPACITIES RED IN BARRELS OF 42 U.S. GALLONS

CAPACITIES BLACK IN BARRELS OF 42 U.S. GALLONS

CAPACITIES PURPLE IN BARRELS OF 42 U.S. GALLONS

CAPACITIES ORANGE IN BARRELS OF 42 U.S. GALLONS

CAPACITIES YELLOW IN BARRELS OF 42 U.S. GALLONS

CAPACITIES GREY IN BARRELS OF 42 U.S. GALLONS

CAPACITIES WHITE IN BARRELS OF 42 U.S. GALLONS

CAPACITIES BLACK IN BARRELS OF 42 U.S. GALLONS

EMS 332B

Enterprise Marine Services LLC

OUTAGE TABLE



BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. A-1344

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	
1	0	4,516,61	0	4,323,79	0	4,004,88	0	3,637,06	0	3,356,14	0	2,984,53	0	2,621,91	0	1,669,68	0
2	0	4,516,61	0	4,319,02	0	4,089,11	0	3,681,20	0	3,392,29	0	2,975,17	0	2,621,55	0	1,661,84	0
3	0	4,516,61	0	4,319,02	0	4,089,11	0	3,681,20	0	3,392,29	0	2,975,17	0	2,621,55	0	1,661,84	0
4	12	4,517,29	12	4,314,25	12	4,085,34	12	3,685,43	12	3,401,52	12	2,985,04	12	2,625,81	12	1,651,49	12
5	12	4,517,29	12	4,314,25	12	4,085,34	12	3,685,43	12	3,401,52	12	2,985,04	12	2,625,81	12	1,651,49	12
6	34	4,515,33	34	4,309,48	34	4,082,75	34	3,685,16	34	3,392,75	34	2,986,98	34	2,626,07	34	1,646,45	34
7	34	4,515,33	34	4,309,48	34	4,082,75	34	3,685,16	34	3,392,75	34	2,986,98	34	2,626,07	34	1,646,45	34
8	1	4,517,01	1	4,307,80	1	4,075,80	1	3,681,98	1	3,395,18	1	2,985,56	1	2,620,33	1	1,647,09	1
9	1	4,517,01	1	4,304,71	1	4,071,03	1	3,681,69	1	3,391,43	1	2,984,82	1	2,620,33	1	1,647,09	1
10	14	4,511,41	14	4,298,95	14	4,082,12	14	3,682,12	14	3,391,43	14	2,984,82	14	2,620,33	14	1,647,09	14
11	14	4,511,41	14	4,298,95	14	4,082,12	14	3,682,12	14	3,391,43	14	2,984,82	14	2,620,33	14	1,647,09	14
12	12	4,509,45	12	4,285,18	12	4,086,26	12	3,683,37	12	3,390,68	12	2,986,44	12	2,626,46	12	1,648,84	12
13	12	4,509,45	12	4,285,18	12	4,086,26	12	3,683,37	12	3,390,68	12	2,986,44	12	2,626,46	12	1,648,84	12
14	34	4,506,70	34	4,280,41	34	4,085,50	34	3,683,57	34	3,393,53	34	2,983,67	34	2,629,92	34	1,643,87	34
15	2	4,503,84	2	4,285,64	2	4,086,73	2	3,682,02	2	3,389,90	2	2,984,21	2	2,625,97	2	1,643,13	2
16	14	4,501,19	14	4,280,87	14	4,085,96	14	3,682,35	14	3,384,13	14	2,984,45	14	2,624,30	14	1,642,38	14
17	12	4,498,43	12	4,276,10	12	4,087,19	12	3,681,28	12	3,389,37	12	2,987,72	12	2,625,49	12	1,642,64	12
18	34	4,495,89	34	4,271,13	34	4,084,42	34	3,681,51	34	3,389,60	34	2,989,36	34	2,627,75	34	1,641,52	34
19	3	4,491,34	3	4,266,56	3	4,097,65	3	3,680,74	3	3,379,83	3	2,983,24	3	2,629,01	3	1,643,34	3
20	14	4,487,79	14	4,261,79	14	4,092,88	14	3,680,97	14	3,375,06	14	2,983,50	14	2,629,26	14	1,640,65	14
21	12	4,484,24	12	4,257,02	12	4,086,11	12	3,679,29	12	3,370,29	12	2,987,14	12	2,626,59	12	1,640,86	12
22	34	4,472,26	34	4,252,26	34	4,082,34	34	3,679,43	34	3,374,43	34	2,986,40	34	2,625,16	34	1,639,54	34
23	4	4,475,55	4	4,247,49	4	4,018,57	4	3,789,66	4	3,560,75	4	3,232,27	4	2,986,04	4	1,645,81	4
24	14	4,471,21	14	4,242,72	14	4,013,81	14	3,784,89	14	3,561,85	14	2,985,91	14	2,621,30	14	1,641,72	14
25	12	4,465,66	12	4,237,95	12	4,009,04	12	3,780,11	12	3,561,21	12	2,987,17	12	2,621,67	12	1,641,90	12
26	34	4,462,89	34	4,233,88	34	4,004,27	34	3,775,36	34	3,564,44	34	2,989,05	34	2,623,43	34	1,640,81	34
27	5	4,457,22	5	4,228,41	5	3,989,55	5	3,770,59	5	3,561,48	5	3,201,30	5	2,982,69	5	1,641,64	5
28	14	4,452,55	14	4,223,64	14	3,984,73	14	3,765,82	14	3,561,52	14	3,191,56	14	2,984,22	14	1,640,50	14
29	12	4,447,79	12	4,218,87	12	3,989,96	12	3,761,05	12	3,561,56	12	3,185,82	12	2,984,57	12	1,640,77	12
30	34	4,443,02	34	4,214,10	34	3,985,19	34	3,756,28	34	3,562,16	34	3,180,86	34	2,985,84	34	1,640,54	34
31	6	4,438,25	6	4,209,33	6	3,980,42	6	3,750,73	6	3,562,07	6	3,180,42	6	2,985,73	6	1,641,37	6
32	14	4,433,48	14	4,204,57	14	3,975,65	14	3,746,74	14	3,515,31	14	3,182,59	14	2,987,34	14	1,641,74	14
33	12	4,428,71	12	3,970,88	12	3,741,97	12	3,509,90	12	3,184,55	12	2,984,23	12	2,626,35	12	1,641,92	12
34	34	4,423,84	34	4,223,84	34	3,968,12	34	3,737,20	34	3,503,97	34	3,187,11	34	2,985,49	34	1,640,81	34
35	7	4,419,17	7	4,190,26	7	3,981,35	7	3,732,44	7	3,502,82	7	2,987,44	7	2,624,52	7	1,645,70	7
36	14	4,414,40	14	4,185,49	14	3,986,58	14	3,727,67	14	3,492,10	14	3,131,63	14	2,986,01	14	1,646,46	14
37	12	4,409,63	12	4,180,72	12	3,987,81	12	3,722,90	12	3,492,17	12	3,123,88	12	2,986,45	12	1,646,72	12
38	34	4,404,86	34	4,175,95	34	3,947,64	34	3,718,13	34	3,479,72	34	3,116,14	34	2,987,91	34	1,640,54	34
39	8	4,400,10	8	4,171,16	8	3,942,27	8	3,708,47	8	3,475,27	8	3,108,40	8	2,987,78	8	1,642,93	8
40	14	4,395,33	14	4,166,41	14	3,937,59	14	3,708,59	14	3,466,82	14	3,108,66	14	2,985,47	14	1,641,84	14
41	12	4,390,56	12	4,161,64	12	3,932,73	12	3,703,82	12	3,460,37	12	3,092,92	12	2,985,81	12	1,642,02	12
42	34	4,385,79	34	4,156,88	34	3,929,05	34	3,689,35	34	3,453,41	34	3,085,17	34	2,985,56	34	1,641,84	34
43	9	4,381,02	9	4,152,11	9	3,923,19	9	3,684,28	9	3,446,44	9	3,077,43	9	2,985,81	9	1,642,58	9
44	14	4,376,35	14	4,147,34	14	3,918,43	14	3,689,51	14	3,439,46	14	3,068,69	14	2,986,06	14	1,643,84	14
45	12	4,371,48	12	4,142,57	12	3,913,66	12	3,684,75	12	3,432,51	12	3,061,95	12	2,986,32	12	1,644,10	12
46	34	4,365,74	34	4,131,80	34	3,909,89	34	3,681,02	34	3,425,01	34	3,054,21	34	2,987,54	34	1,643,87	34
47	0	4,361,94	0	4,133,03	0	3,904,12	0	3,677,51	0	3,417,55	0	3,046,46	0	2,987,85	0	1,643,15	0
48	14	4,357,71	14	4,128,26	14	3,899,35	14	3,670,44	14	3,401,07	14	3,038,72	14	2,988,07	14	1,640,64	14
49	12	4,352,41	12	4,123,49	12	3,895,67	12	3,665,67	12	3,402,60	12	3,030,88	12	2,988,36	12	1,641,41	12
50	34	4,352,04	34	4,118,72	34	3,899,81	34	3,660,95	34	3,403,24	34	3,032,24	34	2,988,77	34	1,640,53	34
51	11	4,352,68	11	4,132,87	11	3,895,04	11	3,681,13	11	3,387,11	11	3,015,73	11	2,987,26	11	1,641,86	11
52	14	4,352,31	14	4,138,30	14	3,890,27	14	3,680,27	14	3,381,36	14	3,007,75	14	2,988,59	14	1,642,29	14
53	12	4,353,33	12	4,140,42	12	3,891,52	12	3,684,59	12	3,381,52	12	3,000,01	12	2,988,39	12	1,641,92	12
54	34	4,350,78	34	4,328,56	34	4,099,55	34	3,670,74	34	3,641,82	34	3,363,89	34	2,992,27	34	1,647,42	34

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT:

15'-0 1/2" (TO RIM OF 2"-DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

CAPACITIES GIVEN IN BARRELS OR 42 U.S. GALLONS

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSP

ECTORATE

AMERICA CORPORATION

STRAPPED: 1/8/96