



ISO 9002 ACCREDITED

BARGE "TMS-400"
TEPPCO MARINE SERVICE.

TANK NO.
PORT

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET	
0	0.00	0	179.20	0	503.21	0	914.21	0	1,388.43	0	1,910.12	0	2,467.18	0	3,049.33	0	3,647.43	0	4,252.90
1/4	0.53	1/4	184.81	1/4	510.98	1/4	923.51	1/4	1,399.81	1/4	1,921.40	1/4	2,479.08	1/4	3,061.66	1/4	3,660.00	1/4	4,266.53
1/2	1.52	1/2	190.48	1/2	518.80	1/2	932.84	1/2	1,409.31	1/2	1,932.70	1/2	2,491.00	1/2	3,074.00	1/2	3,672.57	1/2	4,278.16
3/4	2.79	3/4	198.21	3/4	526.85	3/4	942.19	3/4	1,419.78	3/4	1,944.02	3/4	2,502.92	3/4	3,086.34	3/4	3,685.14	3/4	4,290.80
1	4.29	1	201.99	1	534.54	1	951.57	1	1,430.27	1	1,955.35	1	2,514.88	1	3,098.69	1	3,697.72	1	4,303.43
1/4	6.01	1/4	207.82	1/4	542.47	1/4	960.97	1/4	1,440.78	1/4	1,965.89	1/4	2,526.81	1/4	3,111.04	1/4	3,710.30	1/4	4,316.05
1/2	7.89	1/2	213.71	1/2	550.43	1/2	970.41	1/2	1,451.31	1/2	1,978.05	1/2	2,538.77	1/2	3,123.40	1/2	3,722.88	1/2	4,328.69
3/4	9.96	3/4	219.65	3/4	558.43	3/4	979.86	3/4	1,461.87	3/4	1,999.42	3/4	2,550.74	3/4	3,135.77	3/4	3,748.07	3/4	4,341.82
2	12.17	2	225.64	2	566.47	2	989.34	2	1,472.43	2	2,000.81	2	2,562.71	2	3,148.15	2	3,760.64	2	4,379.19
1/4	14.53	1/4	231.69	1/4	574.54	1/4	998.85	1/4	1,483.02	1/4	2,012.21	1/4	2,574.70	1/4	3,160.53	1/4	3,773.24	1/4	4,366.57
1/2	17.02	1/2	237.78	1/2	582.64	1/2	1,008.39	1/2	1,493.63	1/2	2,023.62	1/2	2,586.71	1/2	3,172.91	1/2	3,785.84	1/2	4,379.19
3/4	19.64	3/4	243.93	3/4	590.77	3/4	1,017.95	3/4	1,504.27	3/4	2,035.05	3/4	2,598.72	3/4	3,185.30	3/4	3,798.44	3/4	4,391.82
3	22.38	3	250.12	3	598.94	3	1,027.53	3	1,514.91	3	2,046.50	3	2,610.74	3	3,197.70	3	3,798.44	3	4,404.44
1/4	25.24	1/4	256.37	1/4	607.15	1/4	1,037.15	1/4	1,525.58	1/4	2,057.96	1/4	2,622.76	1/4	3,210.11	1/4	3,811.04	1/4	4,417.07
1/2	28.22	1/2	262.67	1/2	615.39	1/2	1,046.79	1/2	1,536.27	1/2	2,069.43	1/2	2,634.80	1/2	3,222.52	1/2	3,823.64	1/2	4,428.69
3/4	31.30	3/4	269.01	3/4	623.66	3/4	1,056.45	3/4	1,546.98	3/4	2,080.91	3/4	2,646.85	3/4	3,234.94	3/4	3,836.24	3/4	4,442.30
4	34.49	4	275.40	4	631.97	4	1,066.13	4	1,557.70	4	2,092.42	4	2,658.91	4	3,247.36	4	3,848.85	4	4,454.92
1/4	37.78	1/4	281.85	1/4	640.31	1/4	1,075.85	1/4	1,568.44	1/4	2,103.93	1/4	2,670.98	1/4	3,259.79	1/4	3,861.46	1/4	4,467.53
1/2	41.16	1/2	288.33	1/2	648.68	1/2	1,085.59	1/2	1,579.21	1/2	2,115.46	1/2	2,683.05	1/2	3,272.22	1/2	3,874.07	1/2	4,480.15
3/4	44.65	3/4	294.87	3/4	657.09	3/4	1,095.35	3/4	1,589.99	3/4	2,127.00	3/4	2,695.54	3/4	3,284.66	3/4	3,886.68	3/4	4,492.76
5	48.22	5	301.45	5	665.52	5	1,105.13	5	1,600.78	5	2,138.55	5	2,707.24	5	3,297.11	5	3,899.30	5	4,505.37
1/4	51.88	1/4	308.08	1/4	674.00	1/4	1,114.94	1/4	1,611.60	1/4	2,150.10	1/4	2,719.34	1/4	3,309.55	1/4	3,911.14	1/4	4,517.98
1/2	55.64	1/2	314.78	1/2	682.50	1/2	1,124.78	1/2	1,622.48	1/2	2,161.72	1/2	2,731.45	1/2	3,322.01	1/2	3,924.53	1/2	4,530.59
3/4	59.48	3/4	321.48	3/4	691.03	3/4	1,134.63	3/4	1,633.32	3/4	2,173.30	3/4	2,743.58	3/4	3,334.47	3/4	3,937.14	3/4	4,543.19
6	63.40	6	328.24	6	699.60	6	1,144.52	6	1,644.16	6	2,184.93	6	2,755.71	6	3,346.94	6	3,949.76	6	4,555.79
1/4	67.41	1/4	335.05	1/4	708.20	1/4	1,154.42	1/4	1,655.04	1/4	2,196.53	1/4	2,767.84	1/4	3,359.40	1/4	3,962.39	1/4	4,568.39
1/2	71.50	1/2	341.90	1/2	716.83	1/2	1,164.34	1/2	1,665.95	1/2	2,208.16	1/2	2,780.00	1/2	3,371.88	1/2	3,975.01	1/2	4,580.99
3/4	75.66	3/4	348.80	3/4	725.49	3/4	1,174.29	3/4	1,676.87	3/4	2,219.81	3/4	2,792.15	3/4	3,384.36	3/4	3,987.63	3/4	4,593.59
7	79.91	7	355.74	7	734.18	7	1,184.27	7	1,687.81	7	2,231.46	7	2,804.32	7	3,396.85	7	4,000.26	7	4,606.19
1/4	84.23	1/4	362.73	1/4	742.90	1/4	1,194.27	1/4	1,698.77	1/4	2,243.13	1/4	2,816.49	1/4	3,409.33	1/4	4,012.88	1/4	4,618.78
1/2	88.62	1/2	369.76	1/2	751.65	1/2	1,204.29	1/2	1,709.75	1/2	2,254.82	1/2	2,828.68	1/2	3,421.83	1/2	4,025.51	1/2	4,631.36
3/4	93.09	3/4	376.84	3/4	760.44	3/4	1,214.33	3/4	1,720.74	3/4	2,266.51	3/4	2,840.88	3/4	3,434.33	3/4	4,038.14	3/4	4,643.95
8	97.63	8	383.94	8	769.23	8	1,224.40	8	1,731.75	8	2,278.22	8	2,853.07	8	3,446.83	8	4,050.78	8	4,656.53
1/4	102.24	1/4	391.09	1/4	778.09	1/4	1,234.49	1/4	1,742.77	1/4	2,289.95	1/4	2,865.28	1/4	3,459.34	1/4	4,063.40	1/4	4,669.11
1/2	106.92	1/2	398.29	1/2	786.97	1/2	1,244.60	1/2	1,753.82	1/2	2,301.68	1/2	2,877.50	1/2	3,471.85	1/2	4,076.03	1/2	4,681.69
3/4	111.67	3/4	405.53	3/4	795.87	3/4	1,254.73	3/4	1,764.83	3/4	2,313.43	3/4	2,889.72	3/4	3,484.37	3/4	4,088.67	3/4	4,694.26
9	116.48	9	412.80	9	804.80	9	1,264.88	9	1,775.95	9	2,325.18	9	2,901.95	9	3,496.89	9	4,101.30	9	4,706.83
1/4	121.36	1/4	420.20	1/4	813.76	1/4	1,275.08	1/4	1,787.04	1/4	2,336.95	1/4	2,914.19	1/4	3,509.42	1/4	4,113.93	1/4	4,719.40
1/2	126.31	1/2	427.48	1/2	822.75	1/2	1,285.26	1/2	1,798.15	1/2	2,348.73	1/2	2,926.44	1/2	3,521.94	1/2	4,126.56	1/2	4,731.96
3/4	131.33	3/4	434.87	3/4	831.77	3/4	1,295.55	3/4	1,809.28	3/4	2,360.53	3/4	2,938.70	3/4	3,534.47	3/4	4,139.23	3/4	4,744.53
10	136.41	10	442.31	10	840.82	10	1,305.72	10	1,820.42	10	2,372.33	10	2,950.96	10	3,547.01	10	4,151.83	10	4,757.08
1/4	141.54	1/4	449.79	1/4	849.89	1/4	1,315.98	1/4	1,831.58	1/4	2,384.14	1/4	2,963.23	1/4	3,559.55	1/4	4,164.46	1/4	4,769.64
1/2	146.75	1/2	457.30	1/2	859.00	1/2	1,326.27	1/2	1,842.72	1/2	2,396.97	1/2	2,975.91	1/2	3,572.09	1/2	4,177.10	1/2	4,782.14
3/4	152.00	3/4	464.86	3/4	868.13	3/4	1,336.58	3/4	1,853.94	3/4	2,407.81	3/4	2,987.79	3/4	3,584.64	3/4	4,189.73	3/4	4,794.74
11	157.33	11	472.45	11	877.29	11	1,346.91	11	1,865.14	11	2,419.66	11	3,000.09	11	3,597.19	11	4,202.37	11	4,807.28
1/4	162.71	1/4	480.09	1/4	886.48	1/4	1,357.26	1/4	1,876.31	1/4	2,431.53	1/4	3,012.39	1/4	3,609.75	1/4	4,215.00	1/4	4,819.86
1/2	168.15	1/2	487.75	1/2	895.70	1/2	1,367.63	1/2	1,887.67	1/2	2,443.40	1/2	3,024.30	1/2	3,622.30	1/2	4,227.53	1/2	4,832.32
3/4	173.65	3/4	495.46	3/4	904.94	3/4	1,378.01	3/4	1,898.86	3/4	2,455.28	3/4	3,037.01	3/4	3,634.87	3/4	4,240.27	3/4	4,844.89

NOTE: TABLE SCALED FROM EXTREME BOTTOM OF TANK.
BARGE SHOULD BE ON EVEN KEEL WHEN GAUGING.

CAPACITIES REFLECT EXPANSION OF TANK SHELL
FOR AN OPERATING TEMPERATURE OF 60 F.

INNAGE TABLE

STRAPPED: 22409

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

ISO 9002 ACCREDITED

TANK NO. BARGE "TMS-400" TEPSCO MARINE SERVICE.

TANK NO. PORT

Capacities in Barrels

Page 2 of 2

10 FEET	11 FEET	12 FEET	13 FEET	14 FEET	15 FEET	16 FEET	17 FEET	18 FEET	19 FEET
4,857.41	4,452.64	6,029.88	6,579.79	7,091.97	7,553.07	7,946.71	8,245.47	0	0
4,869.94	5,464.84	6,041.65	6,590.88	7,101.95	7,562.03	7,954.03	8,250.35	1/4	1/4
4,882.46	5,477.11	6,053.40	6,601.95	7,112.10	7,570.97	7,961.30	8,255.16	1/2	1/2
4,894.98	5,489.33	6,065.15	6,613.01	7,122.23	7,579.86	7,968.54	8,259.91	3/4	3/4
4,907.49	5,501.55	6,076.88	6,624.06	7,132.34	7,588.74	7,975.74	8,264.59	1	1
4,920.00	5,513.76	6,088.61	6,635.08	7,142.43	7,597.58	7,982.89	8,269.20	1/4	1/4
4,932.50	5,525.95	6,100.32	6,646.09	7,152.54	7,606.39	7,990.09	8,273.74	1/2	1/2
4,945.00	5,538.15	6,112.01	6,657.08	7,162.54	7,615.18	7,997.07	8,278.21	3/4	3/4
4,957.50	5,550.34	6,123.70	6,668.06	7,172.56	7,623.93	8,004.10	8,282.60	2	2
4,969.98	5,562.51	6,135.37	6,679.02	7,182.56	7,632.65	8,011.09	8,286.92	1/4	1/4
4,982.47	5,574.68	6,147.02	6,689.96	7,192.54	7,641.34	8,018.03	8,291.17	1/2	1/2
4,994.95	5,586.83	6,158.67	6,700.88	7,202.49	7,650.00	8,024.93	8,295.33	3/4	3/4
5,007.43	5,598.99	6,170.30	6,711.79	7,212.42	7,658.63	8,031.78	8,299.42	3	3
5,019.89	5,611.12	6,181.93	6,722.67	7,222.31	7,667.23	8,038.59	8,303.43	1/4	1/4
5,032.36	5,623.25	6,193.53	6,733.55	7,232.20	7,675.80	8,045.35	8,307.35	1/2	1/2
5,044.82	5,635.38	6,205.13	6,744.40	7,242.05	7,684.33	8,052.07	8,311.19	3/4	3/4
5,057.28	5,647.49	6,216.71	6,755.23	7,251.85	7,692.83	8,058.75	8,314.95	4	4
5,069.72	5,659.59	6,228.28	6,766.05	7,261.70	7,701.31	8,065.38	8,318.61	1/4	1/4
5,082.17	5,671.69	6,239.83	6,776.84	7,271.54	7,709.74	8,071.96	8,322.18	1/2	1/2
5,094.61	5,683.78	6,251.37	6,787.62	7,281.34	7,718.15	8,078.50	8,325.67	3/4	3/4
5,107.04	5,695.85	6,262.90	6,798.39	7,290.98	7,726.52	8,084.98	8,329.05	5	5
5,119.47	5,707.92	6,274.41	6,809.13	7,300.70	7,734.86	8,091.43	8,332.34	1/4	1/4
5,131.89	5,719.98	6,285.92	6,819.85	7,310.38	7,743.17	8,097.82	8,335.53	1/2	1/2
5,144.31	5,732.03	6,297.40	6,830.56	7,320.04	7,751.44	8,104.16	8,338.61	3/4	3/4
5,156.72	5,744.07	6,308.87	6,841.25	7,329.68	7,759.69	8,110.46	8,341.69	6	6
5,169.13	5,756.09	6,320.33	6,851.92	7,339.30	7,767.87	8,116.71	8,344.45	1/4	1/4
5,181.53	5,768.11	6,331.78	6,862.56	7,348.88	7,776.06	8,122.90	8,347.19	1/2	1/2
5,193.92	5,780.12	6,343.21	6,873.20	7,358.44	7,784.19	8,129.05	8,349.81	3/4	3/4
5,206.30	5,792.13	6,354.62	6,883.81	7,367.98	7,792.30	8,135.14	8,352.30	7	7
5,218.68	5,804.12	6,366.02	6,894.40	7,377.49	7,800.36	8,141.19	8,354.66	1/4	1/4
5,231.06	5,816.09	6,377.41	6,904.96	7,386.97	7,808.40	8,147.18	8,356.87	1/2	1/2
5,243.43	5,828.06	6,388.78	6,915.52	7,396.42	7,816.40	8,153.12	8,358.94	3/4	3/4
5,255.79	5,840.02	6,400.14	6,926.05	7,405.86	7,824.36	8,159.01	8,360.82	8	8
5,268.14	5,851.97	6,411.49	6,936.56	7,415.26	7,832.29	8,164.84	8,362.54	1/4	1/4
5,280.49	5,863.91	6,422.81	6,947.05	7,424.64	7,840.18	8,170.62	8,364.04	1/2	1/2
5,292.83	5,875.83	6,434.13	6,957.52	7,433.99	7,848.03	8,176.35	8,365.31	3/4	3/4
5,305.17	5,887.75	6,445.43	6,967.97	7,443.32	7,855.85	8,182.02	8,366.30	9	9
5,317.50	5,899.65	6,456.71	6,978.40	7,452.62	7,863.62	8,187.63	8,366.83	1/4	1/4
5,329.82	5,911.55	6,467.97	6,988.82	7,461.89	7,871.37	8,193.18	8,367.30	1/2	1/2
5,342.13	5,923.43	6,479.22	6,999.20	7,471.13	7,879.08	8,198.68	8,367.80	3/4	3/4
5,354.44	5,935.30	6,490.46	7,009.57	7,480.35	7,886.74	8,204.12	8,368.29	10	10
5,366.74	5,947.17	6,501.69	7,019.92	7,489.54	7,894.38	8,209.50	8,368.74	1/4	1/4
5,379.04	5,959.02	6,512.89	7,030.25	7,498.70	7,901.97	8,214.83	8,369.16	1/2	1/2
5,391.32	5,970.86	6,524.08	7,040.56	7,507.83	7,909.53	8,220.08	8,369.54	3/4	3/4
5,403.60	5,982.69	6,535.25	7,050.85	7,516.94	7,917.04	8,225.29	8,369.92	11	11
5,415.87	5,994.50	6,546.41	7,061.11	7,526.01	7,924.52	8,230.42	8,370.29	1/4	1/4
5,428.13	6,006.30	6,557.55	7,071.35	7,535.06	7,931.96	8,235.50	8,370.61	1/2	1/2
5,440.39	6,018.10	6,568.68	7,081.57	7,544.08	7,939.35	8,240.52	8,370.92	3/4	3/4

NOTE: TABLE SCALED FROM EXTREME BOTTOM OF TANK.
 BARGE SHOULD BE ON EVEN KEEL WHEN GAUGING.
 CAPACITIES REFLECT EXPANSION OF TANK SHELL
 FOR AN OPERATING TEMPERATURE OF 60 F.

INNAUGE TABLE

STRAPPED: 22/24/09

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
 IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
 ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

INSPECTORATE

ISO 9002 ACCREDITED

BARGE "TMS-400"
TEPCO MARINE SERVICE.

TANK NO.
STARBOARD

Capacities in Barrels

Page 1 of 2

0 FEET	1 FEET	2 FEET	3 FEET	4 FEET	5 FEET	6 FEET	7 FEET	8 FEET	9 FEET
0.00	179.92	505.02	917.33	1,393.00	1,916.62	2,475.21	3,059.43	3,659.10	4,280.10
0.54	188.55	512.83	926.85	1,403.46	1,927.64	2,487.15	3,071.81	3,672.50	4,280.80
1.52	191.24	520.67	936.01	1,413.94	1,938.98	2,499.10	3,084.19	3,683.15	4,293.49
2.80	196.99	528.55	945.39	1,424.45	1,950.33	2,511.08	3,095.58	3,697.77	4,306.18
4.32	202.79	535.46	954.80	1,434.97	1,961.70	2,522.06	3,108.97	3,710.40	4,318.87
6.03	208.64	544.42	964.24	1,445.52	1,973.07	2,533.04	3,121.38	3,723.04	4,331.57
7.94	214.55	552.40	973.69	1,456.08	1,984.47	2,547.04	3,133.79	3,735.67	4,344.26
10.00	220.50	560.43	983.18	1,466.66	1,995.88	2,559.06	3,146.20	3,748.31	4,356.95
12.22	226.52	568.49	992.69	1,477.27	2,007.30	2,571.07	3,158.62	3,760.96	4,369.64
14.59	232.59	576.58	1,002.23	1,487.89	2,018.73	2,583.10	3,171.05	3,773.60	4,382.33
17.10	238.70	584.71	1,011.80	1,498.54	2,030.19	2,595.15	3,183.48	3,786.25	4,395.02
19.73	244.87	592.88	1,021.39	1,509.20	2,041.66	2,607.19	3,195.92	3,798.90	4,407.71
22.48	251.09	601.07	1,031.01	1,519.88	2,053.14	2,619.25	3,208.37	3,811.56	4,420.39
25.36	257.36	609.30	1,040.65	1,530.58	2,064.63	2,631.33	3,220.82	3,824.21	4,433.08
28.34	263.67	617.57	1,050.32	1,541.30	2,076.14	2,643.41	3,233.28	3,836.86	4,445.76
31.44	270.04	625.87	1,060.00	1,552.04	2,087.67	2,655.50	3,245.75	3,849.52	4,458.44
34.64	276.45	634.20	1,069.72	1,562.79	2,099.20	2,667.60	3,258.21	3,862.19	4,471.13
37.94	282.92	642.57	1,079.46	1,573.57	2,110.76	2,679.71	3,270.69	3,874.85	4,483.80
41.34	289.43	650.97	1,089.23	1,584.36	2,122.32	2,691.83	3,283.17	3,887.51	4,496.49
44.84	295.99	659.40	1,099.04	1,595.18	2,133.90	2,703.95	3,295.66	3,900.19	4,509.16
48.43	302.60	667.86	1,108.84	1,606.02	2,145.49	2,716.10	3,308.16	3,912.86	4,521.84
52.11	309.25	676.36	1,118.64	1,616.86	2,157.10	2,728.24	3,320.65	3,925.52	4,534.52
55.88	315.95	684.89	1,128.54	1,627.73	2,168.72	2,740.40	3,333.15	3,938.20	4,547.18
59.74	322.69	693.45	1,138.42	1,638.62	2,180.35	2,752.55	3,345.66	3,950.88	4,559.85
63.67	329.47	702.05	1,148.34	1,649.52	2,192.00	2,764.74	3,358.18	3,963.55	4,572.53
67.69	336.31	710.67	1,158.27	1,660.44	2,203.65	2,776.93	3,370.70	3,976.23	4,585.19
71.80	343.18	719.33	1,168.23	1,671.38	2,215.32	2,789.12	3,383.22	3,988.91	4,597.85
75.98	350.11	728.01	1,178.22	1,682.34	2,227.01	2,801.32	3,395.75	4,001.60	4,610.52
80.25	357.07	736.73	1,188.22	1,693.31	2,238.70	2,813.53	3,408.29	4,014.28	4,623.18
84.58	364.08	745.48	1,198.25	1,704.30	2,250.42	2,825.75	3,420.83	4,026.96	4,635.83
88.99	371.13	754.26	1,208.30	1,715.32	2,262.14	2,838.97	3,433.38	4,039.65	4,648.48
93.48	378.23	763.08	1,218.37	1,726.34	2,273.87	2,852.21	3,445.93	4,052.33	4,661.14
98.04	385.37	771.91	1,228.47	1,737.38	2,285.62	2,865.46	3,458.47	4,065.02	4,673.79
102.66	392.54	780.78	1,238.59	1,748.45	2,297.38	2,878.70	3,471.03	4,077.71	4,686.44
107.36	399.76	789.69	1,248.73	1,759.52	2,309.15	2,891.97	3,483.60	4,090.40	4,699.08
112.13	407.02	798.62	1,258.90	1,770.62	2,320.94	2,899.24	3,496.16	4,103.09	4,711.73
116.96	414.32	807.58	1,269.08	1,781.73	2,332.73	2,911.51	3,508.74	4,115.78	4,724.37
121.86	421.66	816.56	1,279.28	1,792.86	2,344.54	2,923.80	3,521.31	4,128.47	4,737.00
126.83	429.05	825.58	1,289.51	1,804.00	2,356.37	2,936.09	3,533.89	4,141.17	4,749.64
131.87	436.49	834.63	1,299.77	1,815.16	2,368.19	2,948.39	3,546.47	4,153.85	4,762.27
136.96	443.93	843.93	1,310.04	1,826.34	2,380.04	2,960.70	3,559.07	4,166.55	4,774.89
142.12	451.44	852.81	1,320.34	1,837.53	2,391.89	2,973.02	3,571.65	4,179.24	4,787.52
147.34	458.98	861.94	1,330.65	1,848.74	2,403.76	2,985.34	3,584.25	4,191.94	4,800.14
152.62	466.55	871.11	1,340.99	1,859.97	2,415.63	2,997.67	3,596.85	4,204.63	4,812.75
157.96	474.17	880.29	1,351.35	1,871.20	2,427.54	3,010.01	3,609.45	4,217.33	4,825.36
163.36	481.83	889.51	1,361.74	1,882.47	2,439.43	3,022.36	3,622.06	4,230.02	4,837.98
168.82	489.51	898.75	1,372.14	1,893.73	2,451.34	3,034.70	3,634.68	4,242.71	4,850.59
174.34	497.25	908.03	1,382.55	1,905.02	2,463.27	3,047.07	3,647.29	4,255.41	4,863.19

NOTE: TABLE SCALED FROM EXTREME BOTTOM OF TANK.

BARGE SHOULD BE ON EVEN KEEL WHEN GAUGING.

CAPACITIES REFLECT EXPANSION OF TANK SHELL.

FOR AN OPERATING TEMPERATURE OF 60 F.

INNAGE TABLE

STRAPPED: 22/409

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

ISO 9002 ACCREDITED

BARGE "TMS-400"
TEPPCO MARINE SERVICE.

TANK NO.

STARBOARD

Capacities in Barrels

Page 2 of 2

10 FEET	11 FEET	12 FEET	13 FEET	14 FEET	15 FEET	16 FEET	17 FEET	18 FEET	19 FEET
0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
4,875.79	5,474.70	6,056.28	6,611.30	7,159.39	7,598.10	8,001.07	8,312.70	8,547.12	8,707.12
4,888.39	5,487.02	6,068.15	6,622.51	7,169.70	7,607.23	8,008.60	8,317.92	8,547.12	8,707.12
4,901.97	5,499.34	6,080.00	6,633.12	7,180.00	7,616.34	8,016.11	8,323.08	8,547.12	8,707.12
4,913.57	5,511.65	6,091.85	6,644.88	7,189.27	7,625.41	8,025.57	8,328.17	8,547.12	8,707.12
4,926.15	5,523.94	6,103.67	6,656.04	7,197.53	7,634.46	8,030.99	8,333.21	8,547.12	8,707.12
4,938.73	5,536.24	6,115.50	6,667.18	7,180.58	7,643.48	8,038.38	8,338.18	8,547.12	8,707.12
4,951.30	5,548.53	6,127.31	6,678.31	7,190.96	7,652.46	8,045.72	8,343.08	8,547.12	8,707.12
4,963.88	5,560.80	6,139.10	6,689.42	7,201.14	7,661.42	8,053.02	8,347.91	8,547.12	8,707.12
4,976.44	5,573.07	6,150.89	6,700.32	7,211.31	7,670.35	8,060.28	8,352.68	8,547.12	8,707.12
4,989.01	5,585.34	6,162.66	6,711.59	7,221.45	7,679.26	8,067.50	8,357.38	8,547.12	8,707.12
5,001.57	5,597.58	6,174.42	6,722.66	7,231.57	7,688.13	8,074.67	8,362.00	8,547.12	8,707.12
5,014.11	5,609.83	6,186.17	6,733.70	7,241.67	7,696.96	8,081.81	8,366.56	8,547.12	8,707.12
5,026.66	5,622.07	6,197.90	6,744.72	7,251.74	7,705.78	8,088.91	8,371.05	8,547.12	8,707.12
5,039.21	5,634.29	6,209.62	6,755.74	7,261.79	7,714.56	8,095.96	8,375.46	8,547.12	8,707.12
5,051.75	5,646.51	6,221.34	6,766.73	7,271.82	7,723.31	8,102.97	8,379.79	8,547.12	8,707.12
5,064.29	5,658.72	6,233.03	6,777.70	7,281.81	7,732.03	8,109.93	8,384.06	8,547.12	8,707.12
5,076.82	5,670.92	6,244.72	6,788.65	7,291.81	7,740.71	8,116.86	8,388.24	8,547.12	8,707.12
5,089.34	5,683.11	6,256.39	6,799.60	7,301.77	7,749.37	8,123.73	8,392.35	8,547.12	8,707.12
5,101.86	5,695.30	6,268.04	6,810.52	7,311.70	7,757.99	8,130.57	8,396.37	8,547.12	8,707.12
5,114.38	5,707.48	6,279.69	6,821.42	7,321.62	7,766.59	8,137.35	8,400.30	8,547.12	8,707.12
5,126.88	5,719.64	6,291.32	6,832.31	7,331.50	7,775.15	8,144.09	8,404.16	8,547.12	8,707.12
5,139.39	5,731.80	6,302.94	6,843.18	7,341.37	7,783.68	8,150.79	8,407.93	8,547.12	8,707.12
5,151.88	5,743.94	6,314.55	6,854.02	7,351.20	7,792.18	8,157.44	8,411.61	8,547.12	8,707.12
5,164.38	5,756.09	6,326.14	6,864.86	7,361.02	7,800.64	8,164.05	8,415.20	8,547.12	8,707.12
5,176.87	5,768.27	6,337.72	6,875.68	7,370.85	7,809.07	8,170.61	8,418.70	8,547.12	8,707.12
5,189.35	5,780.33	6,349.28	6,886.47	7,380.58	7,817.47	8,177.12	8,422.10	8,547.12	8,707.12
5,201.83	5,792.44	6,360.84	6,897.25	7,390.32	7,825.84	8,183.59	8,425.40	8,547.12	8,707.12
5,214.29	5,804.54	6,372.37	6,908.04	7,400.04	7,834.17	8,190.00	8,428.60	8,547.12	8,707.12
5,226.76	5,816.63	6,383.90	6,918.74	7,409.72	7,842.47	8,196.37	8,431.70	8,547.12	8,707.12
5,239.22	5,828.71	6,395.41	6,929.46	7,419.39	7,850.74	8,202.68	8,434.88	8,547.12	8,707.12
5,251.67	5,840.79	6,406.90	6,940.16	7,429.03	7,858.97	8,208.95	8,437.95	8,547.12	8,707.12
5,264.12	5,852.85	6,418.38	6,950.84	7,438.65	7,867.16	8,215.17	8,440.91	8,547.12	8,707.12
5,276.56	5,864.89	6,429.85	6,961.50	7,448.24	7,875.33	8,221.34	8,443.94	8,547.12	8,707.12
5,288.99	5,876.94	6,441.31	6,972.15	7,457.81	7,883.46	8,227.45	8,446.95	8,547.12	8,707.12
5,301.42	5,888.97	6,452.74	6,982.77	7,467.35	7,891.55	8,233.52	8,449.92	8,547.12	8,707.12
5,313.84	5,900.98	6,464.16	6,993.38	7,476.86	7,899.61	8,239.54	8,452.04	8,547.12	8,707.12
5,326.25	5,913.00	6,475.57	7,003.96	7,486.35	7,907.64	8,245.49	8,454.10	8,547.12	8,707.12
5,338.66	5,925.00	6,486.97	7,014.52	7,495.81	7,915.62	8,251.40	8,456.11	8,547.12	8,707.12
5,351.07	5,936.98	6,498.34	7,025.07	7,505.24	7,923.58	8,257.25	8,457.72	8,547.12	8,707.12
5,363.46	5,948.94	6,509.71	7,035.59	7,514.65	7,931.49	8,263.05	8,458.52	8,547.12	8,707.12
5,375.85	5,960.94	6,521.06	7,046.10	7,524.03	7,939.37	8,268.80	8,459.50	8,547.12	8,707.12
5,388.23	5,972.88	6,532.40	7,056.58	7,533.39	7,947.21	8,274.49	8,460.44	8,547.12	8,707.12
5,400.61	5,984.83	6,543.72	7,067.04	7,542.71	7,955.02	8,280.12	8,461.33	8,547.12	8,707.12
5,412.97	5,996.77	6,555.02	7,077.49	7,552.01	7,962.79	8,285.70	8,462.17	8,547.12	8,707.12
5,425.34	6,008.70	6,566.31	7,087.90	7,561.29	7,970.52	8,291.22	8,463.06	8,547.12	8,707.12
5,437.68	6,020.61	6,577.57	7,098.30	7,570.53	7,978.21	8,296.68	8,463.90	8,547.12	8,707.12
5,450.03	6,032.50	6,588.84	7,108.69	7,579.75	7,985.87	8,302.08	8,464.69	8,547.12	8,707.12
5,462.37	6,044.40	6,600.07	7,119.05	7,588.93	7,993.49	8,307.42	8,465.43	8,547.12	8,707.12

NOTE: TABLE SCALED FROM EXTREME BOTTOM OF TANK.
BARGE SHOULD BE ON EVEN KEEL, WHEN GAUGING.
CAPACITIES REFLECT EXPANSION OF TANK SHELL
FOR AN OPERATING TEMPERATURE OF 60 F.

INNAUGE TABLE

STRAPPED: 22/409

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION