



Enterprise Marine Services LLC

TANK NO. 1
PORT OR STAR

HULL NO. 111

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34	34	34	34	34	34	34	34

STRAPPED: 621000 REISSUED IN HERMETIC OUTAGE 07/06

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]
INSPECTORATE AMERICA CORPORATION

REFERENCE GAUGE HEIGHT: 16'-5 3/4" (TO MARK ON HERMETIC GAUGING DEVICE LOCATED NEAR CENTER OF TANK)

* CAPACITY BELOW STRIKE POINT

CAPACITIES GIVEN IN BARRELS OR 42 US GALLONS



TANK NO. 2
PORT

HULL NO 111

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

16 FT.	15 FT.	14 FT.	13 FT.	12 FT.	11 FT.	10 FT.	9 FT.	8 FT.	7 FT.	6 FT.	5 FT.	4 FT.	3 FT.	2 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16	16	16	16	16	16	16

STRAPPED: 62/100 REISSUED IN HERMETIC OUTAGE: 8/17/04

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]
INSPECTORATE AMERICA CORPORATION

REFERENCE GAUGE HEIGHT: 16'-5 1/4" (TO MARK ON HERMETIC GAUGING DEVICE LOCATED NEAR CENTER OF TANK)

* CAPACITY BELOW STRIKE POINT

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

TANK NO. 2
STAR

HULL NO. 111

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
0	5,151.86	4,810.66	4,450.84	4,097.43	3,744.02	3,390.61	3,037.20	2,683.79	2,330.38	1,976.97	1,623.56	1,270.15	916.74	563.33	209.92
1/4	5,146.92	4,805.72	4,445.90	4,092.49	3,739.08	3,385.67	3,032.26	2,678.85	2,325.44	1,972.03	1,618.62	1,265.20	911.79	558.38	204.97
1/2	5,142.00	4,800.78	4,441.00	4,087.57	3,734.16	3,380.75	3,027.34	2,673.93	2,320.52	1,967.11	1,613.70	1,260.28	906.87	553.43	200.02
3/4	5,137.08	4,795.84	4,436.10	4,082.65	3,729.24	3,375.83	3,022.42	2,669.01	2,315.60	1,962.19	1,608.78	1,255.35	901.96	548.48	195.07
1	5,132.16	4,790.92	4,431.20	4,077.73	3,724.32	3,370.91	3,017.50	2,664.09	2,310.68	1,957.27	1,603.86	1,250.43	897.05	543.53	190.12
1/4	5,127.24	4,786.00	4,426.30	4,072.81	3,719.40	3,366.00	3,012.58	2,659.17	2,305.76	1,952.35	1,598.94	1,245.50	892.14	538.58	185.17
1/2	5,122.32	4,781.08	4,421.40	4,067.89	3,714.48	3,361.08	3,007.66	2,654.25	2,300.84	1,947.43	1,594.02	1,240.58	887.23	533.63	180.22
3/4	5,117.40	4,776.16	4,416.50	4,062.97	3,709.56	3,356.16	3,002.74	2,649.33	2,295.92	1,942.51	1,589.10	1,235.65	882.32	528.68	175.27
2	5,097.72	4,751.75	4,389.16	4,039.72	3,682.21	3,328.83	2,975.41	2,624.02	2,270.61	1,917.20	1,563.79	1,210.34	857.01	503.37	150.34
1/4	5,090.70	4,744.38	4,381.44	4,031.44	3,674.94	3,321.11	2,967.69	2,616.34	2,262.93	1,909.52	1,556.11	1,202.66	849.39	495.69	142.66
1/2	5,083.67	4,737.01	4,373.72	4,023.16	3,667.67	3,313.40	2,959.97	2,608.66	2,255.26	1,901.84	1,548.43	1,194.98	841.71	488.01	135.00
3/4	5,076.64	4,729.64	4,366.00	4,014.88	3,659.40	3,305.69	2,952.25	2,600.98	2,247.58	1,894.16	1,540.75	1,187.30	834.03	480.33	127.34
3	5,069.61	4,722.27	4,358.28	4,006.60	3,651.12	3,297.97	2,944.54	2,593.31	2,239.90	1,886.48	1,533.07	1,179.62	826.35	472.65	119.68
1/4	5,062.58	4,714.90	4,350.56	3,998.32	3,642.84	3,290.26	2,937.42	2,585.64	2,232.22	1,878.80	1,525.39	1,171.94	818.67	464.97	112.02
1/2	5,055.55	4,707.53	4,342.76	3,990.04	3,634.56	3,282.55	2,929.73	2,577.96	2,224.54	1,871.12	1,517.71	1,164.26	811.00	457.29	104.36
3/4	5,048.52	4,700.16	4,335.00	3,981.76	3,626.28	3,274.83	2,922.04	2,570.29	2,216.86	1,863.44	1,510.03	1,156.58	803.32	449.61	96.70
4	5,041.49	4,692.79	4,327.24	3,973.48	3,618.00	3,267.11	2,914.35	2,562.61	2,209.18	1,855.76	1,502.35	1,148.90	795.64	441.93	89.04
1/4	5,034.46	4,685.42	4,319.52	3,965.20	3,609.72	3,259.40	2,906.66	2,554.88	2,201.50	1,848.08	1,494.62	1,141.22	787.96	434.25	81.38
1/2	5,027.43	4,678.05	4,311.76	3,956.92	3,601.44	3,251.69	2,898.97	2,547.15	2,193.82	1,840.40	1,486.94	1,133.54	780.28	426.57	73.72
3/4	5,020.40	4,670.68	4,304.00	3,948.64	3,593.16	3,243.97	2,891.28	2,539.42	2,186.14	1,832.72	1,479.26	1,125.86	772.60	418.89	66.06
5	5,012.79	4,662.31	4,295.84	3,940.36	3,584.88	3,236.26	2,883.60	2,531.69	2,178.46	1,825.04	1,471.58	1,118.18	764.92	411.21	58.40
1/4	5,005.76	4,654.94	4,288.08	3,932.08	3,576.60	3,228.54	2,875.91	2,523.96	2,170.78	1,817.36	1,463.90	1,110.50	757.24	403.53	50.74
1/2	4,998.73	4,647.57	4,280.32	3,923.80	3,568.32	3,220.83	2,868.22	2,516.23	2,163.10	1,809.68	1,456.22	1,102.82	749.56	395.85	43.08
3/4	4,991.70	4,640.20	4,272.56	3,915.52	3,560.04	3,213.11	2,860.53	2,508.50	2,155.42	1,801.96	1,448.54	1,095.14	741.88	388.17	35.42
6	4,984.09	4,632.83	4,264.72	3,907.24	3,551.76	3,205.40	2,852.84	2,500.77	2,147.74	1,794.24	1,440.86	1,087.46	734.20	380.49	27.76
1/4	4,977.06	4,625.46	4,256.96	3,898.96	3,543.48	3,197.69	2,845.15	2,493.04	2,139.96	1,786.52	1,433.18	1,079.78	726.52	372.81	20.10
1/2	4,970.03	4,618.09	4,249.20	3,890.68	3,535.20	3,189.97	2,837.46	2,485.31	2,132.18	1,778.80	1,425.50	1,072.10	718.84	365.13	12.44
3/4	4,963.00	4,610.72	4,241.44	3,882.40	3,526.92	3,182.26	2,829.77	2,477.58	2,124.40	1,771.12	1,417.82	1,064.42	711.16	357.45	4.78
7	4,955.63	4,603.35	4,233.68	3,874.12	3,518.64	3,174.54	2,822.08	2,469.85	2,116.62	1,763.44	1,410.14	1,056.74	703.48	349.77	-2.88
1/4	4,948.60	4,595.98	4,225.92	3,865.84	3,510.36	3,166.82	2,814.39	2,462.12	2,108.84	1,755.76	1,402.46	1,049.06	695.80	342.09	-10.54
1/2	4,941.57	4,588.61	4,218.16	3,857.56	3,502.08	3,159.11	2,806.70	2,454.39	2,101.06	1,748.08	1,394.78	1,041.38	688.12	334.41	-18.20
3/4	4,934.54	4,581.24	4,210.40	3,849.28	3,493.80	3,151.39	2,799.01	2,446.66	2,093.28	1,740.40	1,387.10	1,033.70	680.44	326.73	-25.86
8	4,926.82	4,573.87	4,202.64	3,841.00	3,485.52	3,143.67	2,791.32	2,438.93	2,085.50	1,732.72	1,379.42	1,026.02	672.76	319.05	-33.52
1/4	4,919.79	4,566.50	4,194.88	3,832.72	3,477.24	3,135.95	2,783.63	2,431.20	2,077.72	1,725.04	1,371.74	1,018.34	665.08	311.37	-41.18
1/2	4,912.76	4,559.13	4,187.12	3,824.44	3,468.96	3,128.23	2,775.94	2,423.47	2,069.92	1,717.36	1,364.06	1,010.66	657.40	303.69	-48.84
3/4	4,905.73	4,551.76	4,179.36	3,816.16	3,460.68	3,120.51	2,768.25	2,415.74	2,062.14	1,709.68	1,356.38	1,002.98	649.72	296.01	-56.50
9	4,898.02	4,544.39	4,171.60	3,807.88	3,452.40	3,112.79	2,760.56	2,408.01	2,054.36	1,702.00	1,348.70	995.30	642.04	288.33	-64.16
1/4	4,891.00	4,537.02	4,163.84	3,799.60	3,444.12	3,105.07	2,752.87	2,400.28	2,046.58	1,694.32	1,341.02	987.62	634.36	280.65	-71.82
1/2	4,884.00	4,529.65	4,156.08	3,791.32	3,435.84	3,097.35	2,745.18	2,392.55	2,038.80	1,686.64	1,333.34	979.94	626.68	272.97	-79.48
3/4	4,877.00	4,522.28	4,148.32	3,783.04	3,427.56	3,089.63	2,737.49	2,384.82	2,031.02	1,678.96	1,325.66	972.26	619.00	265.29	-87.14
10	4,869.96	4,514.91	4,140.56	3,774.76	3,419.28	3,081.91	2,729.80	2,377.09	2,023.24	1,671.28	1,317.98	964.58	611.32	257.61	-94.80
1/4	4,863.00	4,507.54	4,132.80	3,766.48	3,411.00	3,074.19	2,722.11	2,369.36	2,015.46	1,663.60	1,310.30	956.90	603.64	249.93	-102.46
1/2	4,856.00	4,500.17	4,125.04	3,758.20	3,402.72	3,066.47	2,714.42	2,361.63	2,007.68	1,655.92	1,302.62	949.22	595.96	242.25	-110.12
3/4	4,849.00	4,492.80	4,117.28	3,749.92	3,394.44	3,058.75	2,706.73	2,353.90	2,000.00	1,648.24	1,294.94	941.54	588.28	234.57	-117.78
11	4,841.96	4,485.43	4,109.52	3,741.64	3,386.16	3,051.03	2,699.04	2,346.17	1,992.22	1,640.56	1,287.26	933.86	580.60	226.89	-125.44
1/4	4,835.00	4,478.06	4,101.76	3,733.36	3,377.88	3,043.31	2,691.35	2,338.44	1,984.44	1,632.88	1,279.58	926.18	572.92	219.21	-133.10
1/2	4,828.00	4,470.69	4,094.00	3,725.08	3,369.60	3,035.59	2,683.66	2,330.71	1,976.72	1,625.20	1,271.90	918.50	565.18	211.53	-140.76
3/4	4,821.00	4,463.32	4,086.24	3,716.80	3,361.32	3,027.87	2,675.97	2,322.98	1,969.00	1,617.52	1,264.22	910.82	557.44	203.85	-148.42
12	4,814.00	4,455.95	4,078.48	3,708.52	3,353.04	3,020.15	2,668.28	2,315.25	1,961.28	1,609.84	1,256.54	903.14	549.70	196.17	-156.08
1/4	4,807.00	4,448.58	4,070.72	3,700.24	3,344.76	3,012.43	2,660.59	2,307.52	1,953.56	1,602.16	1,248.86	895.46	542.02	188.49	-163.74
1/2	4,800.00	4,441.21	4,062.96	3,691.96	3,336.48	3,004.71	2,652.90	2,299.79	1,945.84	1,594.48	1,241.18	887.78	534.34	180.81	-171.40
3/4	4,793.00	4,433.84	4,055.20	3,683.68	3,328.20	2,996.99	2,645.21	2,292.06	1,938.12	1,586.80	1,233.50	880.10	526.66	173.13	-179.06
13	4,786.00	4,426.47	4,047.44	3,675.40	3,319.92	2,989.27	2,637.52	2,284.33	1,930.40	1,579.12	1,225.82	872.42	518.98	165.45	-186.72
1/4	4,779.00	4,419.10	4,039.68	3,667.12	3,311.64	2,981.55	2,629.83	2,276.59	1,922.68	1,571.44	1,218.14	864.74	511.30	157.77	-194.38
1/2	4,772.00	4,411.73	4,031.92	3,658.84	3,303.36	2,973.83	2,622.14	2,268.86	1,914.96	1,563.76	1,210.46	857.06	503.62	150.09	-202.04
3/4	4,765.00	4,404.36	4,024.16	3,650.56	3,295.08	2,966.11	2,614.45	2,261.12	1,907.24	1,556.08	1,202.78	849.38	495.94	142.41	-209.70
14	4,758.00	4,397.00	4,016.40	3,642.28	3,286.80	2,958.39	2,606.74	2,253.39	1,899.52	1,548.40	1,195.10	841.70	488.26	134.73	-217.36
1/4	4,751.00	4,389.63	4,008.64	3,634.00	3,278.52	2,950.67	2,599.03	2,245.66	1,891.80	1,540.72	1,187.42	834.02	480.58	127.05	-225.02
1/2	4,744.00	4,382.26	4,000.88	3,625.72	3,270.24	2,942.95	2,591.32	2,237.93	1,884.08	1,533.04	1,179.74	826.34	472.90	119.37	-232.68
3/4	4,737.00	4,374.89	3,993.12	3,617.44	3,261.96	2,935.23	2,58								



BARGE "EMS 339"
Enterprise Marine Services LLC

TANK NO. 3
PORT AND STAR

HULL NO. 111

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

P	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
1	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
2	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
3	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
4	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
5	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
6	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
7	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
8	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
9	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
11	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
12	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
13	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
14	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
15	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
16	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
17	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
18	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
19	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
20	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
21	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
22	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
23	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
24	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
25	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
26	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
27	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
28	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
29	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
30	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
31	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
32	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
33	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10
34	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10	4,457.10

STRAPPED: 621/800 REISSUED IN HERMETIC OUTAGE: 817/804

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]

INSPECTORATE AMERICA CORPORATION

REFERENCE GAUGE HEIGHT: 16'-5 1/4" (TO MARK ON HERMETIC GAUGING DEVICE LOCATED NEAR CENTER OF TANK)

* CAPACITY BELOW STRIKE POINT

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS