



BARGE "EMS 337"  
Enterprise Marine Services LLC

TANK NO. 1  
PORT OR STAR

HULL NO. 109

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 14 FT.) and corresponding gauge readings. The table contains multiple rows of data for each height, with some cells containing '0' or '1' indicating specific gauge types or states.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 14'-11 1/2" IRIM OF 2" DIAMETER BALL VALVE NEAR CENTER OF TANK

STRAPPED: 31000

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

*[Signature]*  
INSPECTORATE AMERICA CORPORATION



BARGE "EMS 337"  
Enterprise Marine Services LLC

TANK NO. 2  
PORT OR STAR

OUTGAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for gauge height (0 FT. to 14 FT.) and corresponding capacity values. Includes a 'STRAPPED' column at the bottom right.

REFERENCE GAUGE HEIGHT : 14'-11 1/4" (RIM OF 2" DIAMETER BALL VALVE NEAR CENTER OF TANK)

\* CAPACITY BELOW STRIKE POINT.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

*[Signature]*

INSPECTORATE AMERICA CORPORATION

STRAPPED: 371000



BARGE "EMS 337"  
Enterprise Marine Services LLC

TANK NO. 3  
PORT OR STAR

HULL NO. 109

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 14 FT.) and various gauge readings (0 to 34). Includes a 'CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS' section at the bottom.

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 14'-11 1/2" (RIM OF 2" DIAMETER BALL VALVE NEAR CENTER OF TANK)

STRAPPED: 3/10/00

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

*[Signature]*

INSPECTORATE AMERICA CORPORATION