



BARGE "EMS 525"

INNAGE TRIM TABLE

HULL # 1271

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
1 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
2 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
3 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-2/8	- 00-2/8	00-1/2	- 00-1/2
3 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-2/8	- 00-2/8	00-3/8	- 00-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT	=	2'-00"
AFT DRAFT	=	4'-00"
DIFF.	=	2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/8"
FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 253'-00"

August 8, 2020

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "EMS 525"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS											
HULL # C-1271											
GAUGE HEIGHT 15'-09"											
IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	3,630.05	0	3,993.32	0	4,349.02	0	4,691.46	0	5,019.13	0	5,324.35
1/4	3,637.62	1/4	4,000.85	1/4	4,356.28	1/4	4,698.44	1/4	5,025.74	1/4	5,332.35
1/2	3,645.19	1/2	4,008.39	1/2	4,363.55	1/2	4,705.43	1/2	5,032.35	1/2	5,338.96
3/4	3,652.76	3/4	4,015.93	3/4	4,370.81	3/4	4,712.41	3/4	5,038.96	3/4	5,345.57
1	3,660.33	1	4,023.47	1	4,378.07	1	4,719.40	1	5,045.57	1	5,352.16
1/4	3,667.90	1/4	4,030.98	1/4	4,385.30	1/4	4,726.33	1/4	5,052.16	1/4	5,358.74
1/2	3,675.47	1/2	4,038.49	1/2	4,392.54	1/2	4,733.27	1/2	5,058.74	1/2	5,365.33
3/4	3,683.03	3/4	4,046.01	3/4	4,399.78	3/4	4,740.21	3/4	5,065.33	3/4	5,371.92
2	3,690.60	2	4,053.52	2	4,407.02	2	4,747.15	2	5,071.92	2	5,378.48
1/4	3,698.17	1/4	4,061.01	1/4	4,414.23	1/4	4,754.05	1/4	5,078.48	1/4	5,385.04
1/2	3,705.74	1/2	4,068.50	1/2	4,421.45	1/2	4,760.96	1/2	5,085.04	1/2	5,391.61
3/4	3,713.31	3/4	4,076.00	3/4	4,428.66	3/4	4,767.87	3/4	5,091.61	3/4	5,398.17
3	3,720.88	3	4,083.49	3	4,435.07	3	4,774.78	3	5,098.17	3	5,404.74
1/4	3,728.45	1/4	4,090.96	1/4	4,443.07	1/4	4,781.66	1/4	5,104.71	1/4	5,411.30
1/2	3,736.02	1/2	4,098.42	1/2	4,450.26	1/2	4,788.55	1/2	5,111.25	1/2	5,417.87
3/4	3,743.59	3/4	4,105.89	3/4	4,457.45	3/4	4,795.44	3/4	5,117.79	3/4	5,424.43
4	3,751.16	4	4,113.36	4	4,464.64	4	4,802.32	4	5,124.33	4	5,430.99
1/4	3,758.72	1/4	4,120.80	1/4	4,471.81	1/4	4,809.18	1/4	5,130.85	1/4	5,437.55
1/2	3,766.29	1/2	4,128.25	1/2	4,478.98	1/2	4,816.05	1/2	5,137.36	1/2	5,444.11
3/4	3,773.86	3/4	4,135.70	3/4	4,486.15	3/4	4,822.91	3/4	5,143.88	3/4	5,450.67
5	3,781.43	5	4,143.14	5	4,493.32	5	4,829.77	5	5,150.40	5	5,457.23
1/4	3,789.00	1/4	4,150.56	1/4	4,500.46	1/4	4,836.61	1/4	5,156.91	1/4	5,463.79
1/2	3,796.57	1/2	4,157.98	1/2	4,507.61	1/2	4,843.45	1/2	5,163.42	1/2	5,470.35
3/4	3,804.14	3/4	4,165.41	3/4	4,514.76	3/4	4,850.29	3/4	5,170.04	3/4	5,476.91
6	3,811.71	6	4,172.83	6	4,521.90	6	4,857.13	6	5,176.56	6	5,483.47
1/4	3,819.28	1/4	4,180.23	1/4	4,529.02	1/4	4,863.95	1/4	5,183.07	1/4	5,490.03
1/2	3,826.85	1/2	4,187.63	1/2	4,536.15	1/2	4,870.77	1/2	5,189.59	1/2	5,496.59
3/4	3,834.41	3/4	4,195.03	3/4	4,543.27	3/4	4,877.58	3/4	5,196.10	3/4	5,503.15
7	3,841.98	7	4,202.42	7	4,550.39	7	4,884.40	7	5,202.63	7	5,509.71
1/4	3,849.55	1/4	4,209.80	1/4	4,557.49	1/4	4,891.20	1/4	5,209.14	1/4	5,516.27
1/2	3,857.12	1/2	4,217.18	1/2	4,564.59	1/2	4,897.99	1/2	5,215.66	1/2	5,522.83
3/4	3,864.69	3/4	4,224.55	3/4	4,571.69	3/4	4,904.78	3/4	5,222.18	3/4	5,529.39
8	3,872.26	8	4,231.93	8	4,578.79	8	4,911.58	8	5,228.70	8	5,535.95
1/4	3,879.83	1/4	4,239.28	1/4	4,585.87	1/4	4,918.35	1/4	5,235.21	1/4	5,542.51
1/2	3,887.40	1/2	4,246.64	1/2	4,592.94	1/2	4,925.12	1/2	5,241.72	1/2	5,549.07
3/4	3,894.97	3/4	4,253.99	3/4	4,600.02	3/4	4,931.89	3/4	5,248.23	3/4	5,555.63
9	3,902.54	9	4,261.34	9	4,607.10	9	4,938.66	9	5,254.74	9	5,562.19
1/4	3,910.10	1/4	4,268.67	1/4	4,614.15	1/4	4,945.41	1/4	5,261.25	1/4	5,568.75
1/2	3,917.67	1/2	4,276.00	1/2	4,621.20	1/2	4,952.16	1/2	5,267.76	1/2	5,575.31
3/4	3,925.24	3/4	4,283.33	3/4	4,628.26	3/4	4,958.91	3/4	5,274.27	3/4	5,581.87
10	3,932.81	10	4,290.66	10	4,635.31	10	4,965.66	10	5,280.78	10	5,588.43
1/4	3,940.38	1/4	4,297.97	1/4	4,642.34	1/4	4,972.39	1/4	5,287.29	1/4	5,594.99
1/2	3,947.95	1/2	4,305.27	1/2	4,649.37	1/2	4,979.11	1/2	5,293.80	1/2	5,601.55
3/4	3,955.52	3/4	4,312.58	3/4	4,656.40	3/4	4,985.84	3/4	5,300.31	3/4	5,608.11
11	3,963.09	11	4,319.89	11	4,663.43	11	4,992.57	11	5,306.82	11	5,614.67
1/4	3,970.64	1/4	4,327.17	1/4	4,670.44	1/4	4,999.21	1/4	5,313.33	1/4	5,621.23
1/2	3,978.20	1/2	4,334.46	1/2	4,677.45	1/2	5,005.85	1/2	5,319.84	1/2	5,627.79
3/4	3,985.76	3/4	4,341.74	3/4	4,684.45	3/4	5,012.49	3/4	5,326.35	3/4	5,634.35

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/07/2020 CL
CALCULATED: 08/08/2020 CL
PRINTED: 08/08/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2020

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmatcorp.net>



BARGE "EMS 525"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,624.38	0	3,987.27	0	4,342.61	0	4,684.71	0	5,012.07	0		0		0		0		0	
1/4	3,631.94	1/4	3,994.80	1/4	4,349.87	1/4	4,691.69	1/4	5,018.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,639.50	1/2	4,002.33	1/2	4,357.12	1/2	4,698.67	1/2	5,025.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,647.06	3/4	4,009.86	3/4	4,364.37	3/4	4,705.64	3/4	5,031.88	3/4		3/4		3/4		3/4		3/4	
1	3,654.62	1	4,017.39	1	4,371.63	1	4,712.62	1	5,038.49	1		1		1		1		1	
1 1/4	3,662.18	1 1/4	4,024.89	1 1/4	4,378.86	1 1/4	4,719.55	1 1/4	5,045.07	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,669.74	1 1/2	4,032.40	1 1/2	4,386.09	1 1/2	4,726.48	1 1/2	5,051.65	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,677.31	3 1/4	4,039.91	3 1/4	4,393.32	3 1/4	4,733.41	3 1/4	5,058.23	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
2	3,684.87	2	4,047.41	2	4,400.55	2	4,740.34	2	5,064.81	2		2		2		2		2	
1 1/4	3,692.43	1 1/4	4,054.90	1 1/4	4,407.76	1 1/4	4,747.24	1 1/4	5,071.37	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,699.99	1 1/2	4,062.38	1 1/2	4,414.96	1 1/2	4,754.14	1 1/2	5,077.92	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,707.55	3 1/4	4,069.86	3 1/4	4,422.17	3 1/4	4,761.05	3 1/4	5,084.48	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
3	3,715.11	3	4,077.35	3	4,429.38	3	4,767.95	3	5,091.04	3		3		3		3		3	
1 1/4	3,722.67	1 1/4	4,084.81	1 1/4	4,436.56	1 1/4	4,774.83	1 1/4	5,097.57	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,730.23	1 1/2	4,092.27	1 1/2	4,443.75	1 1/2	4,781.71	1 1/2	5,104.11	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,737.79	3 1/4	4,099.73	3 1/4	4,450.93	3 1/4	4,788.59	3 1/4	5,110.64	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
4	3,745.35	4	4,107.19	4	4,458.12	4	4,795.47	4	5,117.17	4		4		4		4		4	
1 1/4	3,752.92	1 1/4	4,114.63	1 1/4	4,465.28	1 1/4	4,802.32	1 1/4	5,123.69	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,760.48	1 1/2	4,122.06	1 1/2	4,472.44	1 1/2	4,809.18	1 1/2	5,130.20	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,768.04	3 1/4	4,129.50	3 1/4	4,479.60	3 1/4	4,816.04	3 1/4	5,136.71	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
5	3,775.60	5	4,136.94	5	4,486.76	5	4,822.89	5	5,143.22	5		5		5		5		5	
1 1/4	3,783.16	1 1/4	4,144.35	1 1/4	4,493.90	1 1/4	4,829.73	1 1/4	5,150.42	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,790.72	1 1/2	4,151.77	1 1/2	4,501.04	1 1/2	4,836.56	1 1/2	5,157.63	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,798.28	3 1/4	4,159.18	3 1/4	4,508.18	3 1/4	4,843.39	3 1/4	5,164.83	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
6	3,805.84	6	4,166.60	6	4,515.32	6	4,850.23	6	5,172.04	6		6		6		6		6	
1 1/4	3,813.40	1 1/4	4,173.99	1 1/4	4,522.43	1 1/4	4,857.04	1 1/4	5,178.37	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,820.97	1 1/2	4,181.38	1 1/2	4,529.55	1 1/2	4,863.85	1 1/2	5,184.71	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,828.53	3 1/4	4,188.77	3 1/4	4,536.66	3 1/4	4,870.66	3 1/4	5,191.05	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
7	3,836.09	7	4,196.16	7	4,543.78	7	4,877.47	7	5,197.39	7		7		7		7		7	
1 1/4	3,843.65	1 1/4	4,203.53	1 1/4	4,550.87	1 1/4	4,884.26	1 1/4	5,202.52	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,851.21	1 1/2	4,210.90	1 1/2	4,557.97	1 1/2	4,891.04	1 1/2	5,207.64	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,858.77	3 1/4	4,218.27	3 1/4	4,565.06	3 1/4	4,897.83	3 1/4	5,212.76	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
8	3,866.33	8	4,225.64	8	4,572.15	8	4,904.62	8	5,217.89	8		8		8		8		8	
1 1/4	3,873.89	1 1/4	4,232.98	1 1/4	4,579.22	1 1/4	4,911.38	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,881.45	1 1/2	4,240.33	1 1/2	4,586.29	1 1/2	4,918.15	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,889.02	3 1/4	4,247.67	3 1/4	4,593.36	3 1/4	4,924.91	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
9	3,896.58	9	4,255.02	9	4,600.43	9	4,931.68	9		9		9		9		9		9	
1 1/4	3,904.14	1 1/4	4,262.34	1 1/4	4,607.48	1 1/4	4,938.42	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,911.70	1 1/2	4,269.66	1 1/2	4,614.52	1 1/2	4,945.16	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,919.26	3 1/4	4,276.99	3 1/4	4,621.57	3 1/4	4,951.91	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
10	3,926.82	10	4,284.31	10	4,628.61	10	4,958.65	10		10		10		10		10		10	
1 1/4	3,934.38	1 1/4	4,291.61	1 1/4	4,635.64	1 1/4	4,965.37	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,941.94	1 1/2	4,298.91	1 1/2	4,642.66	1 1/2	4,972.09	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,949.50	3 1/4	4,306.21	3 1/4	4,649.69	3 1/4	4,978.81	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
11	3,957.07	11	4,313.51	11	4,656.71	11	4,985.53	11		11		11		11		11		11	
1 1/4	3,964.62	1 1/4	4,320.78	1 1/4	4,663.71	1 1/4	4,992.17	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,972.17	1 1/2	4,328.06	1 1/2	4,670.71	1 1/2	4,998.80	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,979.72	3 1/4	4,335.34	3 1/4	4,677.71	3 1/4	5,005.44	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/07/2020 CL

CALCULATED: 08/08/2020 CL

PRINTED: 08/08/2020 CL

CANCELS AND SUPERCEDES

ALL PRIOR TO 08/2020

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "EMS 525"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-08 1/2"

IN		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
0	FT.	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	
0	21.39	0	359.07	0	721.52	0	1,083.94	0	1,446.26	0	1,808.83	0	2,171.40	0	2,533.96	0	2,896.44	0	3,258.87
1/4	25.63	1/4	366.62	1/4	729.18	1/4	1,091.49	1/4	1,453.81	1/4	1,816.38	1/4	2,178.95	1/4	2,541.52	1/4	2,903.99	1/4	3,266.42
1/2	29.88	1/2	374.18	1/2	736.73	1/2	1,099.03	1/2	1,461.37	1/2	1,823.94	1/2	2,186.50	1/2	2,549.07	1/2	2,911.54	1/2	3,273.97
3/4	34.13	3/4	381.73	3/4	744.28	3/4	1,106.57	3/4	1,468.92	3/4	1,831.49	3/4	2,194.06	3/4	2,556.62	3/4	2,919.09	3/4	3,281.52
1	38.38	1	389.28	1	751.83	1	1,114.11	1	1,476.47	1	1,839.04	1	2,201.61	1	2,564.18	1	2,926.64	1	3,289.07
1/4	43.88	1/4	396.83	1/4	759.39	1/4	1,121.65	1/4	1,484.03	1/4	1,846.60	1/4	2,209.16	1/4	2,571.73	1/4	2,934.19	1/4	3,296.62
1/2	49.39	1/2	404.39	1/2	766.34	1/2	1,129.19	1/2	1,491.58	1/2	1,854.15	1/2	2,216.72	1/2	2,579.29	1/2	2,941.74	1/2	3,304.17
3/4	54.90	3/4	411.94	3/4	774.89	3/4	1,136.73	3/4	1,499.13	3/4	1,861.70	3/4	2,224.27	3/4	2,586.84	3/4	2,949.29	3/4	3,311.72
2	60.40	2	419.49	2	782.05	2	1,144.27	2	1,506.69	2	1,869.26	2	2,231.82	2	2,594.39	2	2,956.84	2	3,319.28
1/4	67.17	1/4	427.05	1/4	789.60	1/4	1,151.82	1/4	1,514.24	1/4	1,876.81	1/4	2,239.38	1/4	2,601.95	1/4	2,964.39	1/4	3,326.83
1/2	73.94	1/2	434.60	1/2	797.15	1/2	1,159.36	1/2	1,521.80	1/2	1,884.36	1/2	2,246.93	1/2	2,609.50	1/2	2,971.94	1/2	3,334.38
3/4	80.70	3/4	442.15	3/4	804.71	3/4	1,166.90	3/4	1,529.35	3/4	1,891.92	3/4	2,254.48	3/4	2,617.05	3/4	2,979.49	3/4	3,341.93
3	87.47	3	449.71	3	812.26	3	1,174.44	3	1,536.90	3	1,899.47	3	2,262.04	3	2,624.61	3	2,987.04	3	3,349.48
1/4	94.94	1/4	457.26	1/4	819.81	1/4	1,181.98	1/4	1,544.46	1/4	1,907.02	1/4	2,269.59	1/4	2,632.16	1/4	2,994.60	1/4	3,357.03
1/2	102.42	1/2	464.81	1/2	827.37	1/2	1,189.52	1/2	1,552.01	1/2	1,914.58	1/2	2,277.15	1/2	2,639.71	1/2	3,002.15	1/2	3,364.58
3/4	109.89	3/4	472.37	3/4	834.92	3/4	1,197.06	3/4	1,559.56	3/4	1,922.13	3/4	2,284.70	3/4	2,647.26	3/4	3,009.70	3/4	3,372.13
4	117.37	4	479.92	4	842.47	4	1,204.60	4	1,567.12	4	1,929.68	4	2,292.25	4	2,654.81	4	3,017.25	4	3,379.68
1/4	124.92	1/4	487.47	1/4	850.03	1/4	1,212.14	1/4	1,574.67	1/4	1,937.24	1/4	2,299.81	1/4	2,662.36	1/4	3,024.80	1/4	3,387.23
1/2	132.47	1/2	495.03	1/2	857.58	1/2	1,219.69	1/2	1,582.22	1/2	1,944.79	1/2	2,307.36	1/2	2,669.92	1/2	3,032.35	1/2	3,394.78
3/4	140.03	3/4	502.58	3/4	865.13	3/4	1,227.23	3/4	1,589.78	3/4	1,952.34	3/4	2,314.91	3/4	2,677.47	3/4	3,039.90	3/4	3,402.33
5	147.58	5	510.13	5	872.69	5	1,234.77	5	1,597.33	5	1,959.90	5	2,322.47	5	2,685.02	5	3,047.45	5	3,409.88
1/4	155.13	1/4	517.69	1/4	880.24	1/4	1,242.32	1/4	1,604.88	1/4	1,967.45	1/4	2,330.02	1/4	2,692.57	1/4	3,055.00	1/4	3,417.43
1/2	162.69	1/2	525.24	1/2	887.79	1/2	1,249.87	1/2	1,612.44	1/2	1,975.01	1/2	2,337.57	1/2	2,700.12	1/2	3,062.55	1/2	3,424.99
3/4	170.24	3/4	532.79	3/4	895.35	3/4	1,257.42	3/4	1,619.99	3/4	1,982.56	3/4	2,345.13	3/4	2,707.67	3/4	3,070.10	3/4	3,432.54
6	177.79	6	540.35	6	902.90	6	1,264.98	6	1,627.54	6	1,990.11	6	2,352.68	6	2,715.22	6	3,077.65	6	3,440.09
1/4	185.35	1/4	547.90	1/4	910.45	1/4	1,272.53	1/4	1,635.10	1/4	1,997.67	1/4	2,360.23	1/4	2,722.77	1/4	3,085.20	1/4	3,447.64
1/2	192.90	1/2	555.45	1/2	918.01	1/2	1,280.08	1/2	1,642.65	1/2	2,005.22	1/2	2,367.79	1/2	2,730.32	1/2	3,092.75	1/2	3,455.19
3/4	200.45	3/4	563.01	3/4	925.56	3/4	1,287.64	3/4	1,650.20	3/4	2,012.77	3/4	2,375.34	3/4	2,737.87	3/4	3,100.31	3/4	3,462.74
7	208.00	7	570.56	7	933.11	7	1,295.19	7	1,657.76	7	2,020.33	7	2,382.89	7	2,745.42	7	3,107.86	7	3,470.29
1/4	215.56	1/4	578.11	1/4	940.66	1/4	1,302.74	1/4	1,665.31	1/4	2,027.88	1/4	2,390.45	1/4	2,752.97	1/4	3,115.41	1/4	3,477.84
1/2	223.11	1/2	585.66	1/2	948.20	1/2	1,310.30	1/2	1,672.87	1/2	2,035.43	1/2	2,398.00	1/2	2,760.52	1/2	3,122.96	1/2	3,485.39
3/4	230.66	3/4	593.22	3/4	955.74	3/4	1,317.85	3/4	1,680.42	3/4	2,042.99	3/4	2,405.55	3/4	2,768.07	3/4	3,130.51	3/4	3,492.94
8	238.22	8	600.77	8	963.28	8	1,325.40	8	1,687.97	8	2,050.54	8	2,413.11	8	2,775.62	8	3,138.06	8	3,500.49
1/4	245.77	1/4	608.32	1/4	970.83	1/4	1,332.96	1/4	1,695.53	1/4	2,058.09	1/4	2,420.66	1/4	2,783.18	1/4	3,145.61	1/4	3,508.04
1/2	253.32	1/2	615.88	1/2	978.37	1/2	1,340.51	1/2	1,703.08	1/2	2,065.65	1/2	2,428.22	1/2	2,790.73	1/2	3,153.16	1/2	3,515.59
3/4	260.88	3/4	623.43	3/4	985.91	3/4	1,348.06	3/4	1,710.63	3/4	2,073.20	3/4	2,435.77	3/4	2,798.28	3/4	3,160.71	3/4	3,523.14
9	268.43	9	630.98	9	993.45	9	1,355.62	9	1,718.19	9	2,080.75	9	2,443.32	9	2,805.83	9	3,168.26	9	3,530.69
1/4	275.98	1/4	638.54	1/4	1,000.99	1/4	1,363.17	1/4	1,725.74	1/4	2,088.31	1/4	2,450.88	1/4	2,813.38	1/4	3,175.81	1/4	3,538.25
1/2	283.54	1/2	646.09	1/2	1,008.53	1/2	1,370.73	1/2	1,733.29	1/2	2,095.86	1/2	2,458.43	1/2	2,820.93	1/2	3,183.36	1/2	3,545.80
3/4	291.09	3/4	653.64	3/4	1,016.07	3/4	1,378.28	3/4	1,740.85	3/4	2,103.41	3/4	2,465.98	3/4	2,828.48	3/4	3,190.91	3/4	3,553.35
10	298.64	10	661.20	10	1,023.61	10	1,385.83	10	1,748.40	10	2,110.97	10	2,473.54	10	2,836.03	10	3,198.46	10	3,560.90
1/4	306.20	1/4	668.75	1/4	1,031.16	1/4	1,393.39	1/4	1,755.95	1/4	2,118.52	1/4	2,481.09	1/4	2,843.58	1/4	3,206.01	1/4	3,568.45
1/2	313.75	1/2	676.30	1/2	1,038.70	1/2	1,400.94	1/2	1,763.51	1/2	2,126.08	1/2	2,488.64	1/2	2,851.13	1/2	3,213.57	1/2	3,576.00
3/4	321.30	3/4	683.86	3/4	1,046.24	3/4	1,408.49	3/4	1,771.06	3/4	2,133.63	3/4	2,496.19	3/4	2,858.68	3/4	3,221.12	3/4	3,583.55
11	328.86	11	691.41	11	1,053.78	11	1,416.05	11	1,778.61	11	2,141.18	11	2,503.75	11	2,866.23	11	3,228.67	11	3,591.10
1/4	336.41	1/4	698.96	1/4	1,061.32	1/4	1,423.60	1/4	1,786.17	1/4	2,148.74	1/4	2,511.30	1/4	2,873.78	1/4	3,236.22	1/4	3,598.65
1/2	343.96	1/2	706.52	1/2	1,068.86	1/2	1,431.15	1/2	1,793.72	1/2	2,156.29	1/2	2,518.86	1/2	2,881.33	1/2	3,243.77	1/2	3,606.20
3/4	351.52	3/4	714.07	3/4	1,076.40	3/4	1,438.71	3/4	1,801.27	3/4	2,163.84	3/4	2,526.41	3/4	2,888.89	3/4	3,251.32	3/4	3,613.75

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP UP OF 2" DIAMETER "HERMETIC" VALVE.
GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 42'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EMS 525"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,621.30	0	3,983.70	0	4,338.54	0	4,680.11	0	5,006.92	0		0		0		0		0	
1/4	3,628.85	1/4	3,991.22	1/4	4,345.78	1/4	4,687.07	1/4	5,013.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,636.40	1/2	3,998.74	1/2	4,353.02	1/2	4,694.04	1/2	5,020.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,643.96	3/4	4,006.26	3/4	4,360.27	3/4	4,701.01	3/4	5,026.69	3/4		3/4		3/4		3/4		3/4	
1	3,651.51	1	4,013.78	1	4,367.51	1	4,707.97	1	5,033.29	1		1		1		1		1	
1 1/4	3,659.06	1 1/4	4,021.28	1 1/4	4,374.73	1 1/4	4,714.89	1 1/4	5,039.85	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,666.61	1 1/2	4,028.77	1 1/2	4,381.95	1 1/2	4,721.81	1 1/2	5,046.42	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,674.16	3 1/4	4,036.27	3 1/4	4,389.17	3 1/4	4,728.73	3 1/4	5,052.99	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
2	3,681.71	2	4,043.76	2	4,396.39	2	4,735.64	2	5,059.56	2		2		2		2		2	
1 1/4	3,689.26	1 1/4	4,051.24	1 1/4	4,403.58	1 1/4	4,742.54	1 1/4	5,066.10	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,696.81	1 1/2	4,058.71	1 1/2	4,410.78	1 1/2	4,749.43	1 1/2	5,072.65	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 3/4	3,704.36	3 3/4	4,066.18	3 3/4	4,417.98	3 3/4	4,756.32	3 3/4	5,079.20	3 3/4		3 3/4		3 3/4		3 3/4		3 3/4	
3	3,711.91	3	4,073.66	3	4,425.17	3	4,763.21	3	5,085.74	3		3		3		3		3	
1 1/4	3,719.46	1 1/4	4,081.11	1 1/4	4,432.35	1 1/4	4,770.08	1 1/4	5,092.26	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,727.01	1 1/2	4,088.56	1 1/2	4,439.52	1 1/2	4,776.95	1 1/2	5,098.79	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,734.56	3 1/4	4,096.01	3 1/4	4,446.70	3 1/4	4,783.81	3 1/4	5,105.31	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
4	3,742.11	4	4,103.46	4	4,453.87	4	4,790.68	4	5,111.83	4		4		4		4		4	
1 1/4	3,749.67	1 1/4	4,110.88	1 1/4	4,461.02	1 1/4	4,797.53	1 1/4	5,118.33	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,757.22	1 1/2	4,118.31	1 1/2	4,468.17	1 1/2	4,804.37	1 1/2	5,124.83	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,764.77	3 1/4	4,125.74	3 1/4	4,475.32	3 1/4	4,811.22	3 1/4	5,131.33	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
5	3,772.32	5	4,133.16	5	4,482.47	5	4,818.06	5	5,137.83	5		5		5		5		5	
1 1/4	3,779.87	1 1/4	4,140.57	1 1/4	4,489.60	1 1/4	4,824.88	1 1/4	5,145.02	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,787.42	1 1/2	4,147.97	1 1/2	4,496.73	1 1/2	4,831.71	1 1/2	5,152.22	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,794.97	3 1/4	4,155.38	3 1/4	4,503.85	3 1/4	4,838.53	3 1/4	5,159.41	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
6	3,802.52	6	4,162.78	6	4,510.98	6	4,845.35	6	5,166.61	6		6		6		6		6	
1 1/4	3,810.07	1 1/4	4,170.16	1 1/4	4,518.09	1 1/4	4,852.15	1 1/4	5,172.94	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,817.62	1 1/2	4,177.54	1 1/2	4,525.19	1 1/2	4,858.95	1 1/2	5,179.27	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,825.17	3 1/4	4,184.92	3 1/4	4,532.30	3 1/4	4,865.75	3 1/4	5,185.60	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
7	3,832.72	7	4,192.30	7	4,539.40	7	4,872.55	7	5,191.93	7		7		7		7		7	
1 1/4	3,840.27	1 1/4	4,199.66	1 1/4	4,546.48	1 1/4	4,879.32	1 1/4	5,197.05	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,847.82	1 1/2	4,207.02	1 1/2	4,553.56	1 1/2	4,886.10	1 1/2	5,202.16	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,855.38	3 1/4	4,214.38	3 1/4	4,560.64	3 1/4	4,892.87	3 1/4	5,207.28	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
8	3,862.93	8	4,221.73	8	4,567.73	8	4,899.65	8	5,212.39	8		8		8		8		8	
1 1/4	3,870.48	1 1/4	4,229.07	1 1/4	4,574.78	1 1/4	4,906.40	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,878.03	1 1/2	4,236.40	1 1/2	4,581.84	1 1/2	4,913.16	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,885.58	3 1/4	4,243.74	3 1/4	4,588.90	3 1/4	4,919.91	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
9	3,893.13	9	4,251.07	9	4,595.96	9	4,926.66	9		9		9		9		9		9	
1 1/4	3,900.68	1 1/4	4,258.39	1 1/4	4,603.00	1 1/4	4,933.39	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,908.23	1 1/2	4,265.70	1 1/2	4,610.03	1 1/2	4,940.12	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,915.78	3 1/4	4,273.01	3 1/4	4,617.07	3 1/4	4,946.86	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
10	3,923.33	10	4,280.32	10	4,624.10	10	4,953.59	10		10		10		10		10		10	
1 1/4	3,930.88	1 1/4	4,287.61	1 1/4	4,631.11	1 1/4	4,960.30	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,938.43	1 1/2	4,294.90	1 1/2	4,638.13	1 1/2	4,967.01	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,945.98	3 1/4	4,302.19	3 1/4	4,645.14	3 1/4	4,973.72	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
11	3,953.53	11	4,309.48	11	4,652.15	11	4,980.43	11		11		11		11		11		11	
1 1/4	3,961.08	1 1/4	4,316.74	1 1/4	4,659.14	1 1/4	4,987.05	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,968.62	1 1/2	4,324.01	1 1/2	4,666.13	1 1/2	4,993.67	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,976.16	3 1/4	4,331.27	3 1/4	4,673.12	3 1/4	5,000.30	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/07/2020 CL
CALCULATED: 08/08/2020 CL
PRINTED: 08/08/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Portland, Texas 77588

<http://www.pma.net>



BARGE "EMS 525"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-08 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	21.38	0	358.98	0	721.45	0	1,075.88	0	1,429.97	0	1,792.45	0	2,154.92	0	2,517.40	0	2,879.80	0	3,242.14
1/4	25.53	1/4	366.53	1/4	729.00	1/4	1,083.09	1/4	1,437.52	1/4	1,800.00	1/4	2,162.47	1/4	2,524.95	1/4	2,887.35	1/4	3,249.69
1/2	29.67	1/2	374.09	1/2	736.55	1/2	1,090.29	1/2	1,445.07	1/2	1,807.55	1/2	2,170.03	1/2	2,532.50	1/2	2,894.89	1/2	3,257.24
3/4	34.12	3/4	381.64	3/4	744.10	3/4	1,097.50	3/4	1,452.62	3/4	1,815.10	3/4	2,177.58	3/4	2,540.05	3/4	2,902.44	3/4	3,264.79
1	38.37	1	389.19	1	751.66	1	1,104.71	1	1,460.17	1	1,822.65	1	2,185.13	1	2,547.61	1	2,909.99	1	3,272.34
1 1/4	43.67	1 1/4	396.74	1 1/4	759.21	1 1/4	1,111.91	1 1/4	1,467.73	1 1/4	1,830.20	1 1/4	2,192.68	1 1/4	2,555.16	1 1/4	2,917.54	1 1/4	3,279.89
1 1/2	49.38	1 1/2	404.29	1 1/2	766.76	1 1/2	1,119.12	1 1/2	1,475.28	1 1/2	1,837.75	1 1/2	2,200.23	1 1/2	2,562.71	1 1/2	2,925.09	1 1/2	3,287.44
3/4	54.88	3/4	411.84	3/4	774.31	3/4	1,126.33	3/4	1,482.83	3/4	1,845.31	3/4	2,207.78	3/4	2,570.26	3/4	2,932.64	3/4	3,294.99
2	60.39	2	419.39	2	781.86	2	1,133.54	2	1,490.38	2	1,852.86	2	2,215.33	2	2,577.81	2	2,940.19	2	3,302.53
1 1/4	67.15	1 1/4	426.95	1 1/4	789.41	1 1/4	1,140.74	1 1/4	1,497.93	1 1/4	1,860.41	1 1/4	2,222.89	1 1/4	2,585.36	1 1/4	2,947.74	1 1/4	3,310.08
1 1/2	73.92	1 1/2	434.50	1 1/2	796.96	1 1/2	1,147.95	1 1/2	1,505.48	1 1/2	1,867.96	1 1/2	2,230.44	1 1/2	2,592.91	1 1/2	2,955.29	1 1/2	3,317.63
3/4	80.68	3/4	442.05	3/4	804.52	3/4	1,155.16	3/4	1,513.04	3/4	1,875.51	3/4	2,237.99	3/4	2,600.47	3/4	2,962.83	3/4	3,325.18
3	87.45	3	449.60	3	812.07	3	1,162.37	3	1,520.59	3	1,883.06	3	2,245.54	3	2,608.02	3	2,970.38	3	3,332.73
1 1/4	94.32	1 1/4	457.15	1 1/4	819.62	1 1/4	1,169.57	1 1/4	1,528.14	1 1/4	1,890.62	1 1/4	2,253.09	1 1/4	2,615.57	1 1/4	2,977.93	1 1/4	3,340.28
1 1/2	102.39	1 1/2	464.70	1 1/2	827.17	1 1/2	1,176.78	1 1/2	1,535.69	1 1/2	1,898.17	1 1/2	2,260.64	1 1/2	2,623.12	1 1/2	2,985.48	1 1/2	3,347.83
3/4	109.87	3/4	472.25	3/4	834.72	3/4	1,183.99	3/4	1,543.24	3/4	1,905.72	3/4	2,268.20	3/4	2,630.68	3/4	2,993.03	3/4	3,355.38
4	117.34	4	479.81	4	842.27	4	1,191.19	4	1,550.79	4	1,913.27	4	2,275.75	4	2,638.23	4	3,000.58	4	3,362.93
1 1/4	124.89	1 1/4	487.36	1 1/4	849.82	1 1/4	1,198.40	1 1/4	1,558.35	1 1/4	1,920.82	1 1/4	2,283.30	1 1/4	2,645.78	1 1/4	3,008.13	1 1/4	3,370.47
1 1/2	132.44	1 1/2	494.91	1 1/2	857.38	1 1/2	1,205.61	1 1/2	1,565.90	1 1/2	1,928.37	1 1/2	2,290.85	1 1/2	2,653.33	1 1/2	3,015.68	1 1/2	3,378.02
3/4	139.99	3/4	502.46	3/4	864.93	3/4	1,212.82	3/4	1,573.45	3/4	1,935.93	3/4	2,298.40	3/4	2,660.88	3/4	3,023.23	3/4	3,385.57
5	147.54	5	510.01	5	872.48	5	1,220.02	5	1,581.00	5	1,943.48	5	2,305.95	5	2,668.43	5	3,030.77	5	3,393.12
1 1/4	155.10	1 1/4	517.56	1 1/4	880.03	1 1/4	1,227.24	1 1/4	1,588.55	1 1/4	1,951.03	1 1/4	2,313.51	1 1/4	2,675.98	1 1/4	3,038.32	1 1/4	3,400.67
1 1/2	162.65	1 1/2	525.11	1 1/2	887.58	1 1/2	1,234.46	1 1/2	1,596.10	1 1/2	1,958.58	1 1/2	2,321.06	1 1/2	2,683.52	1 1/2	3,045.87	1 1/2	3,408.22
3/4	170.20	3/4	532.67	3/4	895.13	3/4	1,241.68	3/4	1,603.66	3/4	1,966.13	3/4	2,328.61	3/4	2,691.07	3/4	3,053.42	3/4	3,415.77
6	177.75	6	540.22	6	902.68	6	1,248.90	6	1,611.21	6	1,973.68	6	2,336.16	6	2,698.62	6	3,060.97	6	3,423.32
1 1/4	185.30	1 1/4	547.77	1 1/4	909.94	1 1/4	1,256.41	1 1/4	1,618.76	1 1/4	1,981.24	1 1/4	2,343.71	1 1/4	2,706.17	1 1/4	3,068.52	1 1/4	3,430.87
1 1/2	192.85	1 1/2	555.32	1 1/2	917.21	1 1/2	1,263.92	1 1/2	1,626.31	1 1/2	1,988.79	1 1/2	2,351.26	1 1/2	2,713.72	1 1/2	3,076.07	1 1/2	3,438.41
3/4	200.40	3/4	562.87	3/4	924.47	3/4	1,271.43	3/4	1,633.86	3/4	1,996.34	3/4	2,358.82	3/4	2,721.27	3/4	3,083.62	3/4	3,445.96
7	207.96	7	570.42	7	931.73	7	1,278.94	7	1,641.41	7	2,003.89	7	2,366.37	7	2,728.82	7	3,091.17	7	3,453.51
1 1/4	215.51	1 1/4	577.97	1 1/4	938.93	1 1/4	1,286.49	1 1/4	1,648.96	1 1/4	2,011.44	1 1/4	2,373.92	1 1/4	2,736.37	1 1/4	3,098.71	1 1/4	3,461.06
1 1/2	223.06	1 1/2	585.53	1 1/2	946.14	1 1/2	1,294.04	1 1/2	1,656.52	1 1/2	2,018.99	1 1/2	2,381.47	1 1/2	2,743.92	1 1/2	3,106.26	1 1/2	3,468.61
3/4	230.61	3/4	593.08	3/4	953.35	3/4	1,301.59	3/4	1,664.07	3/4	2,026.54	3/4	2,389.02	3/4	2,751.46	3/4	3,113.81	3/4	3,476.16
8	238.16	8	600.63	8	960.56	8	1,309.14	8	1,671.62	8	2,034.10	8	2,396.57	8	2,759.01	8	3,121.36	8	3,483.71
1 1/4	245.71	1 1/4	608.18	1 1/4	967.77	1 1/4	1,316.69	1 1/4	1,679.17	1 1/4	2,041.65	1 1/4	2,404.12	1 1/4	2,766.56	1 1/4	3,128.91	1 1/4	3,491.26
1 1/2	253.26	1 1/2	615.73	1 1/2	974.98	1 1/2	1,324.25	1 1/2	1,686.72	1 1/2	2,049.20	1 1/2	2,411.68	1 1/2	2,774.11	1 1/2	3,136.46	1 1/2	3,498.81
3/4	260.81	3/4	623.28	3/4	982.18	3/4	1,331.80	3/4	1,694.27	3/4	2,056.75	3/4	2,419.23	3/4	2,781.66	3/4	3,144.01	3/4	3,506.35
9	268.37	9	630.83	9	989.39	9	1,339.35	9	1,701.83	9	2,064.30	9	2,426.78	9	2,789.21	9	3,151.56	9	3,513.90
1 1/4	275.92	1 1/4	638.38	1 1/4	996.60	1 1/4	1,346.90	1 1/4	1,709.38	1 1/4	2,071.85	1 1/4	2,434.33	1 1/4	2,796.76	1 1/4	3,159.11	1 1/4	3,521.45
1 1/2	283.47	1 1/2	645.94	1 1/2	1,003.80	1 1/2	1,354.45	1 1/2	1,716.93	1 1/2	2,079.41	1 1/2	2,441.88	1 1/2	2,804.31	1 1/2	3,166.65	1 1/2	3,529.00
3/4	291.02	3/4	653.49	3/4	1,011.01	3/4	1,362.00	3/4	1,724.48	3/4	2,086.96	3/4	2,449.99	3/4	2,811.86	3/4	3,174.20	3/4	3,536.55
10	298.57	10	661.04	10	1,018.22	10	1,369.56	10	1,732.03	10	2,094.51	10	2,456.99	10	2,819.41	10	3,181.75	10	3,544.10
1 1/4	306.12	1 1/4	668.59	1 1/4	1,025.43	1 1/4	1,377.11	1 1/4	1,739.58	1 1/4	2,102.06	1 1/4	2,464.54	1 1/4	2,826.95	1 1/4	3,189.30	1 1/4	3,551.65
1 1/2	313.67	1 1/2	676.14	1 1/2	1,032.63	1 1/2	1,384.66	1 1/2	1,747.14	1 1/2	2,109.61	1 1/2	2,472.09	1 1/2	2,834.50	1 1/2	3,196.85	1 1/2	3,559.20
3/4	321.23	3/4	683.69	3/4	1,039.84	3/4	1,392.21	3/4	1,754.69	3/4	2,117.16	3/4	2,479.64	3/4	2,842.05	3/4	3,204.40	3/4	3,566.75
11	328.78	11	691.24	11	1,047.05	11	1,399.76	11	1,762.24	11	2,124.72	11	2,487.19	11	2,849.60	11	3,211.95	11	3,574.30
1 1/4	336.33	1 1/4	698.80	1 1/4	1,054.26	1 1/4	1,407.31	1 1/4	1,769.79	1 1/4	2,132.27	1 1/4	2,494.74	1 1/4	2,857.15	1 1/4	3,219.50	1 1/4	3,581.84
1 1/2	343.88	1 1/2	706.35	1 1/2	1,061.46	1 1/2	1,414.87	1 1/2	1,777.34	1 1/2	2,139.82	1 1/2	2,502.30	1 1/2	2,864.70	1 1/2	3,227.05	1 1/2	3,589.39
3/4	351.43	3/4	713.90	3/4	1,068.67	3/4	1,422.42	3/4	1,784.89	3/4	2,147.37	3/4	2,509.85	3/4	2,872.25	3/4	3,234.59	3/4	3,596.94

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH NIPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP UP OF 2" DIAMETER "HERMETIC" VALVE.
GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 42'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



GAUGE HEIGHT 15'-08 1/2"

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

ALL PRIOR TO 08/2020

Parland, Texas 77568
<http://www.pmacorp.net>



BARGE "EMS 525"

ULLAGE TRIM TABLE

HULL # 1271

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8
1 STBD	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8
2 PORT	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4
2 STBD	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4
3 PORT	00-5/8	- 00-5/8	01-1/8	- 01-1/8	01-3/4	- 01-3/4	02-1/4	- 02-1/4	02-7/8	- 02-7/8	03-1/2	- 03-1/2
3 STBD	00-5/8	- 00-5/8	01-1/8	- 01-1/8	01-3/4	- 01-3/4	02-1/4	- 02-1/4	02-7/8	- 02-7/8	03-3/8	- 03-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 253'-00"

August 8, 2020

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "EMS 525"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-09"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,085.78	0	1,722.34	0	1,358.89	0	995.85	0	632.51	0	269.08	0		0		0			
1/4	2,076.21	1/4	1,714.77	1/4	1,351.32	1/4	986.29	1/4	624.94	1/4	261.51	1/4		1/4		1/4			
1/2	2,070.64	1/2	1,707.19	1/2	1,343.75	1/2	980.73	1/2	617.37	1/2	253.94	1/2		1/2		1/2			
3/4	2,063.07	3/4	1,699.62	3/4	1,336.18	3/4	973.17	3/4	609.80	3/4	246.36	3/4		3/4		3/4			
1	2,055.50	1	1,684.48	1	1,328.05	1	965.61	1	602.23	1	238.79	1		1		1			
1/4	2,047.92	1/4	1,676.91	1/4	1,321.03	1/4	958.05	1/4	594.65	1/4	231.22	1/4		1/4		1/4			
1/2	2,040.35	1/2	1,669.33	1/2	1,313.46	1/2	950.49	1/2	587.08	1/2	223.65	1/2		1/2		1/2			
3/4	2,032.78	3/4	1,661.76	3/4	1,305.89	3/4	942.93	3/4	579.51	3/4	216.08	3/4		3/4		3/4			
2	2,025.21	2	1,654.19	2	1,298.32	2	935.37	2	571.94	2	208.51	2		2		2			
1/4	2,017.64	1/4	1,646.62	1/4	1,290.74	1/4	927.80	1/4	564.37	1/4	200.94	1/4		1/4		1/4			
1/2	2,010.07	1/2	1,639.05	1/2	1,283.17	1/2	920.23	1/2	556.80	1/2	193.36	1/2		1/2		1/2			
3/4	2,002.49	3/4	1,631.48	3/4	1,275.60	3/4	912.66	3/4	549.22	3/4	185.79	3/4		3/4		3/4			
3	1,994.92	3	1,623.90	3	1,268.03	3	905.09	3	541.65	3	178.22	3		3		3			
1/4	1,987.35	1/4	1,616.33	1/4	1,260.46	1/4	897.51	1/4	534.08	1/4	170.65	1/4		1/4		1/4			
1/2	1,979.78	1/2	1,608.76	1/2	1,252.89	1/2	889.94	1/2	526.51	1/2	163.08	1/2		1/2		1/2			
3/4	1,972.21	3/4	1,601.19	3/4	1,245.32	3/4	882.37	3/4	518.94	3/4	155.51	3/4		3/4		3/4			
4	1,964.63	4	1,593.62	4	1,237.75	4	874.80	4	511.37	4	147.94	4		4		4			
1/4	1,957.06	1/4	1,586.04	1/4	1,230.19	1/4	867.23	1/4	503.80	1/4	140.36	1/4		1/4		1/4			
1/2	1,949.49	1/2	1,578.47	1/2	1,222.63	1/2	859.66	1/2	496.22	1/2	132.79	1/2		1/2		1/2			
3/4	1,941.92	3/4	1,570.90	3/4	1,215.07	3/4	852.08	3/4	488.65	3/4	125.22	3/4		3/4		3/4			
5	1,934.35	5	1,563.33	5	1,207.51	5	844.51	5	481.08	5	117.65	5		5		5			
1/4	1,926.78	1/4	1,555.76	1/4	1,199.95	1/4	836.94	1/4	473.51	1/4	110.16	1/4		1/4		1/4			
1/2	1,919.20	1/2	1,548.19	1/2	1,192.39	1/2	829.37	1/2	465.94	1/2	102.66	1/2		1/2		1/2			
3/4	1,911.63	3/4	1,540.61	3/4	1,184.83	3/4	821.80	3/4	458.37	3/4	95.17	3/4		3/4		3/4			
6	1,904.06	6	1,533.04	6	1,177.27	6	814.23	6	450.80	6	87.68	6		6		6			
1/4	1,896.49	1/4	1,525.47	1/4	1,169.71	1/4	806.66	1/4	443.22	1/4	80.90	1/4		1/4		1/4			
1/2	1,888.92	1/2	1,517.90	1/2	1,162.15	1/2	799.08	1/2	435.65	1/2	74.11	1/2		1/2		1/2			
3/4	1,881.34	3/4	1,510.33	3/4	1,154.59	3/4	791.51	3/4	428.08	3/4	67.33	3/4		3/4		3/4			
7	1,873.77	7	1,502.75	7	1,147.03	7	783.94	7	420.51	7	60.55	7		7		7			
1/4	1,866.20	1/4	1,495.18	1/4	1,139.47	1/4	776.37	1/4	412.94	1/4	55.03	1/4		1/4		1/4			
1/2	1,858.63	1/2	1,487.61	1/2	1,131.92	1/2	768.80	1/2	405.37	1/2	49.51	1/2		1/2		1/2			
3/4	1,851.06	3/4	1,472.47	3/4	1,124.36	3/4	761.23	3/4	397.79	3/4	43.99	3/4		3/4		3/4			
8	1,843.49	8	1,464.90	8	1,116.80	8	753.66	8	390.22	8	38.47	8		8		8			
1/4	1,835.91	1/4	1,457.32	1/4	1,109.24	1/4	746.08	1/4	382.65	1/4	34.21	1/4		1/4		1/4			
1/2	1,828.34	1/2	1,449.75	1/2	1,101.68	1/2	738.51	1/2	375.08	1/2	29.95	1/2		1/2		1/2			
3/4	1,820.77	3/4	1,442.18	3/4	1,094.12	3/4	730.94	3/4	367.51	3/4	25.70	3/4		3/4		3/4			
9	1,813.20	9	1,434.61	9	1,086.56	9	723.37	9	359.94	9	21.44	9		9		9			
1/4	1,805.63	1/4	1,427.04	1/4	1,079.00	1/4	716.80	1/4	352.37	1/4		1/4		1/4		1/4			
1/2	1,798.05	1/2	1,419.46	1/2	1,071.44	1/2	708.23	1/2	344.79	1/2		1/2		1/2		1/2			
3/4	1,790.48	3/4	1,404.32	3/4	1,063.88	3/4	700.65	3/4	337.22	3/4		3/4		3/4		3/4			
10	1,782.91	10	1,396.75	10	1,056.32	10	693.08	10	329.65	10		10		10		10			
1/4	1,775.34	1/4	1,389.18	1/4	1,048.76	1/4	685.51	1/4	322.08	1/4		1/4		1/4		1/4			
1/2	1,767.77	1/2	1,381.61	1/2	1,041.20	1/2	677.94	1/2	314.51	1/2		1/2		1/2		1/2			
3/4	1,760.20	3/4	1,374.03	3/4	1,033.64	3/4	670.37	3/4	306.94	3/4		3/4		3/4		3/4			
11	1,752.62	11	1,366.46	11	1,026.08	11	662.80	11	299.37	11		11		11		11			
1/4	1,745.05	1/4	1,358.91	1/4	1,018.52	1/4	655.23	1/4	291.79	1/4		1/4		1/4		1/4			
1/2	1,737.48	1/2	1,351.34	1/2	1,010.96	1/2	647.65	1/2	284.22	1/2		1/2		1/2		1/2			
3/4	1,729.91	3/4	1,343.77	3/4	1,003.41	3/4	640.08	3/4	276.65	3/4		3/4		3/4		3/4			

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/07/2020 CL
CALCULATED: 08/06/2020 CL
PRINTED: 08/06/2020 CL

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES

ALL PRIOR TO 08/2020



BARGE "EMS 525"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-08 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	0	0	4,918.15	0	4,586.29	0	4,240.33	0	3,881.45	0	3,518.52	0	3,155.59	0	2,792.66	0	2,429.64
1/4	1/4	1/4	1/4	1/4	4,911.38	1/4	4,579.22	1/4	4,232.98	1/4	3,873.89	1/4	3,510.96	1/4	3,148.03	1/4	2,785.10	1/4	2,422.08
1/2	1/2	1/2	1/2	1/2	4,904.62	1/2	4,572.15	1/2	4,225.64	1/2	3,866.33	1/2	3,503.40	1/2	3,140.47	1/2	2,777.53	1/2	2,414.51
3/4	3/4	3/4	3/4	3/4	4,897.83	3/4	4,565.06	3/4	4,218.27	3/4	3,858.77	3/4	3,495.84	3/4	3,132.91	3/4	2,769.97	3/4	2,406.95
1	1	1	1	1	4,891.04	1	4,557.97	1	4,210.90	1	3,851.21	1	3,488.28	1	3,125.34	1	2,762.41	1	2,399.38
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,884.26	1 1/4	4,550.87	1 1/4	4,203.53	1 1/4	3,843.65	1 1/4	3,480.72	1 1/4	3,117.78	1 1/4	2,754.85	1 1/4	2,391.82
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,877.47	1 1/2	4,543.78	1 1/2	4,196.16	1 1/2	3,836.09	1 1/2	3,473.16	1 1/2	3,110.22	1 1/2	2,747.47	1 1/2	2,384.26
3/4	3/4	3/4	3/4	3/4	4,870.66	3/4	4,536.66	3/4	4,188.77	3/4	3,828.53	3/4	3,465.59	3/4	3,102.66	3/4	2,739.73	3/4	2,376.59
2	2	2	2	2	4,863.85	2	4,529.55	2	4,181.38	2	3,820.97	2	3,458.03	2	3,095.10	2	2,732.17	2	2,369.13
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,857.04	1 1/4	4,522.43	1 1/4	4,173.99	1 1/4	3,813.40	1 1/4	3,450.47	1 1/4	3,087.54	1 1/4	2,724.61	1 1/4	2,361.57
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,850.23	1 1/2	4,515.32	1 1/2	4,166.60	1 1/2	3,805.84	1 1/2	3,442.91	1 1/2	3,079.98	1 1/2	2,717.05	1 1/2	2,354.00
3/4	3/4	3/4	3/4	3/4	4,843.39	3/4	4,508.18	3/4	4,158.18	3/4	3,798.28	3/4	3,435.35	3/4	3,072.42	3/4	2,709.48	3/4	2,346.44
3	3	3	3	3	4,836.56	3	4,501.04	3	4,151.77	3	3,790.72	3	3,427.29	3	3,064.86	3	2,701.92	3	2,338.87
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,829.73	1 1/4	4,493.90	1 1/4	4,144.35	1 1/4	3,783.16	1 1/4	3,420.23	1 1/4	3,057.29	1 1/4	2,694.36	1 1/4	2,331.31
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,822.89	1 1/2	4,486.76	1 1/2	4,136.94	1 1/2	3,775.60	1 1/2	3,412.67	1 1/2	3,049.73	1 1/2	2,686.80	1 1/2	2,323.75
3/4	3/4	3/4	3/4	3/4	4,816.04	3/4	4,479.60	3/4	4,129.50	3/4	3,768.04	3/4	3,405.11	3/4	3,042.17	3/4	2,679.24	3/4	2,316.18
4	4	4	4	4	4,809.18	4	4,472.44	4	4,122.06	4	3,760.48	4	3,397.54	4	3,034.61	4	2,671.68	4	2,308.52
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,802.32	1 1/4	4,465.28	1 1/4	4,114.63	1 1/4	3,752.92	1 1/4	3,389.98	1 1/4	3,027.05	1 1/4	2,664.12	1 1/4	2,301.05
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,795.47	1 1/2	4,458.12	1 1/2	4,107.19	1 1/2	3,745.36	1 1/2	3,382.42	1 1/2	3,019.49	1 1/2	2,656.56	1 1/2	2,293.49
3/4	3/4	3/4	3/4	3/4	4,788.59	3/4	4,450.93	3/4	4,099.27	3/4	3,737.79	3/4	3,374.86	3/4	3,011.93	3/4	2,648.43	3/4	2,285.93
5	5	5	5	5	4,781.71	5	4,443.75	5	4,092.77	5	3,730.23	5	3,367.30	5	3,004.37	5	2,641.93	5	2,278.36
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,774.83	1 1/4	4,436.56	1 1/4	4,084.81	1 1/4	3,722.67	1 1/4	3,359.74	1 1/4	2,996.81	1 1/4	2,633.86	1 1/4	2,270.80
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,767.95	1 1/2	4,429.38	1 1/2	4,077.35	1 1/2	3,715.11	1 1/2	3,352.18	1 1/2	2,989.25	1 1/2	2,626.30	1 1/2	2,263.24
3/4	3/4	3/4	3/4	3/4	4,761.05	3/4	4,422.17	3/4	4,069.86	3/4	3,707.55	3/4	3,344.62	3/4	2,981.68	3/4	2,618.73	3/4	2,255.67
6	6	6	6	6	4,754.14	6	4,414.96	6	4,062.38	6	3,699.99	6	3,337.06	6	2,974.12	6	2,611.17	6	2,248.11
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,747.24	1 1/4	4,407.76	1 1/4	4,054.90	1 1/4	3,692.43	1 1/4	3,329.49	1 1/4	2,966.56	1 1/4	2,603.61	1 1/4	2,240.54
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,740.34	1 1/2	4,400.55	1 1/2	4,047.41	1 1/2	3,684.87	1 1/2	3,321.93	1 1/2	2,959.00	1 1/2	2,596.04	1 1/2	2,232.98
3/4	3/4	3/4	3/4	3/4	4,733.41	3/4	4,393.32	3/4	4,039.91	3/4	3,677.31	3/4	3,314.37	3/4	2,951.44	3/4	2,588.48	3/4	2,225.42
7	7	7	7	7	4,726.48	7	4,386.09	7	4,032.40	7	3,669.74	7	3,306.81	7	2,943.88	7	2,580.92	7	2,217.85
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,719.55	1 1/4	4,378.86	1 1/4	4,024.89	1 1/4	3,662.18	1 1/4	3,299.25	1 1/4	2,936.32	1 1/4	2,573.35	1 1/4	2,210.29
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,712.62	1 1/2	4,371.63	1 1/2	4,017.39	1 1/2	3,654.62	1 1/2	3,291.69	1 1/2	2,928.76	1 1/2	2,565.79	1 1/2	2,202.73
3/4	3/4	3/4	3/4	3/4	4,705.64	3/4	4,364.37	3/4	4,009.86	3/4	3,647.06	3/4	3,284.13	3/4	2,921.20	3/4	2,558.22	3/4	2,195.16
8	8	8	8	8	4,698.67	8	4,357.12	8	4,002.33	8	3,639.50	8	3,276.57	8	2,913.63	8	2,550.66	8	2,187.60
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,691.69	1 1/4	4,349.87	1 1/4	3,994.80	1 1/4	3,631.94	1 1/4	3,269.01	1 1/4	2,906.07	1 1/4	2,543.10	1 1/4	2,180.03
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,684.71	1 1/2	4,342.61	1 1/2	3,987.27	1 1/2	3,624.38	1 1/2	3,261.44	1 1/2	2,898.51	1 1/2	2,535.53	1 1/2	2,172.47
3/4	3/4	3/4	3/4	3/4	4,677.71	3/4	4,335.34	3/4	3,979.72	3/4	3,616.82	3/4	3,253.88	3/4	2,890.95	3/4	2,527.97	3/4	2,164.91
9	9	9	9	9	4,670.71	9	4,328.06	9	3,972.17	9	3,609.26	9	3,246.32	9	2,883.39	9	2,520.41	9	2,157.34
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,663.71	1 1/4	4,320.78	1 1/4	3,964.62	1 1/4	3,601.69	1 1/4	3,238.76	1 1/4	2,875.83	1 1/4	2,512.84	1 1/4	2,149.78
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,656.71	1 1/2	4,313.51	1 1/2	3,957.07	1 1/2	3,594.13	1 1/2	3,231.20	1 1/2	2,868.27	1 1/2	2,505.28	1 1/2	2,142.22
3/4	3/4	3/4	3/4	3/4	4,649.81	3/4	4,306.21	3/4	3,949.50	3/4	3,586.57	3/4	3,223.64	3/4	2,860.71	3/4	2,497.71	3/4	2,134.65
10	10	10	10	10	4,642.66	10	4,298.91	10	3,941.94	10	3,579.01	10	3,216.08	10	2,853.15	10	2,490.15	10	2,127.09
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,635.64	1 1/4	4,291.61	1 1/4	3,934.38	1 1/4	3,571.45	1 1/4	3,208.52	1 1/4	2,845.58	1 1/4	2,482.59	1 1/4	2,119.52
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,628.61	1 1/2	4,284.31	1 1/2	3,926.82	1 1/2	3,563.89	1 1/2	3,200.96	1 1/2	2,838.02	1 1/2	2,475.02	1 1/2	2,111.96
3/4	3/4	3/4	3/4	3/4	4,621.57	3/4	4,276.99	3/4	3,919.26	3/4	3,556.33	3/4	3,193.39	3/4	2,830.46	3/4	2,467.46	3/4	2,104.40
11	11	11	11	11	4,614.52	11	4,269.66	11	3,911.70	11	3,548.77	11	3,185.83	11	2,822.90	11	2,459.89	11	2,096.83
1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	4,607.48	1 1/4	4,262.34	1 1/4	3,904.14	1 1/4	3,541.21	1 1/4	3,178.27	1 1/4	2,815.34	1 1/4	2,452.33	1 1/4	2,089.27
1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	4,600.43	1 1/2	4,255.02	1 1/2	3,896.58	1 1/2	3,533.64	1 1/2	3,170.71	1 1/2	2,807.78	1 1/2	2,444.77	1 1/2	2,081.70
3/4	3/4	3/4	3/4	3/4	4,593.36	3/4	4,247.67	3/4	3,889.02	3/4	3,526.08	3/4	3,163.15	3/4	2,800.22	3/4	2,437.20	3/4	2,074.14

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH IPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" DIAMETER "HERMETIC" VALVE.
GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 42'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2082

Pearland, Texas 77588

<http://www.pma.com.net>



BARGE "EMS 525"

1 STBD

ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,066.58	0	1,703.51	0	1,340.45	0	979.33	0	616.72	0	253.67	0		0		0			
1/4	2,059.01	1/4	1,695.95	1/4	1,332.89	1/4	971.82	1/4	609.15	1/4	246.11	1/4		1/4		1/4		1/4	
1/2	2,051.45	1/2	1,688.39	1/2	1,325.32	1/2	964.31	1/2	601.59	1/2	238.54	1/2		1/2		1/2		1/2	
3/4	2,043.89	3/4	1,680.82	3/4	1,317.76	3/4	956.79	3/4	594.03	3/4	230.98	3/4		3/4		3/4		3/4	
1	2,036.32	1	1,673.26	1	1,310.20	1	949.28	1	586.46	1	223.42	1		1		1		1	
1/4	2,028.76	1/4	1,665.70	1/4	1,302.63	1/4	941.77	1/4	578.90	1/4	215.85	1/4		1/4		1/4		1/4	
1/2	2,021.19	1/2	1,658.13	1/2	1,295.07	1/2	934.25	1/2	571.34	1/2	208.29	1/2		1/2		1/2		1/2	
3/4	2,013.63	3/4	1,650.57	3/4	1,287.51	3/4	926.72	3/4	563.77	3/4	200.72	3/4		3/4		3/4		3/4	
2	2,006.07	2	1,643.00	2	1,279.95	2	919.19	2	556.21	2	193.16	2		2		2		2	
1/4	1,998.50	1/4	1,635.44	1/4	1,272.39	1/4	911.66	1/4	548.65	1/4	185.60	1/4		1/4		1/4		1/4	
1/2	1,990.94	1/2	1,627.88	1/2	1,264.83	1/2	904.13	1/2	541.08	1/2	178.03	1/2		1/2		1/2		1/2	
3/4	1,983.38	3/4	1,620.31	3/4	1,257.31	3/4	896.57	3/4	533.52	3/4	170.47	3/4		3/4		3/4		3/4	
3	1,975.81	3	1,612.75	3	1,249.79	3	889.00	3	525.96	3	162.91	3		3		3		3	
1/4	1,968.25	1/4	1,605.19	1/4	1,242.27	1/4	881.44	1/4	518.39	1/4	155.34	1/4		1/4		1/4		1/4	
1/2	1,960.68	1/2	1,597.62	1/2	1,234.74	1/2	873.88	1/2	510.83	1/2	147.78	1/2		1/2		1/2		1/2	
3/4	1,953.12	3/4	1,590.06	3/4	1,227.23	3/4	866.31	3/4	503.26	3/4	140.22	3/4		3/4		3/4		3/4	
4	1,945.56	4	1,582.49	4	1,219.72	4	858.75	4	495.70	4	132.65	4		4		4		4	
1/4	1,937.99	1/4	1,574.93	1/4	1,212.21	1/4	851.19	1/4	488.14	1/4	125.09	1/4		1/4		1/4		1/4	
1/2	1,930.43	1/2	1,567.37	1/2	1,204.70	1/2	843.62	1/2	480.57	1/2	117.53	1/2		1/2		1/2		1/2	
3/4	1,922.86	3/4	1,559.80	3/4	1,197.18	3/4	836.06	3/4	473.01	3/4	110.04	3/4		3/4		3/4		3/4	
5	1,915.30	5	1,552.24	5	1,189.67	5	828.50	5	465.45	5	102.56	5		5		5		5	
1/4	1,907.74	1/4	1,544.67	1/4	1,182.16	1/4	820.93	1/4	457.88	1/4	95.07	1/4		1/4		1/4		1/4	
1/2	1,900.17	1/2	1,537.11	1/2	1,174.65	1/2	813.37	1/2	450.32	1/2	87.59	1/2		1/2		1/2		1/2	
3/4	1,892.61	3/4	1,529.55	3/4	1,167.13	3/4	805.80	3/4	442.76	3/4	80.81	3/4		3/4		3/4		3/4	
6	1,885.05	6	1,521.98	6	1,159.62	6	798.24	6	435.19	6	74.04	6		6		6		6	
1/4	1,877.48	1/4	1,514.42	1/4	1,152.11	1/4	790.68	1/4	427.63	1/4	67.26	1/4		1/4		1/4		1/4	
1/2	1,869.92	1/2	1,506.86	1/2	1,144.60	1/2	783.11	1/2	420.07	1/2	60.49	1/2		1/2		1/2		1/2	
3/4	1,862.35	3/4	1,499.29	3/4	1,137.09	3/4	775.55	3/4	412.50	3/4	54.97	3/4		3/4		3/4		3/4	
7	1,854.79	7	1,491.73	7	1,129.57	7	767.99	7	404.94	7	49.46	7		7		7		7	
1/4	1,847.23	1/4	1,484.16	1/4	1,122.06	1/4	760.42	1/4	397.38	1/4	43.94	1/4		1/4		1/4		1/4	
1/2	1,839.66	1/2	1,476.60	1/2	1,114.55	1/2	752.86	1/2	389.81	1/2	38.43	1/2		1/2		1/2		1/2	
3/4	1,832.10	3/4	1,469.04	3/4	1,107.04	3/4	745.30	3/4	382.25	3/4	34.17	3/4		3/4		3/4		3/4	
8	1,824.54	8	1,461.47	8	1,099.53	8	737.73	8	374.69	8	29.92	8		8		8		8	
1/4	1,816.97	1/4	1,453.91	1/4	1,092.01	1/4	730.17	1/4	367.12	1/4	25.67	1/4		1/4		1/4		1/4	
1/2	1,809.41	1/2	1,446.35	1/2	1,084.50	1/2	722.61	1/2	359.56	1/2	21.42	1/2		1/2		1/2		1/2	
3/4	1,801.84	3/4	1,438.78	3/4	1,076.99	3/4	715.04	3/4	351.99	3/4		3/4		3/4		3/4		3/4	
9	1,794.28	9	1,431.22	9	1,069.48	9	707.48	9	344.43	9		9		9		9		9	
1/4	1,786.72	1/4	1,423.65	1/4	1,061.97	1/4	699.92	1/4	336.87	1/4		1/4		1/4		1/4		1/4	
1/2	1,779.15	1/2	1,416.09	1/2	1,054.45	1/2	692.35	1/2	329.30	1/2		1/2		1/2		1/2		1/2	
3/4	1,771.59	3/4	1,408.53	3/4	1,046.94	3/4	684.79	3/4	321.74	3/4		3/4		3/4		3/4		3/4	
10	1,764.03	10	1,400.96	10	1,039.43	10	677.23	10	314.18	10		10		10		10		10	
1/4	1,756.46	1/4	1,393.40	1/4	1,031.92	1/4	669.66	1/4	306.61	1/4		1/4		1/4		1/4		1/4	
1/2	1,748.90	1/2	1,385.84	1/2	1,024.40	1/2	662.10	1/2	299.05	1/2		1/2		1/2		1/2		1/2	
3/4	1,741.33	3/4	1,378.27	3/4	1,016.89	3/4	654.53	3/4	291.49	3/4		3/4		3/4		3/4		3/4	
11	1,733.77	11	1,370.71	11	1,009.38	11	646.97	11	283.92	11		11		11		11		11	
1/4	1,726.21	1/4	1,363.14	1/4	1,001.87	1/4	639.41	1/4	276.36	1/4		1/4		1/4		1/4		1/4	
1/2	1,718.64	1/2	1,355.58	1/2	994.36	1/2	631.84	1/2	268.80	1/2		1/2		1/2		1/2		1/2	
3/4	1,711.08	3/4	1,348.02	3/4	986.84	3/4	624.28	3/4	261.23	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/07/2020 CL
CALCULATED: 08/08/2020 CL
PRINTED: 08/08/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-08 1/2"

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" DIAMETER "HERMETIC" VALVE

Gauge Point: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 42'-03" FORWARD OF AFT BULKHEAD



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS										HULL # C-1271										GAUGE HEIGHT 15'-08 1/2"					
IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.						
0	2,065.65	0	1,703.08	0	1,340.51	0	978.37	0	615.88	0	253.32	0		0		0									
1/4	2,058.09	1/4	1,695.53	1/4	1,332.96	1/4	970.83	1/4	608.32	1/4	245.77	1/4		1/4		1/4		1/4							
1/2	2,050.54	1/2	1,687.97	1/2	1,325.49	1/2	963.29	1/2	600.77	1/2	238.22	1/2		1/2		1/2		1/2							
3/4	2,042.99	3/4	1,680.42	3/4	1,317.85	3/4	955.74	3/4	593.22	3/4	230.66	3/4		3/4		3/4		3/4							
1	2,035.43	1	1,672.87	1	1,310.30	1	948.20	1	585.66	1	223.11	1		1		1		1							
1/4	2,027.88	1/4	1,665.31	1/4	1,302.74	1/4	940.66	1/4	578.11	1/4	215.56	1/4		1/4		1/4		1/4							
1/2	2,020.33	1/2	1,657.76	1/2	1,295.19	1/2	933.11	1/2	570.56	1/2	208.00	1/2		1/2		1/2		1/2							
3/4	2,012.77	3/4	1,650.20	3/4	1,287.64	3/4	925.56	3/4	563.01	3/4	200.45	3/4		3/4		3/4		3/4							
2	2,005.22	2	1,642.65	2	1,280.08	2	918.01	2	555.45	2	192.90	2		2		2		2							
1/4	1,997.67	1/4	1,635.10	1/4	1,272.53	1/4	910.45	1/4	547.90	1/4	185.35	1/4		1/4		1/4		1/4							
1/2	1,990.11	1/2	1,627.54	1/2	1,264.98	1/2	902.90	1/2	540.35	1/2	177.79	1/2		1/2		1/2		1/2							
3/4	1,982.56	3/4	1,619.99	3/4	1,257.42	3/4	895.35	3/4	532.79	3/4	170.24	3/4		3/4		3/4		3/4							
3	1,975.01	3	1,612.44	3	1,249.87	3	887.79	3	525.24	3	162.69	3		3		3		3							
1/4	1,967.45	1/4	1,604.88	1/4	1,242.32	1/4	880.24	1/4	517.69	1/4	155.13	1/4		1/4		1/4		1/4							
1/2	1,959.90	1/2	1,597.33	1/2	1,234.77	1/2	872.69	1/2	510.13	1/2	147.58	1/2		1/2		1/2		1/2							
3/4	1,952.34	3/4	1,589.78	3/4	1,227.23	3/4	865.13	3/4	502.58	3/4	140.03	3/4		3/4		3/4		3/4							
4	1,944.79	4	1,582.22	4	1,219.69	4	857.58	4	495.03	4	132.47	4		4		4		4							
1/4	1,937.24	1/4	1,574.67	1/4	1,212.14	1/4	850.03	1/4	487.47	1/4	124.92	1/4		1/4		1/4		1/4							
1/2	1,929.68	1/2	1,567.12	1/2	1,204.60	1/2	842.47	1/2	479.92	1/2	117.37	1/2		1/2		1/2		1/2							
3/4	1,922.13	3/4	1,559.56	3/4	1,197.06	3/4	834.92	3/4	472.37	3/4	109.89	3/4		3/4		3/4		3/4							
5	1,914.58	5	1,552.01	5	1,189.52	5	827.37	5	464.81	5	102.42	5		5		5		5							
1/4	1,907.02	1/4	1,544.46	1/4	1,181.98	1/4	819.81	1/4	457.26	1/4	94.94	1/4		1/4		1/4		1/4							
1/2	1,899.47	1/2	1,536.90	1/2	1,174.44	1/2	812.26	1/2	449.71	1/2	87.47	1/2		1/2		1/2		1/2							
3/4	1,891.92	3/4	1,529.35	3/																					

**CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2020**

**PRECISION MEASUREMENT
& ANALYSIS, INC.**
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

BARGE "EMS 525"

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1274

GAUGE HEIGHT 15'-08 1/4"

	IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0			0		0	4,889.26	0	4,557.73	0	4,212.10	0	3,853.60	0	3,491.26	0	3,128.91	0	2,768.56	0	2,404.12
1/4	1/4		1/4		1/4	4,882.51	1/4	4,550.67	1/4	4,204.77	1/4	3,846.06	1/4	3,483.71	1/4	3,121.36	1/4	2,759.01	1/4	2,396.57
1/2	1/2		1/2		1/2	5,190.05	1/2	4,875.73	1/2	4,543.59	1/2	4,197.42	1/2	3,876.16	1/2	3,513.81	1/2	3,151.47	1/2	2,789.02
3/4	3/4		3/4		3/4	4,868.96	3/4	4,536.51	3/4	4,190.06	3/4	3,830.96	3/4	3,468.61	3/4	3,106.26	3/4	2,743.92	3/4	2,381.47
1	1		1		1	5,179.82	1	4,862.18	1	4,529.43	1	3,823.41	1	3,461.06	1	3,098.71	1	2,736.37	1	2,373.92
1/4	1/4		1/4		1/4	5,174.71	1/4	4,855.41	1/4	4,522.36	1/4	3,815.86	1/4	3,453.51	1/4	3,091.17	1/4	2,728.82	1/4	2,366.37
1/2	1/2		1/2		1/2	5,168.38	1/2	4,848.61	1/2	4,515.25	1/2	4,167.97	1/2	3,845.96	1/2	3,083.62	1/2	2,721.27	1/2	2,358.82
3/4	3/4		3/4		3/4	5,162.05	3/4	4,841.82	3/4	4,508.15	3/4	4,160.59	3/4	3,838.41	3/4	3,076.07	3/4	2,713.72	3/4	2,351.26
2	2		2		2	5,155.72	2	4,835.02	2	4,501.05	2	4,153.21	2	3,830.87	2	3,068.52	2	2,706.17	2	2,343.71
1/4	1/4		1/4		1/4	5,149.39	1/4	4,828.22	1/4	4,493.94	1/4	4,145.83	1/4	3,823.32	1/4	3,060.97	1/4	2,698.62	1/4	2,336.16
1/2	1/2		1/2		1/2	5,142.20	1/2	4,821.40	1/2	4,486.82	1/2	4,138.43	1/2	3,817.12	1/2	3,053.42	1/2	2,691.07	1/2	2,328.61
3/4	3/4		3/4		3/4	5,135.00	3/4	4,814.58	3/4	4,479.69	3/4	4,131.03	3/4	3,800.76	3/4	3,045.87	3/4	2,683.92	3/4	2,321.06
3	3		3		3	5,127.81	3	4,807.76	3	4,472.57	3	4,123.62	3	3,793.66	3	3,038.32	3	2,675.98	3	2,313.51
1/4	1/4		1/4		1/4	5,120.61	1/4	4,800.94	1/4	4,465.44	1/4	4,116.22	1/4	3,793.12	1/4	3,030.77	1/4	2,668.43	1/4	2,305.95
1/2	1/2		1/2		1/2	5,114.12	1/2	4,794.10	1/2	4,458.89	1/2	4,108.80	1/2	3,785.57	1/2	3,023.23	1/2	2,660.88	1/2	2,298.40
3/4	3/4		3/4		3/4	5,107.62	3/4	4,787.25	3/4	4,451.14	3/4	4,101.37	3/4	3,778.02	3/4	3,015.68	3/4	2,653.33	3/4	2,290.85
4	4		4		4	5,101.12	4	4,780.41	4	4,444.00	4	4,093.95	4	3,732.82	4	3,370.47	4	3,008.13	4	2,283.30
1/4	1/4		1/4		1/4	5,094.62	1/4	4,773.57	1/4	4,436.85	1/4	4,086.52	1/4	3,726.27	1/4	3,362.93	1/4	3,000.58	1/4	2,636.23
1/2	1/2		1/2		1/2	5,088.10	1/2	4,766.70	1/2	4,429.67	1/2	4,079.07	1/2	3,717.72	1/2	3,355.38	1/2	2,993.03	1/2	2,630.68
3/4	3/4		3/4		3/4	5,081.58	3/4	4,759.84	3/4	4,422.50	3/4	4,071.63	3/4	3,710.18	3/4	3,347.83	3/4	2,985.48	3/4	2

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" DIAMETER "HERMETIC" VALVE.

GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 42'-03" FORWARD OF AFT BULKHEAD.



2 STBD

ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

Gauge Height 15'-08 1/4"

	10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	
0	2,040.65	0	1,679.17	0	1,316.69	0	967.77	0	608.18	0	245.71	0		0		0		0		
1/4	2,034.10	1/4	1,671.62	1/4	1,309.14	1/4	960.56	1/4	600.63	1/4	238.16	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	2,026.54	1/2	1,664.07	1/2	1,301.59	1/2	953.35	1/2	593.08	1/2	230.61	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	2,018.99	3/4	1,656.52	3/4	1,294.04	3/4	946.14	3/4	585.53	3/4	223.06	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
1	2,011.44	1	1,648.96	1	1,286.49	1	938.94	1	577.97	1	215.51	1	1	1	1	1	1	1	1	
1/4	2,003.89	1/4	1,641.41	1/4	1,278.94	1/4	931.73	1/4	570.42	1/4	207.96	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,996.34	1/2	1,633.86	1/2	1,271.43	1/2	924.47	1/2	562.87	1/2	200.40	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,988.79	3/4	1,626.31	3/4	1,263.92	3/4	917.21	3/4	555.32	3/4	192.85	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
2	1,981.24	2	1,618.76	2	1,256.41	2	909.94	2	547.77	2	185.30	2	2	2	2	2	2	2	2	
1/4	1,973.68	1/4	1,611.21	1/4	1,248.90	1/4	902.68	1/4	540.22	1/4	177.75	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,966.13	1/2	1,603.66	1/2	1,241.68	1/2	895.13	1/2	532.67	1/2	170.20	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,958.58	3/4	1,596.10	3/4	1,234.46	3/4	887.58	3/4	525.11	3/4	162.65	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
3	1,951.03	3	1,588.55	3	1,227.24	3	880.03	3	517.56	3	155.10	3	3	3	3	3	3	3	3	
1/4	1,943.48	1/4	1,581.00	1/4	1,220.02	1/4	872.48	1/4	510.01	1/4	147.54	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,935.93	1/2	1,573.45	1/2	1,212.82	1/2	864.93	1/2	502.46	1/2	139.99	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,928.37	3/4	1,565.90	3/4	1,205.61	3/4	857.38	3/4	494.91	3/4	132.44	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
4	1,920.82	4	1,558.35	4	1,198.40	4	849.82	4	487.36	4	124.89	4	4	4	4	4	4	4	4	
1/4	1,913.27	1/4	1,550.79	1/4	1,191.19	1/4	842.27	1/4	479.81	1/4	117.34	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,905.72	1/2	1,543.24	1/2	1,183.99	1/2	834.72	1/2	472.25	1/2	109.87	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,898.17	3/4	1,535.69	3/4	1,176.78	3/4	827.17	3/4	464.70	3/4	102.39	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
5	1,890.62	5	1,528.14	5	1,169.57	5	819.62	5	457.15	5	94.92	5	5	5	5	5	5	5	5	
1/4	1,883.06	1/4	1,520.59	1/4	1,162.37	1/4	812.07	1/4	449.60	1/4	87.45	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,875.51	1/2	1,513.04	1/2	1,155.16	1/2	804.52	1/2	442.05	1/2	80.68	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,867.96	3/4	1,505.48	3/4	1,147.95	3/4	796.96	3/4	434.50	3/4	73.92	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
6	1,860.41	6	1,497.93	6	1,140.74	6	789.41	6	426.95	6	67.15	6	6	6	6	6	6	6	6	
1/4	1,852.86	1/4	1,490.38	1/4	1,133.54	1/4	781.86	1/4	419.39	1/4	60.39	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,845.31	1/2	1,482.83	1/2	1,126.33	1/2	774.31	1/2	411.84	1/2	54.88	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,837.75	3/4	1,475.28	3/4	1,119.12	3/4	766.76	3/4	404.29	3/4	49.38	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
7	1,830.20	7	1,467.73	7	1,111.91	7	759.21	7	396.74	7	43.87	7	7	7	7	7	7	7	7	
1/4	1,822.65	1/4	1,460.17	1/4	1,104.71	1/4	751.66	1/4	389.19	1/4	38.37	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,815.10	1/2	1,452.62	1/2	1,097.50	1/2	744.10	1/2	381.64	1/2	34.12	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,807.55	3/4	1,445.07	3/4	1,090.29	3/4	736.55	3/4	374.09	3/4	29.87	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
8	1,800.00	8	1,437.52	8	1,083.09	8	729.00	8	366.53	8	25.63	8	8	8	8	8	8	8	8	
1/4	1,792.45	1/4	1,429.97	1/4	1,075.88	1/4	721.45	1/4	358.98	1/4	21.38	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,784.89	1/2	1,422.42	1/2	1,068.67	1/2	713.90	1/2	351.43	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,777.34	3/4	1,414.87	3/4	1,061.46	3/4	706.35	3/4	343.88	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
9	1,769.79	9	1,407.31	9	1,054.26	9	698.80	9	336.33	9		9	9	9	9	9	9	9	9	
1/4	1,762.24	1/4	1,399.76	1/4	1,047.05	1/4	691.24	1/4	328.78	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,754.69	1/2	1,392.21	1/2	1,039.84	1/2	683.69	1/2	321.23	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,747.14	3/4	1,384.66	3/4	1,032.63	3/4	676.14	3/4	313.67	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
10	1,739.58	10	1,377.11	10	1,025.43	10	668.59	10	306.12	10		10	10	10	10	10	10	10	10	
1/4	1,732.03	1/4	1,369.56	1/4	1,018.22	1/4	661.04	1/4	298.57	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,724.48	1/2	1,362.00	1/2	1,011.01	1/2	653.49	1/2	291.02	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,716.93	3/4	1,354.45	3/4	1,003.80	3/4	645.94	3/4	283.47	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
11	1,709.38	11	1,346.90	11	996.60	11	638.38	11	275.92	11		11	11	11	11	11	11	11	11	
1/4	1,701.83	1/4	1,339.35	1/4	989.39	1/4	630.83	1/4	268.37	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1,694.27	1/2	1,331.80	1/2	982.18	1/2	623.28	1/2	260.81	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	1,686.72	3/4	1,324.25	3/4	974.98	3/4	615.73	3/4	253.26	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	

STRAPPED: 08/07/2020 CL
CALCULATED: 08/08/2020 CL
PRINTED: 08/08/2020 CL

**CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2020**

SHEET NO. 8 OF 12

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588
<http://www.pmacorp.net>

For



BARGE "EMS 525"

3 PORT VILLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL #C-1271

Gauge Height 15'-08 1/2"

IN	0 FT.		IN	1 FT.		IN	2 FT.		IN	3 FT.		IN	4 FT.		IN	5 FT.		IN	6 FT.		IN	7 FT.		IN	8 FT.		IN	9 FT.		
	IN	0		IN	0		IN	0		IN	0		IN	0		IN	0		IN	0		IN	0		IN	0		IN	0	IN
1/4	0		1/4		0		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		4,405.18	1/2		4,244.35	1/2		4,066.59	1/2		3,881.32	1/2		3,689.20	1/2		3,487.15	1/2		3,279.67	1/2		3,120.96	1/2		2,761.51	1/2		2,407.96	1/2
3/4		4,403.52	3/4		4,240.72	3/4		4,062.79	3/4		3,677.38	3/4		3,665.15	3/4		3,472.19	3/4		3,113.46	3/4		3,113.46	3/4		2,753.49	3/4		2,392.94	3/4
1		4,401.87	1		4,237.09	1		4,059.00	1		3,673.44	1		3,661.11	1		3,464.71	1		3,108.46	1		3,095.46	1		2,745.98	1		2,385.43	1
1/4	1/4	4,400.21	1/4	1/4	4,233.47	1/4	1/4	4,055.21	1/4	1/4	3,669.50	1/4	1/4	3,657.07	1/4	1/4	3,457.23	1/4	1/4	3,098.46	1/4	1/4	3,088.46	1/4	1/4	2,738.47	1/4	1/4	2,377.91	1/4
1/2	1/2	4,398.56	1/2	1/2	4,229.84	1/2	1/2	4,051.42	1/2	1/2	3,665.56	1/2	1/2	3,653.75	1/2	1/2	3,449.75	1/2	1/2	3,090.97	1/2	1/2	3,080.97	1/2	1/2	2,730.96	1/2	1/2	2,370.40	1/2
3/4	3/4	4,395.68	3/4	3/4	4,226.19	3/4	3/4	4,047.61	3/4	3/4	3,661.61	3/4	3/4	3,668.98	3/4	3/4	3,442.27	3/4	3/4	3,083.47	3/4	3/4	3,073.47	3/4	3/4	2,723.44	3/4	3/4	2,362.89	3/4
2	2	4,392.81	2	2	4,222.55	2	2	4,043.81	2	2	3,657.66	2	2	3,664.99	2	2	3,424.79	2	2	3,075.97	2	2	3,068.47	2	2	2,715.93	2	2	2,347.87	2
1/4	1/4	4,389.93	1/4	1/4	4,218.91	1/4	1/4	4,040.01	1/4	1/4	3,653.70	1/4	1/4	3,660.90	1/4	1/4	3,419.83	1/4	1/4	3,066.98	1/4	1/4	3,058.48	1/4	1/4	2,708.42	1/4	1/4	2,337.87	1/4
1/2	1/2	4,387.05	1/2	1/2	4,215.27	1/2	1/2	4,036.20	1/2	1/2	3,649.75	1/2	1/2	3,656.85	1/2	1/2	3,416.83	1/2	1/2	3,060.98	1/2	1/2	3,050.98	1/2	1/2	2,700.91	1/2	1/2	2,340.35	1/2
3/4	3/4	4,383.26	3/4	3/4	4,211.61	3/4	3/4	4,032.38	3/4	3/4	3,645.79	3/4	3/4	3,652.81	3/4	3/4	3,412.35	3/4	3/4	3,053.48	3/4	3/4	3,043.48	3/4	3/4	2,693.40	3/4	3/4	2,332.84	3/4
3	3	4,379.47	3	3	4,207.96	3	3	4,028.57	3	3	3,641.82	3	3	3,648.77	3	3	3,404.88	3	3	3,045.98	3	3	3,038.48	3	3	2,683.88	3	3	2,325.33	3
1/4	1/4	4,375.68	1/4	1/4	4,204.31	1/4	1/4	4,024.75	1/4	1/4	3,637.86	1/4	1/4	3,644.72	1/4	1/4	3,397.40	1/4	1/4	3,038.48	1/4	1/4	3,028.48	1/4	1/4	2,678.38	1/4	1/4	2,317.82	1/4
1/2	1/2	4,371.89	1/2	1/2	4,200.65	1/2	1/2	4,020.93	1/2	1/2	3,633.89	1/2	1/2	3,640.68	1/2	1/2	3,389.92	1/2	1/2	3,030.98	1/2	1/2	3,020.98	1/2	1/2	2,670.87	1/2	1/2	2,310.31	1/2
3/4	3/4	4,368.41	3/4	3/4	4,196.99	3/4	3/4	4,017.11	3/4	3/4	3,629.92	3/4	3/4	3,636.64	3/4	3/4	3,382.44	3/4	3/4	3,023.49	3/4	3/4	3,013.49	3/4	3/4	2,663.36	3/4	3/4	2,302.78	3/4
4	4	4,364.93	4	4	4,193.32	4	4	4,013.28	4	4	3,625.94	4	4	3,632.59	4	4	3,374.96	4	4	3,015.99	4	4	3,005.99	4	4	2,655.85	4	4	2,295.28	4
1/4	1/4	4,361.45	1/4	1/4	4,189.65	1/4	1/4	4,009.45	1/4	1/4	3,621.96	1/4	1/4	3,628.55	1/4	1/4	3,367.48	1/4	1/4	3,008.49	1/4	1/4	2,998.49	1/4	1/4	2,648.34	1/4	1/4	2,287.77	1/4
1/2	1/2	4,357.97	1/2	1/2	4,185.99	1/2	1/2	4,005.62	1/2	1/2	3,617.99	1/2	1/2	3,624.51	1/2	1/2	3,360.00	1/2	1/2	3,000.99	1/2	1/2	2,990.99	1/2	1/2	2,640.83	1/2	1/2	2,280.26	1/2
3/4	3/4	4,354.48	3/4	3/4	4,182.31	3/4	3/4	4,001.78	3/4	3/4	3,614.00	3/4	3/4	3,620.47	3/4	3/4	3,352.52	3/4	3/4	2,993.50	3/4	3/4	2,983.50	3/4	3/4	2,633.32	3/4	3/4	2,272.75	3/4
5	5	4,350.99	5	5	4,178.63	5	5	3,997.94	5	5	3,610.01	5	5	3,616.42	5	5	3,345.05	5	5	2,986.00	5	5	2,976.00	5	5	2,625.81	5	5	2,265.23	5
1/4	1/4	4,347.49	1/4	1/4	4,174.95	1/4	1/4	3,994.10	1/4	1/4	3,606.02	1/4	1/4	3,612.38	1/4	1/4	3,337.57	1/4	1/4	2,978.50	1/4	1/4	2,968.50	1/4	1/4	2,618.30	1/4	1/4	2,257.72	1/4
1/2	1/2	4,344.00	1/2	1/2	4,171.27	1/2	1/2	3,990.25	1/2	1/2	3,602.03	1/2	1/2	3,608.34	1/2	1/2	3,330.09	1/2	1/2	2,971.00	1/2	1/2	2,961.00	1/2	1/2	2,610.79	1/2	1/2	2,250.21	1/2
3/4	3/4	4,340.50	3/4	3/4	4,167.58	3/4	3/4	3,986.40	3/4	3/4	3,598.03	3/4	3/4	3,604.29	3/4	3/4	3,322.63	3/4	3/4	2,963.27	3/4	3/4	2,953.27	3/4	3/4	2,603.27	3/4	3/4	2,242.70	3/4
6	6	4,336.99	6	6	4,163.89	6	6	3,982.55	6	6	3,594.03	6	6	3,600.25	6	6	3,315.16	6	6	2,956.01	6	6	2,946.01	6	6	2,595.76	6	6	2,235.19	6
1/4	1/4	4,333.49	1/4	1/4	4,160.20	1/4	1/4	3,978.69	1/4	1/4	3,590.02	1/4	1/4	3,596.21	1/4	1/4	3,307.70	1/4	1/4	2,948.51	1/4	1/4	2,938.51	1/4	1/4	2,588.25	1/4	1/4	2,227.67	1/4
1/2	1/2	4,329.98	1/2	1/2	4,156.51	1/2	1/2	3,974.84	1/2	1/2	3,586.02	1/2	1/2	3,592.16	1/2	1/2	3,300.24	1/2	1/2	2,941.01	1/2	1/2	2,931.01	1/2	1/2	2,580.74	1/2	1/2	2,220.16	1/2
3/4	3/4	4,326.47	3/4	3/4	4,152.80	3/4	3/4	3,970.97	3/4	3/4	3,582.01	3/4	3/4	3,588.18	3/4	3/4	3,292.77	3/4	3/4	2,933.51	3/4	3/4	2,923.51	3/4	3/4	2,573.23	3/4	3/4	2,212.65	3/4
7	7	4,322.95	7	7	4,149.10	7	7	3,967.11	7	7	3,578.00	7	7	3,584.08	7	7	3,285.31	7	7	2,926.01	7	7	2,916.01	7	7	2,565.71	7	7	2,205.14	7
1/4	1/4	4,319.43	1/4	1/4	4,145.39	1/4	1/4	3,963.24	1/4	1/4	3,573.98	1/4	1/4	3,580.03	1/4	1/4	3,277.85	1/4	1/4	2,918.52	1/4	1/4	2,908.52	1/4	1/4	2,558.20	1/4	1/4	2,197.63	1/4
1/2	1/2	4,315.81	1/2	1/2	4,141.69	1/2	1/2	3,959.38	1/2	1/2	3,569.97	1/2	1/2	3,575.98	1/2	1/2	3,270.38	1/2	1/2	2,911.02	1/2	1/2	2,901.02	1/2	1/2	2,550.69	1/2	1/2	2,190.11	1/2
3/4	3/4	4,312.39	3/4	3/4	4,137.95	3/4	3/4	3,955.50	3/4	3/4	3,565.94	3/4	3/4	3,571.95	3/4	3/4	3,262.92	3/4	3/4	2,903.52	3/4	3/4	2,893.52	3/4	3/4	2,543.18	3/4	3/4	2,182.60	3/4
8	8	4,308.56	8	8	4,134.22	8	8	3,951.62	8	8	3,561.92	8	8	3,567.91	8	8	3,255.46	8	8	2,896.02	8	8	2,886.02	8	8	2,535.67	8	8	2,175.09	8
1/4	1/4	4,305.33	1/4	1/4	4,130.49	1/4	1/4	3,947.74	1/4	1/4	3,557.89	1/4	1/4	3,563.86	1/4	1/4	3,247.99	1/4	1/4	2,888.53	1/4	1/4	2,878.53	1/4	1/4	2,528.15	1/4	1/4	2,167.58	1/4
1/2	1/2	4,301.80	1/2	1/2	4,126.76	1/2	1/2	3,943.86	1/2	1/2	3,553.86	1/2	1/2	3,559.82	1/2	1/2	3,240.53	1/2	1/2	2,881.03	1/2	1/2	2,871.03	1/2	1/2	2,520.64	1/2	1/2	2,160.07	1/2
3/4	3/4	4,298.25	3/4	3/4	4,123.02	3/4	3/4	3,939.97	3/4	3/4	3,549.87	3/4	3/4	3,555.78	3/4	3/4	3,233.07	3/4	3/4	2,873.53	3/4	3/4	2,863.53	3/4	3/4	2,513.13	3/4	3/4	2,152.55	3/4
9	9	4,294.70	9	9	4,119.28	9	9	3,936.08	9	9	3,545.79	9	9	3,551.73	9	9	3,225.60	9	9	2,866.03	9	9	2,856.03	9	9	2,505.62	9	9	2,145.04	9
1/4	1/4	4,291.16	1/4	1/4	4,115.54	1/4	1/4	3,932.19	1/4	1/4	3,541.75	1/4	1/4	3,547.69	1/4	1/4	3,218.14	1/4	1/4	2,858.53	1/4	1/4	2,848.53	1/4	1/4	2,496.11	1/4	1/4	2,137.53	1/4
1/2	1/2	4,287.61	1/2	1/2	4,111.79	1/2	1/2	3,928.30	1/2	1/2	3,537.72	1/2	1/2	3,543.65	1/2	1/2	3,210.68	1/2	1/2	2,851.04	1/2	1/2	2,841.04	1/2	1/2	2,490.59	1/2	1/2	2,130.02	1/2
3/4	3/4	4,284.04	3/4	3/4	4,108.04	3/4	3/4	3,924.40	3/4	3/4	3,533.67	3/4	3/4	3,539.60	3/4	3/4	3,203.21	3/4	3/4	2,843.54	3/4	3/4	2,833.54	3/4	3/4	2,483.08	3/4	3/4	2,122.51	3/4
10	10	4,280.43	10	10	4,104.28	10	10	3,920.50	10	10	3,529.63	10	10	3,535.56	10	10	3,195.75	10	10	2,836.04	10	10	2,826.04	10	10	2,475.57	10	10	2,114.99	10
1/4	1/4	4,276.83	1/4	1/4	4,100.53	1/4	1/4	3,916.59	1/4	1/4	3,525.59	1/4	1/4	3,531.52	1/4	1/4	3,188.28	1/4	1/4	2,828.54	1/4	1/4	2,818.54	1/4	1/4	2,468.06	1/4	1/4	2,107.48	1/4
1/2	1/2	4,273.24	1/2	1/2	4,096.77	1/2	1/2	3,912.69	1/2	1/2	3,521.54	1/2	1/2	3,527.00	1/2	1/2	3,180.82	1/2	1/2	2,821.05	1/2	1/2	2,811.05	1/2	1/2					

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO IIIA GAUGES TAKEN TO TOP 1/2 OF 3" DIAMETER "HERMETIC" VALVE

GALILEO POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 55'-03" FORWARD OF ACT BULLHEAD CRACK. IT APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF 2" DIAMETER HERMETIC.

PRECISION MEASUREMENT

ANALYSIS INC.

P.O. Box 2002

F.O. BOX 4032

Pearland, Texas 77588
<http://www.pma2000.net>

SHEET NO. 9 OF 12

For



BARGE "EMS 525"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,054.89	0	1,694.23	0	1,333.58	0	973.22	0	612.64	0	251.99	0		0		0			
1/4	2,047.38	1/4	1,686.72	1/4	1,326.06	1/4	965.71	1/4	605.12	1/4	244.48	1/4		1/4		1/4			
1/2	2,039.86	1/2	1,679.21	1/2	1,318.55	1/2	958.21	1/2	597.61	1/2	236.97	1/2		1/2		1/2			
3/4	2,032.35	3/4	1,671.69	3/4	1,311.03	3/4	950.70	3/4	590.10	3/4	229.45	3/4		3/4		3/4			
1	2,024.84	1	1,664.18	1	1,303.52	1	943.20	1	582.58	1	221.94	1		1		1			
1/4	2,017.32	1/4	1,656.66	1/4	1,296.01	1/4	935.69	1/4	575.07	1/4	214.43	1/4		1/4		1/4			
1/2	2,009.81	1/2	1,649.15	1/2	1,288.49	1/2	928.19	1/2	567.56	1/2	206.91	1/2		1/2		1/2			
3/4	2,002.30	3/4	1,641.64	3/4	1,280.98	3/4	920.68	3/4	560.04	3/4	199.40	3/4		3/4		3/4			
2	1,994.78	2	1,634.12	2	1,273.47	2	913.17	2	552.53	2	191.89	2		2		2			
1/4	1,987.27	1/4	1,626.61	1/4	1,265.95	1/4	905.66	1/4	545.02	1/4	184.37	1/4		1/4		1/4			
1/2	1,979.75	1/2	1,619.10	1/2	1,258.44	1/2	898.15	1/2	537.50	1/2	176.86	1/2		1/2		1/2			
3/4	1,972.24	3/4	1,611.58	3/4	1,250.93	3/4	890.63	3/4	529.99	3/4	169.35	3/4		3/4		3/4			
3	1,964.73	3	1,604.07	3	1,243.41	3	883.12	3	522.48	3	161.83	3		3		3			
1/4	1,957.21	1/4	1,596.56	1/4	1,235.90	1/4	875.61	1/4	514.96	1/4	154.32	1/4		1/4		1/4			
1/2	1,949.70	1/2	1,589.04	1/2	1,228.39	1/2	868.09	1/2	507.45	1/2	146.81	1/2		1/2		1/2			
3/4	1,942.19	3/4	1,581.53	3/4	1,220.88	3/4	860.58	3/4	499.94	3/4	139.29	3/4		3/4		3/4			
4	1,934.67	4	1,574.01	4	1,213.36	4	853.07	4	492.42	4	131.78	4		4		4			
1/4	1,927.16	1/4	1,566.50	1/4	1,205.85	1/4	845.55	1/4	484.91	1/4	124.27	1/4		1/4		1/4			
1/2	1,919.64	1/2	1,558.99	1/2	1,198.34	1/2	838.04	1/2	477.40	1/2	116.75	1/2		1/2		1/2			
3/4	1,912.13	3/4	1,551.47	3/4	1,190.84	3/4	830.53	3/4	469.88	3/4	109.32	3/4		3/4		3/4			
5	1,904.62	5	1,543.96	5	1,183.34	5	823.01	5	462.37	5	101.88	5		5		5			
1/4	1,897.10	1/4	1,536.45	1/4	1,175.83	1/4	815.50	1/4	454.86	1/4	94.45	1/4		1/4		1/4			
1/2	1,889.59	1/2	1,528.93	1/2	1,168.33	1/2	807.99	1/2	447.34	1/2	87.01	1/2		1/2		1/2			
3/4	1,882.08	3/4	1,521.42	3/4	1,160.82	3/4	800.47	3/4	439.83	3/4	80.28	3/4		3/4		3/4			
6	1,874.56	6	1,513.90	6	1,153.32	6	792.96	6	432.32	6	73.55	6		6		6			
1/4	1,867.05	1/4	1,506.39	1/4	1,145.81	1/4	785.45	1/4	424.80	1/4	66.82	1/4		1/4		1/4			
1/2	1,859.53	1/2	1,498.88	1/2	1,138.31	1/2	777.93	1/2	417.29	1/2	60.09	1/2		1/2		1/2			
3/4	1,852.02	3/4	1,491.36	3/4	1,130.81	3/4	770.42	3/4	409.78	3/4	54.61	3/4		3/4		3/4			
7	1,844.51	7	1,483.85	7	1,123.30	7	762.91	7	402.26	7	49.13	7		7		7			
1/4	1,836.99	1/4	1,476.34	1/4	1,115.80	1/4	755.39	1/4	394.75	1/4	43.66	1/4		1/4		1/4			
1/2	1,829.48	1/2	1,468.82	1/2	1,108.29	1/2	747.88	1/2	387.24	1/2	38.18	1/2		1/2		1/2			
3/4	1,821.97	3/4	1,461.31	3/4	1,100.79	3/4	740.37	3/4	379.72	3/4	33.95	3/4		3/4		3/4			
8	1,814.45	8	1,453.80	8	1,093.28	8	732.85	8	372.21	8	29.73	8		8		8			
1/4	1,806.94	1/4	1,446.28	1/4	1,085.78	1/4	725.34	1/4	364.70	1/4	25.50	1/4		1/4		1/4			
1/2	1,799.43	1/2	1,438.77	1/2	1,078.28	1/2	717.83	1/2	357.18	1/2	21.28	1/2		1/2		1/2			
3/4	1,791.91	3/4	1,431.25	3/4	1,070.77	3/4	710.31	3/4	349.67	3/4		3/4		3/4		3/4			
9	1,784.40	9	1,423.74	9	1,063.27	9	702.80	9	342.16	9		9		9		9			
1/4	1,776.88	1/4	1,416.23	1/4	1,055.76	1/4	695.28	1/4	334.64	1/4		1/4		1/4		1/4			
1/2	1,769.37	1/2	1,408.71	1/2	1,048.26	1/2	687.77	1/2	327.13	1/2		1/2		1/2		1/2			
3/4	1,761.86	3/4	1,401.20	3/4	1,040.75	3/4	680.26	3/4	319.61	3/4		3/4		3/4		3/4			
10	1,754.34	10	1,393.69	10	1,033.25	10	672.74	10	312.10	10		10		10		10			
1/4	1,746.83	1/4	1,386.17	1/4	1,025.75	1/4	665.23	1/4	304.59	1/4		1/4		1/4		1/4			
1/2	1,739.32	1/2	1,378.66	1/2	1,018.24	1/2	657.72	1/2	297.07	1/2		1/2		1/2		1/2			
3/4	1,731.80	3/4	1,371.14	3/4	1,010.74	3/4	650.20	3/4	289.56	3/4		3/4		3/4		3/4			
11	1,724.29	11	1,363.63	11	1,003.23	11	642.69	11	282.05	11		11		11		11			
1/4	1,716.77	1/4	1,356.12	1/4	995.73	1/4	635.18	1/4	274.53	1/4		1/4		1/4		1/4			
1/2	1,709.26	1/2	1,348.60	1/2	988.22	1/2	627.66	1/2	267.02	1/2		1/2		1/2		1/2			
3/4	1,701.75	3/4	1,341.09	3/4	980.72	3/4	620.15	3/4	259.51	3/4		3/4		3/4		3/4			

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/07/2020 CL
CALCULATED: 08/06/2020 CL
PRINTED: 08/06/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



GAUGE HEIGHT 15'-08 3/4"

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

Gauge Point: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 55'-03" FORWARD OF AFT BULKHEAD



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

HULL # C-1271

GAUGE HEIGHT 15'-08 3/4"

ID	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
IN	0	2,042.43	0	1,682.14	0	1,323.18	0	972.96	0	619.75	0	259.36	0		0		0		0	
1/4	1/4	2,034.92	1/4	1,674.63	1/4	1,315.73	1/4	965.79	1/4	612.25	1/4	251.85	1/4		1/4		1/4		1/4	
1/2	1/2	2,027.42	1/2	1,667.12	1/2	1,308.29	1/2	958.62	1/2	604.74	1/2	244.34	1/2		1/2		1/2		1/2	
3/4	3/4	2,019.91	3/4	1,659.62	3/4	1,300.84	3/4	951.45	3/4	597.23	3/4	236.84	3/4		3/4		3/4		3/4	
1	1	2,012.41	1	1,652.11	1	1,293.40	1	944.28	1	589.72	1	229.33	1		1		1		1	
1/4	1/4	2,004.90	1/4	1,644.61	1/4	1,285.96	1/4	937.11	1/4	582.21	1/4	221.82	1/4		1/4		1/4		1/4	
1/2	1/2	1,997.39	1/2	1,637.10	1/2	1,278.51	1/2	929.94	1/2	574.70	1/2	214.31	1/2		1/2		1/2		1/2	
3/4	3/4	1,989.89	3/4	1,629.59	3/4	1,271.07	3/4	922.77	3/4	567.20	3/4	206.80	3/4		3/4		3/4		3/4	
2	2	1,982.38	2	1,622.09	2	1,263.62	2	915.59	2	559.69	2	199.29	2		2		2		2	
1/4	1/4	1,974.87	1/4	1,614.58	1/4	1,256.18	1/4	908.42	1/4	552.18	1/4	191.79	1/4		1/4		1/4		1/4	
1/2	1/2	1,967.37	1/2	1,607.08	1/2	1,248.74	1/2	901.24	1/2	544.67	1/2	184.28	1/2		1/2		1/2		1/2	
3/4	3/4	1,958.86	3/4	1,599.57	3/4	1,241.30	3/4	894.07	3/4	537.16	3/4	176.77	3/4		3/4		3/4		3/4	
3	3	1,952.36	3	1,592.06	3	1,233.87	3	886.87	3	529.66	3	169.26	3		3		3		3	
1/4	1/4	1,944.85	1/4	1,584.56	1/4	1,226.44	1/4	879.68	1/4	522.15	1/4	161.75	1/4		1/4		1/4		1/4	
1/2	1/2	1,937.34	1/2	1,577.05	1/2	1,219.92	1/2	872.48	1/2	514.64	1/2	154.24	1/2		1/2		1/2		1/2	
3/4	3/4	1,929.84	3/4	1,569.55	3/4	1,211.59	3/4	865.29	3/4	507.13	3/4	146.73	3/4		3/4		3/4		3/4	
4	4	1,922.33	4	1,562.04	4	1,204.16	4	858.09	4	499.62	4	139.22	4		4		4		4	
1/4	1/4	1,914.83	1/4	1,554.53	1/4	1,196.73	1/4	850.89	1/4	492.11	1/4	131.71	1/4		1/4		1/4		1/4	
1/2	1/2	1,907.32	1/2	1,547.03	1/2	1,189.30	1/2	843.69	1/2	484.61	1/2	124.19	1/2		1/2		1/2		1/2	
3/4	3/4	1,899.81	3/4	1,539.52	3/4	1,181.88	3/4	836.49	3/4	477.10	3/4	116.68	3/4		3/4		3/4		3/4	
5	5	1,892.31	5	1,532.01	5	1,174.46	5	829.23	5	469.59	5	109.25	5		5		5		5	
1/4	1/4	1,884.80	1/4	1,524.51	1/4	1,167.04	1/4	821.98	1/4	462.08	1/4	101.82	1/4		1/4		1/4		1/4	
1/2	1/2	1,877.30	1/2	1,517.00	1/2	1,159.62	1/2	814.72	1/2	454.57	1/2	94.39	1/2		1/2		1/2		1/2	
3/4	3/4	1,869.79	3/4	1,509.50	3/4	1,152.20	3/4	807.46	3/4	447.07	3/4	86.96	3/4		3/4		3/4		3/4	
6	6	1,862.28	6	1,502.00	6	1,145.03	6	799.95	6	439.56	6	80.25	6		6		6		6	
1/4	1/4	1,854.78	1/4	1,494.50	1/4	1,137.86	1/4	792.44	1/4	432.05	1/4	73.53	1/4		1/4		1/4		1/4	
1/2	1/2	1,847.27	1/2	1,487.00	1/2	1,130.69	1/2	784.93	1/2	424.54	1/2	66.82	1/2		1/2		1/2		1/2	
3/4	3/4	1,839.76	3/4	1,479.50	3/4	1,123.52	3/4	777.43	3/4	417.03	3/4	60.10	3/4		3/4		3/4		3/4	
7	7	1,832.26	7	1,472.06	7	1,116.35	7	769.92	7	409.52	7	54.63	7		7		7		7	
1/4	1/4	1,824.75	1/4	1,464.62	1/4	1,109.18	1/4	762.41	1/4	402.02	1/4	49.16	1/4		1/4		1/4		1/4	
1/2	1/2	1,817.25	1/2	1,457.17	1/2	1,102.01	1/2	754.90	1/2	394.51	1/2	43.68	1/2		1/2		1/2		1/2	
3/4	3/4	1,809.74	3/4	1,449.73	3/4	1,094.84	3/4	747.39	3/4	387.00	3/4	38.21	3/4		3/4		3/4		3/4	
8	8	1,802.23	8	1,442.28	8	1,087.67	8	739.89	8	379.49	8	33.98	8		8		8		8	
1/4	1/4	1,794.73	1/4	1,434.84	1/4	1,080.50	1/4	732.38	1/4	371.98	1/4	29.75	1/4		1/4		1/4		1/4	
1/2	1/2	1,787.22	1/2	1,427.40	1/2	1,073.33	1/2	724.87	1/2	364.48	1/2	25.52	1/2		1/2		1/2		1/2	
3/4	3/4	1,779.72	3/4	1,419.95	3/4	1,066.16	3/4	717.36	3/4	356.97	3/4	21.30	3/4		3/4		3/4		3/4	
9	9	1,772.21	9	1,412.51	9	1,058.99	9	709.85	9	349.46	9	=====	9		9		9		9	
1/4	1/4	1,764.70	1/4	1,405.06	1/4	1,051.82	1/4	702.34	1/4	341.95	1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1,757.20	1/2	1,397.62	1/2	1,044.65	1/2	694.84	1/2	334.44	1/2		1/2		1/2		1/2		1/2	
3/4	3/4	1,749.69	3/4	1,390.17	3/4	1,037.48	3/4	687.33	3/4	326.93	3/4		3/4		3/4		3/4		3/4	
10	10	1,742.19	10	1,382.73	10	1,030.32	10	679.82	10	319.43	10	10	10		10		10		10	
1/4	1/4	1,734.68	1/4	1,375.29	1/4	1,023.15	1/4	672.31	1/4	311.92	1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1,727.17	1/2	1,367.84	1/2	1,015.98	1/2	664.80	1/2	304.41	1/2		1/2		1/2		1/2		1/2	
3/4	3/4	1,719.67	3/4	1,360.40	3/4	1,008.81	3/4	657.29	3/4	296.90	3/4		3/4		3/4		3/4		3/4	
11	11	1,712.16	11	1,352.95	11	1,001.64	11	649.79	11	289.39	11	11	11		11		11		11	
1/4	1/4	1,704.66	1/4	1,345.51	1/4	994.47	1/4	642.28	1/4	281.88	1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1,697.15	1/2	1,338.06	1/2	987.30	1/2	634.77	1/2	274.38	1/2		1/2		1/2		1/2		1/2	
3/4	3/4	1,689.64	3/4	1,330.62	3/4	980.13	3/4	627.26	3/4	266.87	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY

STRAPPED: 08/07/2020 CL
CALCULATED: 08/08/2020 CL
PRINTED: 08/08/2020 CL

**CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2020**

SHEET NO. 12 OF 12

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Federal, 1-800-755-1100
<http://www.pmacorp.net>

For Thomas