



Barge EMS 3034
Enterprise Marine
Services LLC

HULL NO. 499

CORRECTION TABLE FOR TRIM AFT.

FOR OUTAGE GAUGES ONLY

TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	NIL	(+) 0'- 0 1/8"	(+) 0'- 0 1/4"
1'-0"	(+) 0'- 0 1/8"	(+) 0'- 0 1/4"	(+) 0'- 0 1/2"
1'-6"	(+) 0'- 0 1/8"	(+) 0'- 0 3/8"	(+) 0'- 0 3/4"
2'-0"	(+) 0'- 0 1/4"	(+) 0'- 0 1/2"	(+) 0' - 1"
2'-6"	(+) 0'- 0 1/4"	(+) 0' - 0 5/8"	(+) 0' - 1 1/4"
3'-0"	(+) 0'- 0 1/4"	(+) 0' - 0 3/4"	(+) 0' - 1 1/2"
3'-6"	(+) 0'- 0 3/8"	(+) 0' - 0 7/8"	(+) 0' - 1 3/4"
4'-0"	(+) 0'- 0 3/8"	(+) 0' - 1"	(+) 0' - 2"
4'-6"	(+) 0'- 0 3/8"	(+) 0' - 1 1/8"	(+) 0' - 2 1/4"
5'-0"	(+) 0'- 0 1/2"	(+) 0' - 1 1/4"	(+) 0' - 2 1/2"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "INNAGE" GAUGES, REVERSE SIGNS.

DATE: 6/30/05

BY:

INSPECTORATE AMERICA CORPORATION



Barge EMS 3034
Enterprise Marine
Services LLC

OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 498

Table with columns: 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT. Each column contains multiple rows of data representing measurements at various heights.

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT: 14'-0 1/4" (RIM OF 10" DIAMETER HATCH LOCATED NEAR CENTER OF TANK)

STRAPPED: 650005

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

[Signature]

INSPECTORATE AMERICA CORPORATION



Barge EMS 3034
Enterprise Marine
Services LLC
OUTAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 439

Table with columns: 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT. Each column contains multiple rows of numerical data representing gauge readings.

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT: 14-9 3/4" (MIN OF 10" DIAMETER HATCH LOCATED NEAR CENTER OF TANK)

STRAPER - 60003

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.
INSPECTOR: AMERICA CORPORATION



Barge EMS 3034
Enterprise Marine
Services LLC
OUTAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 499

Table with columns for gauge height (0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT.) and rows for various measurements. The table is organized into two main sections: 'CAPACITY BELOW STRIKE POINT.' and 'REFERENCE GAUGE HEIGHT: 14'-3 1/2" (MIN. OF 10" DIAMETER HATCH LOCATED NEAR CENTER OF TANK)'. The table contains numerical data for each gauge height across the specified rows.

CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT: 14'-3 1/2" (MIN. OF 10" DIAMETER HATCH LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTOR/STATE AMERICA CORPORATION

[Signature]

STRAPPED - 662005



Barge EMS 3034 Enterprise Marine Services LLC OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 489

Table with 14 columns representing gauge heights from 0 FT. to 14 FT. and multiple rows of data points for each gauge height.

* CAPACITY BELOW STRIKE POINT.


REFERENCE GAUGE HEIGHT: 14-9 1/2" (H/M OF 10" DIAMETER HATCH LOCATED NEAR CENTER OF TANK)

STRAIGHT-66306

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

Handwritten signature



Barge EMS 3034
Enterprise Marine
Services LLC

INNAGE TABLE

FUEL OIL TANK

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 499

0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33	0	0	0	0	0	0	0	0	0	0	0	0	0	0
34	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0	0	0	0	0	0
36	0	0	0	0	0	0	0	0	0	0	0	0	0	0
37	0	0	0	0	0	0	0	0	0	0	0	0	0	0
38	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0	0	0	0
41	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42	0	0	0	0	0	0	0	0	0	0	0	0	0	0
43	0	0	0	0	0	0	0	0	0	0	0	0	0	0
44	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47	0	0	0	0	0	0	0	0	0	0	0	0	0	0
48	0	0	0	0	0	0	0	0	0	0	0	0	0	0
49	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0	0	0

APPLICABLE GAUGES IN U.S. GALLONS

STRAPPEB: 820005

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
 IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
 ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]

INSPECTORATE AMERICA CORPORATION