



Barge EMS 3042
Enterprise Marine
Services LLC

CORRECTION TABLE FOR TRIM AFT.			
FOR INNAGE GAUGES ONLY			
TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	NIL	NIL	NIL
1'-0"	NIL	NIL	NIL
1'-6"	NIL	NIL	NIL
2'-0"	NIL	NIL	NIL
2'-6"	NIL	NIL	NIL
3'-0"	(+) 0'-0 1/8"	(-) 0'-0 1/8"	(+) 0'-0 1/8"
3'-6"	(+) 0'-0 1/8"	(-) 0'-0 1/8"	(+) 0'-0 1/8"
4'-0"	(+) 0'-0 1/8"	(-) 0'-0 1/8"	(+) 0'-0 1/8"
4'-6"	(+) 0'-0 1/8"	(-) 0'-0 1/8"	(+) 0'-0 1/8"
5'-0"	(+) 0'-0 1/8"	(-) 0'-0 1/8"	(+) 0'-0 1/8"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 11/16/95

BY: 
INSPECTORATE AMERICA CORPORATION

Barge EMS 3042
Enterprise Maine
Services LLC



INSPECTORATE
ISO 9002 ACCREDITED

DARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

INNAGE TABLE

TANK NUMBER:
1 PORT OR STAR.

HULL NO. 4165 SHEET NO. 1 OF 2

0 FEET	1 FEET	2 FEET	3 FEET	4 FEET	5 FEET	6 FEET	7 FEET	FEET
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
9.56	351.72	718.73	1,085.74	1,452.74	1,819.75	2,186.76	2,553.77	
12.43	359.37	726.97	1,093.38	1,460.39	1,827.40	2,194.41	2,561.42	
15.30	367.02	734.02	1,101.03	1,468.04	1,835.04	2,202.05	2,569.06	
20.08	374.66	741.67	1,108.67	1,475.68	1,842.69	2,209.70	2,576.71	
24.86	382.30	749.31	1,116.32	1,483.33	1,850.34	2,217.34	2,584.35	
29.63	389.95	756.96	1,123.97	1,490.98	1,857.99	2,224.99	2,592.00	
34.41	397.60	764.60	1,131.61	1,498.62	1,865.63	2,232.64	2,599.64	
41.10	405.24	772.25	1,139.26	1,506.27	1,873.27	2,240.28	2,607.29	
47.79	412.89	779.90	1,146.90	1,513.91	1,880.92	2,247.93	2,614.94	
54.48	420.53	787.54	1,154.55	1,521.56	1,888.57	2,255.57	2,622.58	
61.17	428.18	795.19	1,162.20	1,529.20	1,896.21	2,263.22	2,630.23	
68.82	435.83	802.83	1,169.84	1,536.85	1,903.86	2,270.87	2,637.87	
76.46	443.47	810.48	1,177.49	1,544.50	1,911.50	2,278.51	2,645.52	
84.11	451.12	818.13	1,185.14	1,552.14	1,919.15	2,286.16	2,653.17	
91.76	458.76	825.77	1,192.78	1,559.79	1,926.80	2,293.80	2,660.81	
99.40	466.41	833.42	1,200.43	1,567.43	1,934.44	2,301.45	2,668.46	
107.05	474.06	841.06	1,208.07	1,575.08	1,942.09	2,309.10	2,676.10	
114.69	481.70	848.71	1,215.72	1,582.73	1,949.73	2,316.74	2,683.75	
122.34	489.35	856.36	1,223.36	1,590.37	1,957.38	2,324.39	2,691.40	
129.99	496.99	864.00	1,231.01	1,598.02	1,965.03	2,332.03	2,699.04	
137.63	504.64	871.65	1,238.66	1,605.66	1,972.67	2,339.68	2,706.69	
145.28	512.29	879.29	1,246.30	1,613.31	1,980.32	2,347.33	2,714.33	
152.92	519.93	886.94	1,253.95	1,620.96	1,987.96	2,354.97	2,721.98	
160.57	527.58	894.59	1,261.59	1,628.60	1,995.61	2,362.62	2,729.62	
168.22	535.22	902.23	1,269.24	1,636.25	2,003.26	2,370.26	2,737.27	
175.86	542.87	909.88	1,276.89	1,643.89	2,010.90	2,377.91	2,744.92	
183.51	550.52	917.52	1,284.53	1,651.54	2,018.55	2,385.56	2,752.57	
191.15	558.16	925.17	1,292.18	1,659.19	2,026.19	2,393.20	2,760.21	
198.80	565.81	932.82	1,299.82	1,666.83	2,033.84	2,400.85	2,767.86	
206.45	573.45	940.46	1,307.47	1,674.48	2,041.49	2,408.49	2,775.50	
214.09	581.10	948.11	1,315.12	1,682.12	2,049.13	2,416.14	2,783.15	
221.74	588.75	955.75	1,322.76	1,689.77	2,056.78	2,423.79	2,790.79	
229.38	596.39	963.40	1,330.41	1,697.42	2,064.42	2,431.43	2,798.44	
237.03	604.04	971.05	1,338.05	1,705.06	2,072.07	2,439.08	2,806.09	
244.68	611.68	978.69	1,345.70	1,712.71	2,079.72	2,446.72	2,813.73	
252.32	619.33	986.34	1,353.35	1,720.35	2,087.36	2,454.37	2,821.38	
259.97	626.98	993.98	1,360.99	1,728.00	2,095.01	2,462.02	2,829.03	
267.61	634.62	1,001.63	1,368.64	1,735.65	2,102.65	2,469.66	2,836.67	
275.26	642.27	1,009.28	1,376.29	1,743.29	2,110.30	2,477.31	2,844.32	
282.91	649.91	1,016.92	1,383.93	1,750.94	2,117.95	2,484.96	2,851.96	
290.55	657.56	1,024.57	1,391.58	1,758.58	2,125.59	2,492.60	2,859.61	
298.20	665.21	1,032.21	1,399.22	1,766.23	2,133.24	2,500.25	2,867.25	
305.84	672.85	1,039.86	1,406.87	1,773.87	2,140.88	2,507.89	2,874.90	
313.49	680.50	1,047.51	1,414.51	1,781.52	2,148.53	2,515.54	2,882.55	
321.14	688.14	1,055.15	1,422.16	1,789.17	2,156.18	2,523.18	2,890.19	
328.79	695.79	1,062.80	1,429.81	1,796.82	2,163.82	2,530.83	2,897.84	
336.43	703.44	1,070.44	1,437.45	1,804.46	2,171.47	2,538.48	2,905.48	
344.07	711.08	1,078.09	1,445.10	1,812.11	2,179.11	2,546.12	2,913.13	

*CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT:

14'-5 1/2" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STRAPPED: 11/16/95

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

ISO 9002 ACCREDITED

Barge EMS 3042
Enterprise Marine
Services LLC

INSAGE TABLE
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

TANK NUMBER:
1 PORT OR STAR.

HULL NO. 4165

SHEET NO. 2 OF 2

8 FEET	9 FEET	10 FEET	11 FEET	12 FEET	13 FEET	14 FEET	FEET	FEET
0	0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50	50
51	51	51	51	51	51	51	51	51
52	52	52	52	52	52	52	52	52
53	53	53	53	53	53	53	53	53
54	54	54	54	54	54	54	54	54
55	55	55	55	55	55	55	55	55
56	56	56	56	56	56	56	56	56
57	57	57	57	57	57	57	57	57
58	58	58	58	58	58	58	58	58
59	59	59	59	59	59	59	59	59
60	60	60	60	60	60	60	60	60
61	61	61	61	61	61	61	61	61
62	62	62	62	62	62	62	62	62
63	63	63	63	63	63	63	63	63
64	64	64	64	64	64	64	64	64
65	65	65	65	65	65	65	65	65
66	66	66	66	66	66	66	66	66
67	67	67	67	67	67	67	67	67
68	68	68	68	68	68	68	68	68
69	69	69	69	69	69	69	69	69
70	70	70	70	70	70	70	70	70
71	71	71	71	71	71	71	71	71
72	72	72	72	72	72	72	72	72
73	73	73	73	73	73	73	73	73
74	74	74	74	74	74	74	74	74
75	75	75	75	75	75	75	75	75
76	76	76	76	76	76	76	76	76
77	77	77	77	77	77	77	77	77
78	78	78	78	78	78	78	78	78
79	79	79	79	79	79	79	79	79
80	80	80	80	80	80	80	80	80
81	81	81	81	81	81	81	81	81
82	82	82	82	82	82	82	82	82
83	83	83	83	83	83	83	83	83
84	84	84	84	84	84	84	84	84
85	85	85	85	85	85	85	85	85
86	86	86	86	86	86	86	86	86
87	87	87	87	87	87	87	87	87
88	88	88	88	88	88	88	88	88
89	89	89	89	89	89	89	89	89
90	90	90	90	90	90	90	90	90
91	91	91	91	91	91	91	91	91
92	92	92	92	92	92	92	92	92
93	93	93	93	93	93	93	93	93
94	94	94	94	94	94	94	94	94
95	95	95	95	95	95	95	95	95
96	96	96	96	96	96	96	96	96
97	97	97	97	97	97	97	97	97
98	98	98	98	98	98	98	98	98
99	99	99	99	99	99	99	99	99
100	100	100	100	100	100	100	100	100

CAPACITY IN 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 14'-5 1/2" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STRAPPED 11/16/95

INSPECTORATE AMERICA CORPORATION

Large Livid J0474
Enterprise Marine
Services LLC



INSPECTORATE
ISO 9002 ACCREDITED

INNAGE TABLE

TANK NUMBER:
3 PORT
HULL NO. 4165 SHEET NO. 2 OF 2

DARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

8 FEET	9 FEET	10 FEET	11 FEET	12 FEET	13 FEET	14 FEET	FEET	FEET
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
0	0	0	0	0	0	0	0	0
1	2,975.04	3,341.41	3,581.23	3,809.42	4,037.61	4,265.16	4,493.52	4,721.88
2	2,983.77	3,347.78	3,585.98	3,814.17	4,042.36	4,269.88	4,497.31	4,724.74
3	2,991.50	3,354.16	3,590.73	3,818.93	4,047.12	4,274.61	4,501.97	4,729.40
4	2,999.23	3,360.54	3,595.49	3,823.68	4,051.87	4,279.34	4,506.70	4,734.06
5	3,006.96	3,366.37	3,600.24	3,828.43	4,056.63	4,284.06	4,511.44	4,738.72
6	3,014.69	3,372.21	3,605.00	3,833.19	4,061.38	4,288.79	4,516.17	4,743.38
7	3,022.42	3,378.04	3,609.75	3,837.94	4,066.13	4,293.53	4,520.92	4,748.04
8	3,030.15	3,383.89	3,614.50	3,842.70	4,070.89	4,298.28	4,525.67	4,752.70
9	3,037.88	3,389.17	3,619.26	3,847.45	4,075.64	4,302.97	4,530.42	4,757.36
10	3,045.61	3,394.47	3,624.01	3,852.20	4,080.40	4,307.69	4,535.17	4,762.02
11	3,053.34	3,399.76	3,628.77	3,856.96	4,085.15	4,312.42	4,539.92	4,766.68
12	3,061.07	3,405.06	3,633.52	3,861.71	4,089.90	4,317.14	4,544.67	4,771.34
13	3,068.80	3,409.95	3,638.27	3,866.47	4,094.66	4,321.87	4,549.42	4,776.00
14	3,076.53	3,414.84	3,643.03	3,871.22	4,099.41	4,326.60	4,554.17	4,780.66
15	3,084.26	3,419.59	3,647.78	3,875.97	4,104.17	4,331.32	4,558.92	4,785.32
16	3,091.99	3,424.34	3,652.54	3,880.73	4,108.92	4,336.07	4,563.67	4,789.98
17	3,099.72	3,429.10	3,657.29	3,885.48	4,113.67	4,340.83	4,568.42	4,794.64
18	3,107.45	3,433.85	3,662.04	3,890.24	4,118.43	4,345.58	4,573.17	4,799.30
19	3,115.18	3,438.61	3,666.80	3,894.99	4,123.18	4,350.33	4,577.92	4,803.96
20	3,122.91	3,443.36	3,671.55	3,899.74	4,127.94	4,355.08	4,582.67	4,808.62
21	3,130.64	3,448.11	3,676.31	3,904.50	4,132.69	4,359.83	4,587.42	4,813.28
22	3,138.37	3,452.87	3,681.06	3,909.25	4,137.44	4,364.58	4,592.17	4,817.94
23	3,146.10	3,457.62	3,685.81	3,914.01	4,142.20	4,369.33	4,596.92	4,822.60
24	3,153.83	3,462.38	3,690.57	3,918.76	4,146.95	4,374.08	4,601.67	4,827.26
25	3,161.56	3,467.13	3,695.32	3,923.51	4,151.71	4,378.83	4,606.42	4,831.92
26	3,169.29	3,471.88	3,700.08	3,928.27	4,156.46	4,383.58	4,611.17	4,836.58
27	3,177.02	3,476.64	3,704.83	3,933.02	4,161.21	4,388.33	4,615.92	4,841.24
28	3,184.75	3,481.39	3,709.58	3,937.78	4,165.96	4,393.08	4,620.67	4,845.90
29	3,192.48	3,486.15	3,714.34	3,942.53	4,170.71	4,397.83	4,625.42	4,850.56
30	3,200.21	3,490.90	3,719.09	3,947.28	4,175.46	4,402.58	4,630.17	4,855.22
31	3,207.94	3,495.65	3,723.85	3,952.04	4,180.21	4,407.33	4,634.92	4,859.88
32	3,215.67	3,500.41	3,728.60	3,956.79	4,184.96	4,412.08	4,639.67	4,864.54
33	3,223.40	3,505.16	3,733.35	3,961.55	4,189.71	4,416.83	4,644.42	4,869.20
34	3,231.13	3,509.92	3,738.11	3,966.30	4,194.46	4,421.58	4,649.17	4,873.86
35	3,238.86	3,514.67	3,742.86	3,971.05	4,199.21	4,426.33	4,653.92	4,878.52
36	3,246.59	3,519.42	3,747.62	3,975.81	4,203.96	4,431.08	4,658.67	4,883.18
37	3,254.32	3,524.18	3,752.37	3,980.56	4,208.71	4,435.83	4,663.42	4,887.84
38	3,262.05	3,528.93	3,757.12	3,985.32	4,213.46	4,440.58	4,668.17	4,892.50
39	3,269.78	3,533.69	3,761.88	3,990.07	4,218.21	4,445.33	4,672.92	4,897.16
40	3,277.51	3,538.44	3,766.63	3,994.82	4,222.96	4,450.08	4,677.67	4,901.82
41	3,285.24	3,543.19	3,771.39	3,999.58	4,227.71	4,454.83	4,682.42	4,906.48
42	3,292.97	3,547.95	3,776.14	4,004.33	4,232.46	4,459.58	4,687.17	4,911.14
43	3,299.89	3,552.70	3,780.89	4,009.09	4,237.21	4,464.33	4,691.92	4,915.80
44	3,307.35	3,557.46	3,785.65	4,013.84	4,241.96	4,469.08	4,696.67	4,920.46
45	3,314.27	3,562.21	3,790.40	4,018.59	4,246.71	4,473.83	4,701.42	4,925.12
46	3,321.19	3,566.96	3,795.16	4,023.35	4,251.46	4,478.58	4,706.17	4,929.78
47	3,328.11	3,571.72	3,799.91	4,028.10	4,256.21	4,483.33	4,710.92	4,934.44
48	3,335.03	3,576.47	3,804.66	4,032.86	4,260.96	4,488.08	4,715.67	4,939.10

CAPACITY IN: 42-GALLON BARRELS
REFERENCE GAUGE HEIGHT: 14'-5 1/4" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STRAPPED 11/16/95
INSPECTORATE AMERICA CORPORATION



INSPECTORATE

ISO 9002 ACCREDITED

Barge EMS 3042
Enterprise Marine
Services LLC

INNAGE TABLE

DARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4165 SHEET NO. 2 OF 2

TANK NUMBER:
3 STAR.

8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		FEET		FEET	
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
0	2,968.31	0	3,335.03	0	3,576.47	0	3,804.66	0	4,032.86	0	4,260.43	0	4,413.35	0		0	
1/4	2,976.04	1/4	3,341.41	1/4	3,581.23	1/4	3,809.42	1/4	4,037.61	1/4	4,265.16	1/4	4,413.52	1/4		1/4	
1/2	2,983.77	1/2	3,347.78	1/2	3,588.98	1/2	3,814.17	1/2	4,042.36	1/2	4,269.88	1/2	4,413.70	1/2		1/2	
3/4	2,991.50	3/4	3,354.16	3/4	3,596.73	3/4	3,821.93	3/4	4,047.12	3/4	4,274.61	3/4	4,413.88	3/4		3/4	
1	2,999.23	1	3,360.54	1	3,595.49	1	3,828.68	1	4,051.87	1	4,279.34	1	4,414.06	1		1	
1 1/4	3,006.96	1 1/4	3,366.91	1 1/4	3,600.24	1 1/4	3,828.43	1 1/4	4,056.63	1 1/4	4,284.06	1 1/4	4,288.79	1 1/4		1 1/4	
1 1/2	3,014.69	1 1/2	3,372.21	1 1/2	3,605.00	1 1/2	3,833.19	1 1/2	4,061.38	1 1/2	4,288.79	1 1/2	4,293.51	1 1/2		1 1/2	
1 3/4	3,022.42	1 3/4	3,378.04	1 3/4	3,609.75	1 3/4	3,837.94	1 3/4	4,066.13	1 3/4	4,293.51	1 3/4	4,298.24	1 3/4		1 3/4	
2	3,030.15	2	3,383.88	2	3,614.50	2	3,842.70	2	4,070.89	2	4,298.24	2	4,302.97	2		2	
2 1/4	3,037.88	2 1/4	3,389.17	2 1/4	3,619.26	2 1/4	3,847.45	2 1/4	4,075.64	2 1/4	4,302.97	2 1/4	4,307.69	2 1/4		2 1/4	
2 1/2	3,045.61	2 1/2	3,394.47	2 1/2	3,624.01	2 1/2	3,852.20	2 1/2	4,080.40	2 1/2	4,307.69	2 1/2	4,312.42	2 1/2		2 1/2	
2 3/4	3,053.34	2 3/4	3,399.76	2 3/4	3,628.77	2 3/4	3,856.95	2 3/4	4,085.15	2 3/4	4,312.42	2 3/4	4,317.17	2 3/4		2 3/4	
3	3,061.07	3	3,405.05	3	3,633.52	3	3,861.71	3	4,089.90	3	4,317.17	3	4,321.87	3		3	
3 1/4	3,068.80	3 1/4	3,409.95	3 1/4	3,638.27	3 1/4	3,866.47	3 1/4	4,094.66	3 1/4	4,321.87	3 1/4	4,326.60	3 1/4		3 1/4	
3 1/2	3,076.53	3 1/2	3,414.84	3 1/2	3,643.03	3 1/2	3,871.22	3 1/2	4,099.41	3 1/2	4,326.60	3 1/2	4,331.32	3 1/2		3 1/2	
3 3/4	3,084.26	3 3/4	3,419.59	3 3/4	3,647.78	3 3/4	3,875.97	3 3/4	4,104.17	3 3/4	4,331.32	3 3/4	4,335.78	3 3/4		3 3/4	
4	3,091.99	4	3,424.34	4	3,652.54	4	3,880.73	4	4,108.92	4	4,335.78	4	4,340.23	4		4	
4 1/4	3,099.72	4 1/4	3,429.10	4 1/4	3,657.29	4 1/4	3,885.48	4 1/4	4,113.67	4 1/4	4,340.23	4 1/4	4,344.69	4 1/4		4 1/4	
4 1/2	3,107.45	4 1/2	3,433.89	4 1/2	3,662.04	4 1/2	3,890.24	4 1/2	4,118.43	4 1/2	4,344.69	4 1/2	4,349.14	4 1/2		4 1/2	
4 3/4	3,115.18	4 3/4	3,438.61	4 3/4	3,666.80	4 3/4	3,894.99	4 3/4	4,123.18	4 3/4	4,349.14	4 3/4	4,353.05	4 3/4		4 3/4	
5	3,122.91	5	3,443.36	5	3,671.55	5	3,899.74	5	4,127.94	5	4,353.05	5	4,357.51	5		5	
5 1/4	3,130.64	5 1/4	3,448.11	5 1/4	3,676.31	5 1/4	3,904.50	5 1/4	4,132.69	5 1/4	4,357.51	5 1/4	4,361.96	5 1/4		5 1/4	
5 1/2	3,138.37	5 1/2	3,452.87	5 1/2	3,681.06	5 1/2	3,909.25	5 1/2	4,137.44	5 1/2	4,361.96	5 1/2	4,366.42	5 1/2		5 1/2	
5 3/4	3,146.10	5 3/4	3,457.62	5 3/4	3,685.81	5 3/4	3,914.01	5 3/4	4,142.20	5 3/4	4,366.42	5 3/4	4,370.88	5 3/4		5 3/4	
6	3,153.83	6	3,462.38	6	3,690.57	6	3,918.76	6	4,146.95	6	4,370.88	6	4,375.34	6		6	
6 1/4	3,161.56	6 1/4	3,467.13	6 1/4	3,695.32	6 1/4	3,923.51	6 1/4	4,151.71	6 1/4	4,375.34	6 1/4	4,379.79	6 1/4		6 1/4	
6 1/2	3,169.29	6 1/2	3,471.88	6 1/2	3,700.08	6 1/2	3,928.27	6 1/2	4,156.46	6 1/2	4,379.79	6 1/2	4,384.25	6 1/2		6 1/2	
6 3/4	3,177.02	6 3/4	3,476.64	6 3/4	3,704.83	6 3/4	3,933.02	6 3/4	4,161.21	6 3/4	4,384.25	6 3/4	4,388.70	6 3/4		6 3/4	
7	3,184.75	7	3,481.39	7	3,709.58	7	3,937.78	7	4,165.97	7	4,388.70	7	4,393.15	7		7	
7 1/4	3,192.48	7 1/4	3,486.15	7 1/4	3,714.34	7 1/4	3,942.53	7 1/4	4,170.72	7 1/4	4,393.15	7 1/4	4,397.60	7 1/4		7 1/4	
7 1/2	3,200.21	7 1/2	3,490.90	7 1/2	3,719.09	7 1/2	3,947.28	7 1/2	4,175.47	7 1/2	4,397.60	7 1/2	4,402.05	7 1/2		7 1/2	
7 3/4	3,207.94	7 3/4	3,495.65	7 3/4	3,723.85	7 3/4	3,952.04	7 3/4	4,180.22	7 3/4	4,402.05	7 3/4	4,406.50	7 3/4		7 3/4	
8	3,215.67	8	3,500.41	8	3,728.60	8	3,956.79	8	4,184.97	8	4,406.50	8	4,410.95	8		8	
8 1/4	3,223.40	8 1/4	3,505.16	8 1/4	3,733.35	8 1/4	3,961.55	8 1/4	4,189.72	8 1/4	4,410.95	8 1/4	4,415.40	8 1/4		8 1/4	
8 1/2	3,231.13	8 1/2	3,509.92	8 1/2	3,738.11	8 1/2	3,966.30	8 1/2	4,194.47	8 1/2	4,415.40	8 1/2	4,419.85	8 1/2		8 1/2	
8 3/4	3,238.86	8 3/4	3,514.67	8 3/4	3,742.86	8 3/4	3,971.05	8 3/4	4,199.22	8 3/4	4,419.85	8 3/4	4,424.30	8 3/4		8 3/4	
9	3,246.59	9	3,519.42	9	3,747.62	9	3,975.81	9	4,203.97	9	4,424.30	9	4,428.75	9		9	
9 1/4	3,254.32	9 1/4	3,524.18	9 1/4	3,752.37	9 1/4	3,980.56	9 1/4	4,208.72	9 1/4	4,428.75	9 1/4	4,433.20	9 1/4		9 1/4	
9 1/2	3,262.05	9 1/2	3,528.93	9 1/2	3,757.12	9 1/2	3,985.32	9 1/2	4,213.47	9 1/2	4,433.20	9 1/2	4,437.65	9 1/2		9 1/2	
9 3/4	3,269.78	9 3/4	3,533.69	9 3/4	3,761.88	9 3/4	3,990.07	9 3/4	4,218.22	9 3/4	4,437.65	9 3/4	4,442.10	9 3/4		9 3/4	
10	3,277.51	10	3,538.44	10	3,766.63	10	3,994.82	10	4,222.97	10	4,442.10	10	4,446.55	10		10	
10 1/4	3,285.24	10 1/4	3,543.19	10 1/4	3,771.39	10 1/4	3,999.58	10 1/4	4,227.72	10 1/4	4,446.55	10 1/4	4,450.99	10 1/4		10 1/4	
10 1/2	3,292.97	10 1/2	3,547.95	10 1/2	3,776.14	10 1/2	4,004.33	10 1/2	4,232.47	10 1/2	4,450.99	10 1/2	4,455.44	10 1/2		10 1/2	
10 3/4	3,299.70	10 3/4	3,552.70	10 3/4	3,780.89	10 3/4	4,009.09	10 3/4	4,237.22	10 3/4	4,455.44	10 3/4	4,459.89	10 3/4		10 3/4	
11	3,307.43	11	3,557.46	11	3,785.65	11	4,013.84	11	4,241.97	11	4,459.89	11	4,464.34	11		11	
11 1/4	3,315.16	11 1/4	3,562.21	11 1/4	3,790.40	11 1/4	4,018.59	11 1/4	4,246.72	11 1/4	4,464.34	11 1/4	4,468.79	11 1/4		11 1/4	
11 1/2	3,322.89	11 1/2	3,566.96	11 1/2	3,795.15	11 1/2	4,023.34	11 1/2	4,251.47	11 1/2	4,468.79	11 1/2	4,473.24	11 1/2		11 1/2	
11 3/4	3,330.62	11 3/4	3,571.71	11 3/4	3,799.90	11 3/4	4,028.09	11 3/4	4,256.22	11 3/4	4,473.24	11 3/4	4,477.69	11 3/4		11 3/4	
12	3,338.35	12	3,576.46	12	3,804.65	12	4,032.83	12	4,260.97	12	4,477.69	12	4,482.14	12		12	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 14'-5 1/2" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STRAPPED: 11/16/95

INSPECTORATE AMERICA CORPORATION



INSPECTORATE
ISO 9002 ACCREDITED

Barge EMS 3042
Enterprise Marine
Services LLC

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL HIGH GAUGES ARE TAKEN

HULL NO. 4165 SHEET NO. 1 OF 2

1 PORT OR STAR.

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		FEET	
IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.
0	0	4,919.88	0	4,557.02	0	4,190.01	0	3,823.00	0	3,456.00	0	3,088.99	0	2,721.98	0		
1/4	1/4	4,913.57	1/4	4,549.37	1/4	4,182.37	1/4	3,815.36	1/4	3,448.35	1/4	3,081.34	1/4	2,714.33	1/4		
1/2	1/2	4,906.39	1/2	4,541.73	1/2	4,174.72	1/2	3,807.71	1/2	3,440.70	1/2	3,073.70	1/2	2,706.69	1/2		
3/4	3/4	4,899.20	3/4	4,534.08	3/4	4,167.07	3/4	3,800.07	3/4	3,433.06	3/4	3,065.05	3/4	2,699.04	3/4		
1	1	4,892.02	1	4,526.44	1	4,159.43	1	3,792.47	1	3,425.41	1	3,058.40	1	2,691.40	1		
1 1/4	1 1/4	4,884.84	1 1/4	4,518.79	1 1/4	4,151.78	1 1/4	3,784.77	1 1/4	3,417.77	1 1/4	3,050.76	1 1/4	2,683.75	1 1/4		
1 1/2	1 1/2	4,877.22	1 1/2	4,511.14	1 1/2	4,144.14	1 1/2	3,777.13	1 1/2	3,410.12	1 1/2	3,043.11	1 1/2	2,676.10	1 1/2		
1 3/4	1 3/4	4,869.60	1 3/4	4,503.50	1 3/4	4,136.49	1 3/4	3,769.48	1 3/4	3,402.47	1 3/4	3,035.47	1 3/4	2,668.46	1 3/4		
2	2	4,861.98	2	4,495.85	2	4,128.84	2	3,761.84	2	3,394.83	2	3,027.82	2	2,660.81	2		
2 1/4	2 1/4	4,854.36	2 1/4	4,488.21	2 1/4	4,121.20	2 1/4	3,754.19	2 1/4	3,387.18	2 1/4	3,020.17	2 1/4	2,653.17	2 1/4		
2 1/2	2 1/2	4,846.74	2 1/2	4,480.56	2 1/2	4,113.55	2 1/2	3,746.54	2 1/2	3,379.54	2 1/2	3,012.53	2 1/2	2,645.52	2 1/2		
2 3/4	2 3/4	4,839.12	2 3/4	4,472.91	2 3/4	4,105.91	2 3/4	3,738.90	2 3/4	3,371.89	2 3/4	3,004.88	2 3/4	2,637.87	2 3/4		
3	3	4,831.50	3	4,465.27	3	4,098.26	3	3,731.25	3	3,364.24	3	2,997.24	3	2,630.23	3		
3 1/4	3 1/4	4,823.88	3 1/4	4,457.62	3 1/4	4,090.61	3 1/4	3,723.61	3 1/4	3,356.60	3 1/4	2,989.59	3 1/4	2,622.58	3 1/4		
3 1/2	3 1/2	4,816.26	3 1/2	4,449.98	3 1/2	4,082.97	3 1/2	3,715.96	3 1/2	3,348.95	3 1/2	2,981.94	3 1/2	2,614.94	3 1/2		
3 3/4	3 3/4	4,808.64	3 3/4	4,442.33	3 3/4	4,075.32	3 3/4	3,708.31	3 3/4	3,341.31	3 3/4	2,974.30	3 3/4	2,607.29	3 3/4		
4	4	4,801.02	4	4,434.68	4	4,067.68	4	3,700.67	4	3,333.66	4	2,966.65	4	2,599.64	4		
4 1/4	4 1/4	4,793.40	4 1/4	4,427.04	4 1/4	4,060.03	4 1/4	3,693.02	4 1/4	3,326.01	4 1/4	2,959.01	4 1/4	2,592.00	4 1/4		
4 1/2	4 1/2	4,785.78	4 1/2	4,419.39	4 1/2	4,052.38	4 1/2	3,685.38	4 1/2	3,318.37	4 1/2	2,951.36	4 1/2	2,584.35	4 1/2		
4 3/4	4 3/4	4,778.16	4 3/4	4,411.75	4 3/4	4,044.74	4 3/4	3,677.73	4 3/4	3,310.72	4 3/4	2,943.71	4 3/4	2,576.71	4 3/4		
5	5	4,770.54	5	4,404.10	5	4,037.09	5	3,670.08	5	3,303.08	5	2,936.07	5	2,569.06	5		
5 1/4	5 1/4	4,762.92	5 1/4	4,396.45	5 1/4	4,029.45	5 1/4	3,662.44	5 1/4	3,295.43	5 1/4	2,928.42	5 1/4	2,561.41	5 1/4		
5 1/2	5 1/2	4,755.30	5 1/2	4,388.81	5 1/2	4,021.80	5 1/2	3,654.79	5 1/2	3,287.78	5 1/2	2,920.78	5 1/2	2,553.77	5 1/2		
5 3/4	5 3/4	4,747.68	5 3/4	4,381.16	5 3/4	4,014.15	5 3/4	3,647.15	5 3/4	3,280.14	5 3/4	2,913.13	5 3/4	2,546.12	5 3/4		
6	6	4,740.06	6	4,373.52	6	4,006.51	6	3,639.50	6	3,272.49	6	2,905.48	6	2,538.48	6		
6 1/4	6 1/4	4,732.44	6 1/4	4,365.87	6 1/4	3,998.86	6 1/4	3,631.85	6 1/4	3,264.85	6 1/4	2,897.84	6 1/4	2,530.83	6 1/4		
6 1/2	6 1/2	4,724.82	6 1/2	4,358.22	6 1/2	3,991.22	6 1/2	3,624.21	6 1/2	3,257.20	6 1/2	2,890.19	6 1/2	2,523.18	6 1/2		
6 3/4	6 3/4	4,717.20	6 3/4	4,350.58	6 3/4	3,983.57	6 3/4	3,616.56	6 3/4	3,249.55	6 3/4	2,882.55	6 3/4	2,515.54	6 3/4		
7	7	4,709.58	7	4,342.93	7	3,975.92	7	3,608.92	7	3,241.91	7	2,874.90	7	2,507.89	7		
7 1/4	7 1/4	4,701.96	7 1/4	4,335.29	7 1/4	3,968.28	7 1/4	3,601.27	7 1/4	3,234.26	7 1/4	2,867.25	7 1/4	2,500.25	7 1/4		
7 1/2	7 1/2	4,694.34	7 1/2	4,327.64	7 1/2	3,960.63	7 1/2	3,593.62	7 1/2	3,226.62	7 1/2	2,859.61	7 1/2	2,492.60	7 1/2		
7 3/4	7 3/4	4,686.72	7 3/4	4,319.99	7 3/4	3,952.99	7 3/4	3,585.98	7 3/4	3,218.97	7 3/4	2,851.96	7 3/4	2,484.95	7 3/4		
8	8	4,679.10	8	4,312.35	8	3,945.34	8	3,578.33	8	3,211.32	8	2,844.32	8	2,477.31	8		
8 1/4	8 1/4	4,671.48	8 1/4	4,304.70	8 1/4	3,937.69	8 1/4	3,570.69	8 1/4	3,203.68	8 1/4	2,836.67	8 1/4	2,469.66	8 1/4		
8 1/2	8 1/2	4,663.86	8 1/2	4,297.06	8 1/2	3,930.05	8 1/2	3,563.04	8 1/2	3,196.03	8 1/2	2,829.02	8 1/2	2,462.02	8 1/2		
8 3/4	8 3/4	4,656.24	8 3/4	4,289.41	8 3/4	3,922.40	8 3/4	3,555.39	8 3/4	3,188.39	8 3/4	2,821.38	8 3/4	2,454.37	8 3/4		
9	9	4,648.62	9	4,281.76	9	3,914.76	9	3,547.75	9	3,180.74	9	2,813.73	9	2,446.72	9		
9 1/4	9 1/4	4,641.00	9 1/4	4,274.12	9 1/4	3,907.11	9 1/4	3,540.10	9 1/4	3,173.09	9 1/4	2,806.08	9 1/4	2,439.08	9 1/4		
9 1/2	9 1/2	4,633.38	9 1/2	4,266.47	9 1/2	3,899.46	9 1/2	3,532.46	9 1/2	3,165.45	9 1/2	2,798.44	9 1/2	2,431.43	9 1/2		
9 3/4	9 3/4	4,625.76	9 3/4	4,258.83	9 3/4	3,891.82	9 3/4	3,524.81	9 3/4	3,157.80	9 3/4	2,790.79	9 3/4	2,423.79	9 3/4		
10	10	4,618.14	10	4,251.18	10	3,884.17	10	3,517.16	10	3,150.16	10	2,783.15	10	2,416.14	10		
10 1/4	10 1/4	4,610.52	10 1/4	4,243.53	10 1/4	3,876.53	10 1/4	3,509.52	10 1/4	3,142.51	10 1/4	2,775.50	10 1/4	2,408.49	10 1/4		
10 1/2	10 1/2	4,602.90	10 1/2	4,235.89	10 1/2	3,868.88	10 1/2	3,501.87	10 1/2	3,134.86	10 1/2	2,767.86	10 1/2	2,400.85	10 1/2		
10 3/4	10 3/4	4,595.25	10 3/4	4,228.24	10 3/4	3,861.23	10 3/4	3,494.23	10 3/4	3,127.22	10 3/4	2,760.21	10 3/4	2,393.20	10 3/4		
11	11	4,587.60	11	4,220.60	11	3,853.59	11	3,486.58	11	3,119.57	11	2,752.56	11	2,385.56	11		
11 1/4	11 1/4	4,579.96	11 1/4	4,212.95	11 1/4	3,845.94	11 1/4	3,478.93	11 1/4	3,111.93	11 1/4	2,744.92	11 1/4	2,377.91	11 1/4		
11 1/2	11 1/2	4,572.31	11 1/2	4,205.30	11 1/2	3,838.30	11 1/2	3,471.29	11 1/2	3,104.28	11 1/2	2,737.27	11 1/2	2,370.26	11 1/2		
11 3/4	11 3/4	4,564.67	11 3/4	4,197.66	11 3/4	3,830.65	11 3/4	3,463.64	11 3/4	3,096.63	11 3/4	2,729.63	11 3/4	2,362.61	11 3/4		

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT:

14'-5 1/2" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STAPPED: 11/16/95

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

ISO 9002 ACCREDITED

Barge EMS 3042
Enterprise Marine
Services LLC

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4165

SHEET NO. 2 OF 2

TANK NUMBER:
1 PORT OR STAR.

8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		FEET		FEET	
IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.
0	2,354.97 0		1,987.96 0		1,620.96 0		1,253.95 0		886.94 0		519.93 0		152.92 0		0		0
1/4	2,347.33 1/4		1,980.32 1/4		1,613.31 1/4		1,246.30 1/4		879.29 1/4		512.29 1/4		145.28 1/4		1/4		1/4
1/2	2,339.68 1/2		1,972.67 1/2		1,605.66 1/2		1,238.65 1/2		871.65 1/2		504.64 1/2		137.63 1/2		1/2		1/2
3/4	2,332.03 3/4		1,965.03 3/4		1,598.02 3/4		1,231.01 3/4		864.00 3/4		496.99 3/4		129.99 3/4		3/4		3/4
1	2,324.39 1		1,957.38 1		1,590.37 1		1,223.36 1		856.35 1		489.35 1		122.34 1		1		1
1 1/4	2,316.74 1 1/4		1,949.73 1 1/4		1,582.73 1 1/4		1,215.72 1 1/4		848.71 1 1/4		481.70 1 1/4		114.69 1 1/4		1 1/4		1 1/4
1 1/2	2,309.10 1 1/2		1,942.09 1 1/2		1,575.08 1 1/2		1,208.07 1 1/2		841.06 1 1/2		474.06 1 1/2		107.05 1 1/2		1 1/2		1 1/2
1 3/4	2,301.45 1 3/4		1,934.44 1 3/4		1,567.43 1 3/4		1,200.43 1 3/4		833.42 1 3/4		466.41 1 3/4		99.40 1 3/4		1 3/4		1 3/4
2	2,293.80 2		1,926.80 2		1,559.79 2		1,192.78 2		825.77 2		458.76 2		91.76 2		2		2
2 1/4	2,286.16 2 1/4		1,919.15 2 1/4		1,552.14 2 1/4		1,185.13 2 1/4		818.13 2 1/4		451.12 2 1/4		84.11 2 1/4		2 1/4		2 1/4
2 1/2	2,278.51 2 1/2		1,911.50 2 1/2		1,544.50 2 1/2		1,177.49 2 1/2		810.48 2 1/2		443.47 2 1/2		76.45 2 1/2		2 1/2		2 1/2
2 3/4	2,270.87 2 3/4		1,903.85 2 3/4		1,536.85 2 3/4		1,169.84 2 3/4		802.83 2 3/4		435.83 2 3/4		68.82 2 3/4		2 3/4		2 3/4
3	2,263.22 3		1,896.21 3		1,529.20 3		1,162.20 3		795.19 3		428.18 3		61.17 3		3		3
3 1/4	2,255.57 3 1/4		1,888.57 3 1/4		1,521.56 3 1/4		1,154.55 3 1/4		787.54 3 1/4		420.53 3 1/4		54.48 3 1/4		3 1/4		3 1/4
3 1/2	2,247.93 3 1/2		1,880.92 3 1/2		1,513.91 3 1/2		1,146.90 3 1/2		779.90 3 1/2		412.89 3 1/2		47.79 3 1/2		3 1/2		3 1/2
3 3/4	2,240.28 3 3/4		1,873.27 3 3/4		1,506.27 3 3/4		1,139.26 3 3/4		772.25 3 3/4		405.24 3 3/4		41.10 3 3/4		3 3/4		3 3/4
4	2,232.64 4		1,865.63 4		1,498.62 4		1,131.61 4		764.60 4		397.60 4		34.41 4		4		4
4 1/4	2,224.99 4 1/4		1,857.98 4 1/4		1,490.97 4 1/4		1,123.97 4 1/4		756.95 4 1/4		389.95 4 1/4		29.63 4 1/4		4 1/4		4 1/4
4 1/2	2,217.34 4 1/2		1,850.34 4 1/2		1,483.33 4 1/2		1,116.32 4 1/2		749.31 4 1/2		382.30 4 1/2		24.85 4 1/2		4 1/2		4 1/2
4 3/4	2,209.70 4 3/4		1,842.69 4 3/4		1,475.68 4 3/4		1,108.67 4 3/4		741.67 4 3/4		374.66 4 3/4		20.08 4 3/4		4 3/4		4 3/4
5	2,202.05 5		1,835.04 5		1,468.04 5		1,101.03 5		734.02 5		367.01 5		15.30 5		5		5
5 1/4	2,194.41 5 1/4		1,827.40 5 1/4		1,460.39 5 1/4		1,093.38 5 1/4		726.37 5 1/4		359.37 5 1/4		12.43 5 1/4		5 1/4		5 1/4
5 1/2	2,186.76 5 1/2		1,819.75 5 1/2		1,452.74 5 1/2		1,085.74 5 1/2		718.73 5 1/2		351.72 5 1/2		9.56 5 1/2		5 1/2		5 1/2
5 3/4	2,179.11 5 3/4		1,812.11 5 3/4		1,445.10 5 3/4		1,078.09 5 3/4		711.08 5 3/4		344.07 5 3/4				5 3/4		5 3/4
6	2,171.47 6		1,804.46 6		1,437.45 6		1,070.44 6		703.44 6		336.43 6				6		6
6 1/4	2,163.82 6 1/4		1,796.81 6 1/4		1,429.81 6 1/4		1,062.80 6 1/4		695.79 6 1/4		328.78 6 1/4				6 1/4		6 1/4
6 1/2	2,156.18 6 1/2		1,789.17 6 1/2		1,422.16 6 1/2		1,055.15 6 1/2		688.14 6 1/2		321.14 6 1/2				6 1/2		6 1/2
6 3/4	2,148.53 6 3/4		1,781.52 6 3/4		1,414.51 6 3/4		1,047.51 6 3/4		680.50 6 3/4		313.48 6 3/4				6 3/4		6 3/4
7	2,140.88 7		1,773.88 7		1,406.87 7		1,039.86 7		672.85 7		305.84 7				7		7
7 1/4	2,133.24 7 1/4		1,766.23 7 1/4		1,399.22 7 1/4		1,032.21 7 1/4		665.21 7 1/4		298.20 7 1/4				7 1/4		7 1/4
7 1/2	2,125.59 7 1/2		1,758.58 7 1/2		1,391.58 7 1/2		1,024.57 7 1/2		657.56 7 1/2		290.55 7 1/2				7 1/2		7 1/2
7 3/4	2,117.95 7 3/4		1,750.94 7 3/4		1,383.93 7 3/4		1,016.92 7 3/4		649.91 7 3/4		282.91 7 3/4				7 3/4		7 3/4
8	2,110.30 8		1,743.29 8		1,376.28 8		1,009.28 8		642.27 8		275.26 8				8		8
8 1/4	2,102.65 8 1/4		1,735.65 8 1/4		1,368.64 8 1/4		1,001.63 8 1/4		634.62 8 1/4		267.61 8 1/4				8 1/4		8 1/4
8 1/2	2,095.01 8 1/2		1,728.00 8 1/2		1,360.99 8 1/2		993.98 8 1/2		626.98 8 1/2		259.97 8 1/2				8 1/2		8 1/2
8 3/4	2,087.36 8 3/4		1,720.35 8 3/4		1,353.35 8 3/4		986.34 8 3/4		619.33 8 3/4		252.32 8 3/4				8 3/4		8 3/4
9	2,079.72 9		1,712.71 9		1,345.70 9		978.69 9		611.68 9		244.68 9				9		9
9 1/4	2,072.07 9 1/4		1,705.06 9 1/4		1,338.05 9 1/4		971.05 9 1/4		604.04 9 1/4		237.03 9 1/4				9 1/4		9 1/4
9 1/2	2,064.42 9 1/2		1,697.42 9 1/2		1,330.41 9 1/2		963.40 9 1/2		596.39 9 1/2		229.38 9 1/2				9 1/2		9 1/2
9 3/4	2,056.78 9 3/4		1,689.77 9 3/4		1,322.76 9 3/4		955.75 9 3/4		588.75 9 3/4		221.74 9 3/4				9 3/4		9 3/4
10	2,049.13 10		1,682.12 10		1,315.12 10		948.11 10		581.10 10		214.09 10				10		10
10 1/4	2,041.49 10 1/4		1,674.48 10 1/4		1,307.47 10 1/4		940.46 10 1/4		573.45 10 1/4		206.45 10 1/4				10 1/4		10 1/4
10 1/2	2,033.84 10 1/2		1,666.83 10 1/2		1,299.82 10 1/2		932.82 10 1/2		565.81 10 1/2		198.80 10 1/2				10 1/2		10 1/2
10 3/4	2,026.19 10 3/4		1,659.19 10 3/4		1,292.18 10 3/4		925.17 10 3/4		558.16 10 3/4		191.15 10 3/4				10 3/4		10 3/4
11	2,018.55 11		1,651.54 11		1,284.53 11		917.52 11		550.52 11		183.51 11				11		11
11 1/4	2,010.90 11 1/4		1,643.89 11 1/4		1,276.89 11 1/4		909.88 11 1/4		542.87 11 1/4		175.86 11 1/4				11 1/4		11 1/4
11 1/2	2,003.26 11 1/2		1,636.25 11 1/2		1,269.24 11 1/2		902.23 11 1/2		535.22 11 1/2		168.22 11 1/2				11 1/2		11 1/2
11 3/4	1,995.61 11 3/4		1,628.60 11 3/4		1,261.59 11 3/4		894.59 11 3/4		527.58 11 3/4		160.57 11 3/4				11 3/4		11 3/4

CAPACITY IN: 42-GALLON BARRELS

*CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT:

14'-5 1/2" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STRAPPED 11/16/95

INSPECTORATE AMERICA CORPORATION

INSPECTORATE

OUTAGE TABLE

TANK NUMBER:
2 PORT

ISO 9002 ACCREDITED

DARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4165 SHEET NO. 2 OF 2

8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		FEET		FEET	
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
0	2,410.56	0	2,039.71	0	1,658.86	0	1,298.02	0	927.17	0	556.32	0	185.47	0			
1/4	2,402.83	1/4	2,031.99	1/4	1,651.14	1/4	1,290.29	1/4	919.44	1/4	548.59	1/4	177.75	1/4			
1/2	2,395.11	1/2	2,024.26	1/2	1,643.41	1/2	1,282.56	1/2	911.72	1/2	540.87	1/2	170.02	1/2			
3/4	2,387.38	3/4	2,016.53	3/4	1,635.69	3/4	1,274.84	3/4	903.99	3/4	533.14	3/4	162.29	3/4			
1	2,379.66	1	2,008.81	1	1,627.96	1	1,267.11	1	896.26	1	525.42	1	154.57	1			
1 1/4	2,371.93	1 1/4	2,001.08	1 1/4	1,620.23	1 1/4	1,259.35	1 1/4	888.54	1 1/4	517.69	1 1/4	146.84	1 1/4			
1 1/2	2,364.20	1 1/2	1,993.36	1 1/2	1,612.51	1 1/2	1,251.66	1 1/2	880.81	1 1/2	509.96	1 1/2	139.12	1 1/2			
1 3/4	2,356.48	1 3/4	1,985.63	1 3/4	1,604.78	1 3/4	1,243.93	1 3/4	873.09	1 3/4	502.24	1 3/4	131.39	1 3/4			
2	2,348.75	2	1,977.90	2	1,597.06	2	1,236.21	2	865.36	2	494.51	2	123.66	2			
2 1/4	2,341.03	2 1/4	1,970.18	2 1/4	1,589.33	2 1/4	1,228.48	2 1/4	857.63	2 1/4	486.79	2 1/4	115.94	2 1/4			
2 1/2	2,333.30	2 1/2	1,962.45	2 1/2	1,581.60	2 1/2	1,220.76	2 1/2	849.91	2 1/2	479.06	2 1/2	108.21	2 1/2			
2 3/4	2,325.57	2 3/4	1,954.73	2 3/4	1,573.88	2 3/4	1,213.03	2 3/4	842.18	2 3/4	471.33	2 3/4	100.49	2 3/4			
3	2,317.85	3	1,947.00	3	1,566.15	3	1,205.30	3	834.46	3	463.61	3	92.76	3			
3 1/4	2,310.12	3 1/4	1,939.27	3 1/4	1,558.43	3 1/4	1,197.58	3 1/4	826.73	3 1/4	455.88	3 1/4	85.03	3 1/4			
3 1/2	2,302.40	3 1/2	1,931.55	3 1/2	1,550.70	3 1/2	1,189.85	3 1/2	819.00	3 1/2	448.15	3 1/2	77.31	3 1/2			
3 3/4	2,294.67	3 3/4	1,923.82	3 3/4	1,542.97	3 3/4	1,182.13	3 3/4	811.28	3 3/4	440.43	3 3/4	69.58	3 3/4			
4	2,286.94	4	1,916.10	4	1,535.25	4	1,174.40	4	803.55	4	432.70	4	61.86	4			
4 1/4	2,279.22	4 1/4	1,908.37	4 1/4	1,527.52	4 1/4	1,166.67	4 1/4	795.83	4 1/4	424.98	4 1/4	55.10	4 1/4			
4 1/2	2,271.49	4 1/2	1,900.64	4 1/2	1,519.80	4 1/2	1,158.95	4 1/2	788.10	4 1/2	417.25	4 1/2	48.33	4 1/2			
4 3/4	2,263.77	4 3/4	1,892.92	4 3/4	1,512.07	4 3/4	1,151.22	4 3/4	780.37	4 3/4	409.53	4 3/4	41.57	4 3/4			
5	2,256.04	5	1,885.19	5	1,504.34	5	1,143.50	5	772.65	5	401.80	5	34.81	5			
5 1/4	2,248.31	5 1/4	1,877.47	5 1/4	1,496.62	5 1/4	1,135.77	5 1/4	764.92	5 1/4	394.07	5 1/4	28.05	5 1/4			
5 1/2	2,240.59	5 1/2	1,869.74	5 1/2	1,488.89	5 1/2	1,128.04	5 1/2	757.20	5 1/2	386.35	5 1/2	21.29	5 1/2			
5 3/4	2,232.86	5 3/4	1,862.01	5 3/4	1,481.17	5 3/4	1,120.32	5 3/4	749.47	5 3/4	378.62	5 3/4	14.53	5 3/4			
6	2,225.14	6	1,854.29	6	1,473.44	6	1,112.59	6	741.74	6	370.90	6	7.77	6			
6 1/4	2,217.41	6 1/4	1,846.56	6 1/4	1,465.71	6 1/4	1,104.87	6 1/4	734.02	6 1/4	363.17	6 1/4	1.01	6 1/4			
6 1/2	2,209.68	6 1/2	1,838.84	6 1/2	1,457.99	6 1/2	1,097.14	6 1/2	726.29	6 1/2	355.44	6 1/2	0.25	6 1/2			
6 3/4	2,201.96	6 3/4	1,831.11	6 3/4	1,450.26	6 3/4	1,089.41	6 3/4	718.57	6 3/4	347.72	6 3/4	0.49	6 3/4			
7	2,194.23	7	1,823.38	7	1,442.54	7	1,081.69	7	710.84	7	339.99	7	0.73	7			
7 1/4	2,186.51	7 1/4	1,815.66	7 1/4	1,434.81	7 1/4	1,073.96	7 1/4	703.11	7 1/4	332.27	7 1/4	0.97	7 1/4			
7 1/2	2,178.78	7 1/2	1,807.93	7 1/2	1,427.08	7 1/2	1,066.24	7 1/2	695.39	7 1/2	324.54	7 1/2	1.21	7 1/2			
7 3/4	2,171.05	7 3/4	1,800.21	7 3/4	1,419.36	7 3/4	1,058.51	7 3/4	687.66	7 3/4	316.81	7 3/4	1.45	7 3/4			
8	2,163.33	8	1,792.48	8	1,411.63	8	1,050.78	8	679.94	8	309.09	8	1.69	8			
8 1/4	2,155.60	8 1/4	1,784.75	8 1/4	1,403.91	8 1/4	1,043.06	8 1/4	672.21	8 1/4	301.36	8 1/4	1.93	8 1/4			
8 1/2	2,147.88	8 1/2	1,777.03	8 1/2	1,396.18	8 1/2	1,035.33	8 1/2	664.48	8 1/2	293.64	8 1/2	2.17	8 1/2			
8 3/4	2,140.15	8 3/4	1,769.30	8 3/4	1,388.45	8 3/4	1,027.61	8 3/4	656.76	8 3/4	285.91	8 3/4	2.41	8 3/4			
9	2,132.42	9	1,761.58	9	1,380.73	9	1,019.88	9	649.03	9	278.18	9	2.65	9			
9 1/4	2,124.70	9 1/4	1,753.85	9 1/4	1,373.00	9 1/4	1,012.15	9 1/4	641.31	9 1/4	270.46	9 1/4	2.89	9 1/4			
9 1/2	2,116.97	9 1/2	1,746.12	9 1/2	1,365.28	9 1/2	1,004.43	9 1/2	633.58	9 1/2	262.73	9 1/2	3.13	9 1/2			
9 3/4	2,109.25	9 3/4	1,738.40	9 3/4	1,357.55	9 3/4	996.70	9 3/4	625.85	9 3/4	255.01	9 3/4	3.37	9 3/4			
10	2,101.52	10	1,730.67	10	1,349.82	10	988.98	10	618.13	10	247.28	10	3.61	10			
10 1/4	2,093.79	10 1/4	1,722.95	10 1/4	1,342.10	10 1/4	981.25	10 1/4	610.40	10 1/4	239.55	10 1/4	3.85	10 1/4			
10 1/2	2,086.07	10 1/2	1,715.22	10 1/2	1,334.37	10 1/2	973.52	10 1/2	602.68	10 1/2	231.83	10 1/2	4.09	10 1/2			
10 3/4	2,078.34	10 3/4	1,707.49	10 3/4	1,326.65	10 3/4	965.80	10 3/4	594.95	10 3/4	224.10	10 3/4	4.33	10 3/4			
11	2,070.62	11	1,699.77	11	1,318.92	11	958.07	11	587.22	11	216.38	11	4.57	11			
11 1/4	2,062.89	11 1/4	1,692.04	11 1/4	1,311.19	11 1/4	950.35	11 1/4	579.50	11 1/4	208.65	11 1/4	4.81	11 1/4			
11 1/2	2,055.16	11 1/2	1,684.32	11 1/2	1,303.47	11 1/2	942.62	11 1/2	571.77	11 1/2	200.92	11 1/2	5.05	11 1/2			
11 3/4	2,047.44	11 3/4	1,676.59	11 3/4	1,305.74	11 3/4	934.89	11 3/4	564.05	11 3/4	193.20	11 3/4	5.29	11 3/4			

*CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT:

14'-5 1/4" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STRAPPED 11/16/95

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

ISO 9002 ACCREDITED

Barge EMS 3042
Enterprise Marine
Services LLC

OUTGAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4165 SHEET NO. 1 OF 2

TANK NUMBER:
2 STAR.

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		FEET
IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.
0	5,001.48	0	4,643.37	0	4,272.53	0	3,901.68	0	3,530.83	0	3,159.98	0	2,789.13	0	2,418.28	0
1/4	4,995.99	1/4	4,638.65	1/4	4,264.80	1/4	3,893.95	1/4	3,523.10	1/4	3,152.26	1/4	2,781.41	1/4	2,410.56	1/4
1/2	4,990.50	1/2	4,632.07	1/2	4,257.07	1/2	3,886.23	1/2	3,515.38	1/2	3,144.53	1/2	2,773.68	1/2	2,402.71	1/2
3/4	4,984.12	3/4	4,626.20	3/4	4,249.35	3/4	3,878.50	3/4	3,507.65	3/4	3,136.65	3/4	2,765.84	3/4	2,394.86	3/4
1	4,977.15	1	4,619.14	1	4,241.62	1	3,870.77	1	3,499.93	1	3,128.81	1	2,758.01	1	2,387.03	1
1 1/4	4,971.37	1 1/4	4,613.74	1 1/4	4,233.90	1 1/4	3,863.05	1 1/4	3,492.20	1 1/4	3,121.35	1 1/4	2,750.50	1 1/4	2,379.58	1 1/4
1 1/2	4,965.00	1 1/2	4,607.02	1 1/2	4,226.17	1 1/2	3,855.32	1 1/2	3,484.47	1 1/2	3,113.63	1 1/2	2,742.78	1 1/2	2,371.86	1 1/2
1 3/4	4,957.14	1 3/4	4,599.29	1 3/4	4,218.44	1 3/4	3,847.60	1 3/4	3,476.75	1 3/4	3,105.90	1 3/4	2,735.05	1 3/4	2,364.11	1 3/4
2	4,950.48	2	4,593.22	2	4,210.72	2	3,839.87	2	3,468.92	2	3,098.17	2	2,727.33	2	2,356.36	2
2 1/4	4,943.22	2 1/4	4,586.11	2 1/4	4,202.99	2 1/4	3,832.14	2 1/4	3,461.30	2 1/4	3,090.45	2 1/4	2,719.60	2 1/4	2,348.61	2 1/4
2 1/2	4,935.96	2 1/2	4,578.85	2 1/2	4,195.27	2 1/2	3,824.42	2 1/2	3,453.57	2 1/2	3,082.72	2 1/2	2,711.87	2 1/2	2,340.86	2 1/2
2 3/4	4,928.26	2 3/4	4,571.12	2 3/4	4,187.54	2 3/4	3,816.69	2 3/4	3,445.84	2 3/4	3,075.00	2 3/4	2,704.15	2 3/4	2,333.11	2 3/4
3	4,920.57	3	4,563.36	3	4,179.81	3	3,808.97	3	3,438.12	3	3,067.27	3	2,696.42	3	2,325.36	3
3 1/4	4,912.87	3 1/4	4,555.64	3 1/4	4,172.09	3 1/4	3,801.24	3 1/4	3,430.39	3 1/4	3,059.54	3 1/4	2,688.70	3 1/4	2,317.61	3 1/4
3 1/2	4,905.17	3 1/2	4,547.93	3 1/2	4,164.36	3 1/2	3,793.51	3 1/2	3,422.67	3 1/2	3,051.82	3 1/2	2,680.97	3 1/2	2,309.86	3 1/2
3 3/4	4,897.47	3 3/4	4,540.22	3 3/4	4,156.64	3 3/4	3,785.78	3 3/4	3,414.94	3 3/4	3,044.09	3 3/4	2,673.24	3 3/4	2,302.11	3 3/4
4	4,889.77	4	4,532.51	4	4,148.91	4	3,778.06	4	3,407.21	4	3,036.37	4	2,665.52	4	2,294.36	4
4 1/4	4,882.07	4 1/4	4,524.80	4 1/4	4,141.18	4 1/4	3,770.34	4 1/4	3,399.49	4 1/4	3,028.64	4 1/4	2,657.79	4 1/4	2,286.61	4 1/4
4 1/2	4,874.37	4 1/2	4,517.09	4 1/2	4,133.46	4 1/2	3,762.61	4 1/2	3,391.76	4 1/2	3,020.91	4 1/2	2,650.07	4 1/2	2,278.86	4 1/2
4 3/4	4,866.67	4 3/4	4,509.38	4 3/4	4,125.73	4 3/4	3,754.88	4 3/4	3,384.04	4 3/4	3,013.19	4 3/4	2,642.34	4 3/4	2,271.11	4 3/4
5	4,858.97	5	4,488.85	5	4,118.01	5	3,747.16	5	3,376.31	5	3,005.46	5	2,634.61	5	2,263.36	5
5 1/4	4,851.27	5 1/4	4,481.13	5 1/4	4,110.28	5 1/4	3,739.43	5 1/4	3,368.58	5 1/4	2,997.74	5 1/4	2,626.89	5 1/4	2,255.61	5 1/4
5 1/2	4,843.58	5 1/2	4,473.40	5 1/2	4,102.55	5 1/2	3,731.71	5 1/2	3,360.86	5 1/2	2,990.01	5 1/2	2,619.16	5 1/2	2,247.86	5 1/2
5 3/4	4,835.88	5 3/4	4,465.68	5 3/4	4,094.83	5 3/4	3,723.98	5 3/4	3,353.13	5 3/4	2,982.28	5 3/4	2,611.44	5 3/4	2,240.11	5 3/4
6	4,828.18	6	4,457.95	6	4,087.10	6	3,716.25	6	3,345.41	6	2,974.56	6	2,603.71	6	2,232.36	6
6 1/4	4,820.48	6 1/4	4,450.22	6 1/4	4,079.38	6 1/4	3,708.53	6 1/4	3,337.68	6 1/4	2,966.83	6 1/4	2,595.98	6 1/4	2,224.61	6 1/4
6 1/2	4,812.78	6 1/2	4,442.50	6 1/2	4,071.65	6 1/2	3,700.80	6 1/2	3,329.95	6 1/2	2,959.10	6 1/2	2,588.26	6 1/2	2,216.86	6 1/2
6 3/4	4,805.08	6 3/4	4,434.77	6 3/4	4,063.92	6 3/4	3,693.08	6 3/4	3,322.23	6 3/4	2,951.38	6 3/4	2,580.53	6 3/4	2,209.11	6 3/4
7	4,797.38	7	4,427.05	7	4,056.20	7	3,685.35	7	3,314.50	7	2,943.65	7	2,572.81	7	2,201.36	7
7 1/4	4,789.68	7 1/4	4,419.32	7 1/4	4,048.47	7 1/4	3,677.62	7 1/4	3,306.78	7 1/4	2,935.93	7 1/4	2,565.08	7 1/4	2,193.61	7 1/4
7 1/2	4,781.98	7 1/2	4,411.59	7 1/2	4,040.75	7 1/2	3,669.90	7 1/2	3,299.05	7 1/2	2,928.20	7 1/2	2,557.35	7 1/2	2,185.86	7 1/2
7 3/4	4,774.28	7 3/4	4,403.87	7 3/4	4,033.02	7 3/4	3,662.17	7 3/4	3,291.32	7 3/4	2,920.48	7 3/4	2,549.63	7 3/4	2,178.11	7 3/4
8	4,766.59	8	4,396.14	8	4,025.29	8	3,654.45	8	3,283.60	8	2,912.75	8	2,541.90	8	2,170.36	8
8 1/4	4,758.89	8 1/4	4,388.42	8 1/4	4,017.57	8 1/4	3,646.72	8 1/4	3,275.87	8 1/4	2,905.02	8 1/4	2,534.18	8 1/4	2,162.61	8 1/4
8 1/2	4,751.19	8 1/2	4,380.69	8 1/2	4,009.84	8 1/2	3,639.00	8 1/2	3,268.15	8 1/2	2,897.30	8 1/2	2,526.45	8 1/2	2,154.86	8 1/2
8 3/4	4,743.49	8 3/4	4,372.96	8 3/4	4,002.12	8 3/4	3,631.27	8 3/4	3,260.42	8 3/4	2,889.57	8 3/4	2,518.72	8 3/4	2,147.11	8 3/4
9	4,735.79	9	4,365.24	9	3,994.39	9	3,623.54	9	3,252.69	9	2,881.85	9	2,511.00	9	2,139.36	9
9 1/4	4,728.09	9 1/4	4,357.51	9 1/4	3,986.66	9 1/4	3,615.82	9 1/4	3,244.97	9 1/4	2,874.12	9 1/4	2,503.27	9 1/4	2,131.61	9 1/4
9 1/2	4,720.39	9 1/2	4,349.79	9 1/2	3,978.94	9 1/2	3,608.09	9 1/2	3,237.24	9 1/2	2,866.39	9 1/2	2,495.55	9 1/2	2,123.86	9 1/2
9 3/4	4,712.69	9 3/4	4,342.06	9 3/4	3,971.21	9 3/4	3,600.36	9 3/4	3,229.52	9 3/4	2,858.67	9 3/4	2,487.82	9 3/4	2,116.11	9 3/4
10	4,704.99	10	4,334.33	10	3,963.49	10	3,592.64	10	3,221.79	10	2,850.94	10	2,480.09	10	2,108.36	10
10 1/4	4,697.29	10 1/4	4,326.61	10 1/4	3,955.76	10 1/4	3,584.91	10 1/4	3,214.06	10 1/4	2,843.22	10 1/4	2,472.37	10 1/4	2,100.61	10 1/4
10 1/2	4,689.60	10 1/2	4,318.88	10 1/2	3,948.03	10 1/2	3,577.19	10 1/2	3,206.34	10 1/2	2,835.49	10 1/2	2,464.64	10 1/2	2,092.86	10 1/2
10 3/4	4,681.90	10 3/4	4,311.16	10 3/4	3,940.31	10 3/4	3,569.46	10 3/4	3,198.61	10 3/4	2,827.76	10 3/4	2,456.92	10 3/4	2,085.11	10 3/4
11	4,674.20	11	4,303.43	11	3,932.58	11	3,561.73	11	3,190.89	11	2,820.04	11	2,449.19	11	2,077.36	11
11 1/4	4,666.50	11 1/4	4,295.70	11 1/4	3,924.86	11 1/4	3,554.01	11 1/4	3,183.16	11 1/4	2,812.31	11 1/4	2,441.46	11 1/4	2,069.61	11 1/4
11 1/2	4,658.80	11 1/2	4,287.98	11 1/2	3,917.13	11 1/2	3,546.28	11 1/2	3,175.43	11 1/2	2,804.59	11 1/2	2,433.74	11 1/2	2,061.86	11 1/2
11 3/4	4,651.10	11 3/4	4,280.25	11 3/4	3,909.40	11 3/4	3,538.56	11 3/4	3,167.71	11 3/4	2,796.86	11 3/4	2,426.01	11 3/4	2,054.11	11 3/4

REFERENCE GAUGE HEIGHT:
14'-5 1/2" (RIM OF 2" DIAMETER SOUNDING
PIPE, LOCATED NEAR GEOMETRICAL CENTER
OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN
ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE
TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

Barge EMS 3042
Enterprise Marine
Services LLC



INSPECTORATE

ISO 9002 ACCREDITED

OUTAGE TABLE

HULL NO. 4165 SHEET NO. 2 OF 2

8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		FEET		FEET	
IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.	IN.	OUT.
0	2,418.29	0	2,047.44	0	1,676.59	0	1,305.74	0	934.89	0	564.05	0	193.20	0	185.47	0	177.75
1/4	2,410.56	1/4	2,039.71	1/4	1,668.86	1/4	1,298.02	1/4	927.17	1/4	556.32	1/4	185.47	1/4	177.75	1/4	170.02
1/2	2,402.83	1/2	2,031.99	1/2	1,661.14	1/2	1,290.25	1/2	919.44	1/2	548.59	1/2	177.75	1/2	170.02	1/2	162.29
3/4	2,395.11	3/4	2,024.26	3/4	1,653.41	3/4	1,282.56	3/4	911.72	3/4	540.87	3/4	170.02	3/4	162.29	3/4	154.57
1	2,387.38	1	2,016.53	1	1,645.69	1	1,274.84	1	903.99	1	533.14	1	162.29	1	154.57	1	146.84
1 1/4	2,379.66	1 1/4	2,008.81	1 1/4	1,637.96	1 1/4	1,267.11	1 1/4	896.26	1 1/4	525.42	1 1/4	154.57	1 1/4	146.84	1 1/4	139.12
1 1/2	2,371.93	1 1/2	2,001.08	1 1/2	1,630.23	1 1/2	1,259.39	1 1/2	888.54	1 1/2	517.69	1 1/2	146.84	1 1/2	139.12	1 1/2	131.39
1 3/4	2,364.20	1 3/4	1,993.35	1 3/4	1,622.51	1 3/4	1,251.66	1 3/4	880.81	1 3/4	509.96	1 3/4	139.12	1 3/4	131.39	1 3/4	123.66
2	2,356.48	2	1,985.63	2	1,614.78	2	1,243.93	2	873.09	2	502.24	2	131.39	2	123.66	2	115.94
2 1/4	2,348.75	2 1/4	1,977.90	2 1/4	1,607.06	2 1/4	1,236.21	2 1/4	865.36	2 1/4	494.51	2 1/4	123.66	2 1/4	115.94	2 1/4	108.21
2 1/2	2,341.03	2 1/2	1,970.18	2 1/2	1,599.33	2 1/2	1,228.48	2 1/2	857.63	2 1/2	486.79	2 1/2	115.94	2 1/2	108.21	2 1/2	100.49
2 3/4	2,333.30	2 3/4	1,962.45	2 3/4	1,591.60	2 3/4	1,220.76	2 3/4	849.91	2 3/4	479.06	2 3/4	108.21	2 3/4	100.49	2 3/4	92.76
3	2,325.57	3	1,954.73	3	1,583.88	3	1,213.03	3	842.18	3	471.33	3	92.76	3	85.03	3	77.31
3 1/4	2,317.85	3 1/4	1,947.00	3 1/4	1,576.15	3 1/4	1,205.30	3 1/4	834.46	3 1/4	463.61	3 1/4	85.03	3 1/4	77.31	3 1/4	69.58
3 1/2	2,310.12	3 1/2	1,939.27	3 1/2	1,568.43	3 1/2	1,197.58	3 1/2	826.73	3 1/2	455.88	3 1/2	77.31	3 1/2	69.58	3 1/2	61.86
3 3/4	2,302.40	3 3/4	1,931.55	3 3/4	1,560.70	3 3/4	1,189.85	3 3/4	819.00	3 3/4	448.15	3 3/4	69.58	3 3/4	61.86	3 3/4	55.10
4	2,294.67	4	1,923.82	4	1,552.97	4	1,182.13	4	811.28	4	440.43	4	61.86	4	55.10	4	48.33
4 1/4	2,286.94	4 1/4	1,916.10	4 1/4	1,545.25	4 1/4	1,174.40	4 1/4	803.55	4 1/4	432.70	4 1/4	55.10	4 1/4	48.33	4 1/4	41.57
4 1/2	2,279.22	4 1/2	1,908.37	4 1/2	1,537.52	4 1/2	1,166.67	4 1/2	795.83	4 1/2	424.98	4 1/2	48.33	4 1/2	41.57	4 1/2	34.81
4 3/4	2,271.49	4 3/4	1,900.64	4 3/4	1,529.80	4 3/4	1,158.95	4 3/4	788.10	4 3/4	417.25	4 3/4	41.57	4 3/4	34.81	4 3/4	29.98
5	2,263.77	5	1,892.92	5	1,522.07	5	1,151.22	5	780.37	5	409.53	5	34.81	5	29.98	5	22.15
5 1/4	2,256.04	5 1/4	1,885.19	5 1/4	1,514.34	5 1/4	1,143.50	5 1/4	772.65	5 1/4	401.80	5 1/4	22.15	5 1/4	22.15	5 1/4	14.32
5 1/2	2,248.31	5 1/2	1,877.47	5 1/2	1,506.62	5 1/2	1,135.77	5 1/2	764.92	5 1/2	394.07	5 1/2	14.32	5 1/2	14.32	5 1/2	6.49
5 3/4	2,240.59	5 3/4	1,869.74	5 3/4	1,498.90	5 3/4	1,128.04	5 3/4	757.20	5 3/4	386.35	5 3/4	6.49	5 3/4	6.49	5 3/4	0.00
6	2,232.86	6	1,862.01	6	1,491.17	6	1,120.32	6	749.47	6	378.62	6	0.00	6	0.00	6	0.00
6 1/4	2,225.14	6 1/4	1,854.29	6 1/4	1,483.44	6 1/4	1,112.59	6 1/4	741.74	6 1/4	370.90	6 1/4	0.00	6 1/4	0.00	6 1/4	0.00
6 1/2	2,217.41	6 1/2	1,846.56	6 1/2	1,475.71	6 1/2	1,104.87	6 1/2	734.02	6 1/2	363.17	6 1/2	0.00	6 1/2	0.00	6 1/2	0.00
6 3/4	2,209.68	6 3/4	1,838.84	6 3/4	1,467.99	6 3/4	1,097.14	6 3/4	726.29	6 3/4	355.44	6 3/4	0.00	6 3/4	0.00	6 3/4	0.00
7	2,201.96	7	1,831.11	7	1,460.26	7	1,089.41	7	718.57	7	347.72	7	0.00	7	0.00	7	0.00
7 1/4	2,194.23	7 1/4	1,823.38	7 1/4	1,452.54	7 1/4	1,081.69	7 1/4	710.84	7 1/4	339.99	7 1/4	0.00	7 1/4	0.00	7 1/4	0.00
7 1/2	2,186.51	7 1/2	1,815.66	7 1/2	1,444.81	7 1/2	1,073.96	7 1/2	703.11	7 1/2	332.27	7 1/2	0.00	7 1/2	0.00	7 1/2	0.00
7 3/4	2,178.78	7 3/4	1,807.93	7 3/4	1,437.08	7 3/4	1,066.24	7 3/4	695.39	7 3/4	324.54	7 3/4	0.00	7 3/4	0.00	7 3/4	0.00
8	2,171.05	8	1,800.21	8	1,429.36	8	1,058.51	8	687.66	8	316.81	8	0.00	8	0.00	8	0.00
8 1/4	2,163.33	8 1/4	1,792.48	8 1/4	1,421.63	8 1/4	1,050.78	8 1/4	679.94	8 1/4	309.09	8 1/4	0.00	8 1/4	0.00	8 1/4	0.00
8 1/2	2,155.60	8 1/2	1,784.75	8 1/2	1,413.91	8 1/2	1,043.06	8 1/2	672.21	8 1/2	301.36	8 1/2	0.00	8 1/2	0.00	8 1/2	0.00
8 3/4	2,147.88	8 3/4	1,777.03	8 3/4	1,406.18	8 3/4	1,035.33	8 3/4	664.48	8 3/4	293.64	8 3/4	0.00	8 3/4	0.00	8 3/4	0.00
9	2,140.15	9	1,769.30	9	1,398.45	9	1,027.61	9	656.76	9	285.91	9	0.00	9	0.00	9	0.00
9 1/4	2,132.42	9 1/4	1,761.58	9 1/4	1,390.73	9 1/4	1,019.88	9 1/4	649.03	9 1/4	278.18	9 1/4	0.00	9 1/4	0.00	9 1/4	0.00
9 1/2	2,124.70	9 1/2	1,753.85	9 1/2	1,383.00	9 1/2	1,012.15	9 1/2	641.31	9 1/2	270.46	9 1/2	0.00	9 1/2	0.00	9 1/2	0.00
9 3/4	2,116.97	9 3/4	1,746.12	9 3/4	1,375.28	9 3/4	1,004.43	9 3/4	633.58	9 3/4	262.73	9 3/4	0.00	9 3/4	0.00	9 3/4	0.00
10	2,109.25	10	1,738.40	10	1,367.55	10	996.70	10	625.85	10	255.01	10	0.00	10	0.00	10	0.00
10 1/4	2,101.52	10 1/4	1,730.67	10 1/4	1,359.82	10 1/4	988.98	10 1/4	618.13	10 1/4	247.28	10 1/4	0.00	10 1/4	0.00	10 1/4	0.00
10 1/2	2,093.79	10 1/2	1,722.95	10 1/2	1,352.10	10 1/2	981.25	10 1/2	610.40	10 1/2	239.55	10 1/2	0.00	10 1/2	0.00	10 1/2	0.00
10 3/4	2,086.07	10 3/4	1,715.22	10 3/4	1,344.37	10 3/4	973.52	10 3/4	602.68	10 3/4	231.83	10 3/4	0.00	10 3/4	0.00	10 3/4	0.00
11	2,078.34	11	1,707.49	11	1,336.65	11	965.80	11	594.95	11	224.10	11	0.00	11	0.00	11	0.00
11 1/4	2,070.62	11 1/4	1,699.77	11 1/4	1,328.92	11 1/4	958.07	11 1/4	587.22	11 1/4	216.38	11 1/4	0.00	11 1/4	0.00	11 1/4	0.00
11 1/2	2,062.89	11 1/2	1,692.04	11 1/2	1,321.19	11 1/2	950.35	11 1/2	579.50	11 1/2	208.65	11 1/2	0.00	11 1/2	0.00	11 1/2	0.00
11 3/4	2,055.16	11 3/4	1,684.32	11 3/4	1,313.47	11 3/4	942.62	11 3/4	571.77	11 3/4	200.92	11 3/4	0.00	11 3/4	0.00	11 3/4	0.00

*CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT:

14'-5 1/2" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STRAPPED 11/16/95

INSPECTORATE AMERICA CORPORATION

TANK NUMBER:
2 STAR.



INSPECTORATE

ISO 9002 ACCREDITED

OUTAGE TABLE

TANK NUMBER:
3 PORT

HULL NO. 4165 SHEET NO. 2 OF 2

Barge EMS 3042
Enterprise Marine
Services LLC

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		FEET	
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
0	2,396.29	0	2,025.25	0	1,654.21	0	1,283.17	0	912.13	0	541.09	0	170.05	0	
1/4	2,388.56	1/4	2,017.52	1/4	1,646.48	1/4	1,275.44	1/4	904.40	1/4	533.36	1/4	162.32	1/4	
1/2	2,380.83	1/2	2,009.79	1/2	1,638.75	1/2	1,267.71	1/2	896.67	1/2	525.63	1/2	154.59	1/2	
3/4	2,373.10	3/4	2,002.06	3/4	1,631.02	3/4	1,259.98	3/4	888.94	3/4	517.90	3/4	146.86	3/4	
1	2,365.37	1	1,994.33	1	1,623.29	1	1,252.25	1	881.21	1	510.17	1	139.13	1	
1 1/4	2,357.64	1 1/4	1,986.60	1 1/4	1,615.56	1 1/4	1,244.52	1 1/4	873.48	1 1/4	502.44	1 1/4	131.40	1 1/4	
1 1/2	2,349.91	1 1/2	1,978.87	1 1/2	1,607.83	1 1/2	1,236.79	1 1/2	865.75	1 1/2	494.71	1 1/2	123.67	1 1/2	
1 3/4	2,342.18	1 3/4	1,971.14	1 3/4	1,600.10	1 3/4	1,229.06	1 3/4	858.02	1 3/4	486.98	1 3/4	115.94	1 3/4	
2	2,334.45	2	1,963.41	2	1,592.37	2	1,221.33	2	850.29	2	479.25	2	108.21	2	
2 1/4	2,326.72	2 1/4	1,955.68	2 1/4	1,584.64	2 1/4	1,213.60	2 1/4	842.56	2 1/4	471.52	2 1/4	100.48	2 1/4	
2 1/2	2,318.99	2 1/2	1,947.95	2 1/2	1,576.91	2 1/2	1,205.87	2 1/2	834.83	2 1/2	463.79	2 1/2	92.75	2 1/2	
2 3/4	2,311.26	2 3/4	1,940.22	2 3/4	1,569.18	2 3/4	1,198.14	2 3/4	827.10	2 3/4	456.06	2 3/4	85.02	2 3/4	
3	2,303.53	3	1,932.49	3	1,561.45	3	1,190.41	3	819.37	3	448.33	3	77.29	3	
3 1/4	2,295.80	3 1/4	1,924.76	3 1/4	1,553.72	3 1/4	1,182.68	3 1/4	811.64	3 1/4	440.60	3 1/4	69.56	3 1/4	
3 1/2	2,288.07	3 1/2	1,917.03	3 1/2	1,545.99	3 1/2	1,174.95	3 1/2	803.91	3 1/2	432.87	3 1/2	61.83	3 1/2	
3 3/4	2,280.34	3 3/4	1,909.30	3 3/4	1,538.26	3 3/4	1,167.22	3 3/4	796.18	3 3/4	425.14	3 3/4	55.07	3 3/4	
4	2,272.61	4	1,901.57	4	1,530.53	4	1,159.49	4	788.45	4	417.41	4	48.30	4	
4 1/4	2,264.88	4 1/4	1,893.84	4 1/4	1,522.80	4 1/4	1,151.76	4 1/4	780.72	4 1/4	409.68	4 1/4	41.54	4 1/4	
4 1/2	2,257.15	4 1/2	1,886.11	4 1/2	1,515.07	4 1/2	1,144.03	4 1/2	772.99	4 1/2	401.95	4 1/2	34.78	4 1/2	
4 3/4	2,249.42	4 3/4	1,878.38	4 3/4	1,507.34	4 3/4	1,136.30	4 3/4	765.26	4 3/4	394.22	4 3/4	29.95	4 3/4	
5	2,241.69	5	1,870.65	5	1,499.61	5	1,128.57	5	757.53	5	386.49	5	25.11	5	
5 1/4	2,233.96	5 1/4	1,862.92	5 1/4	1,491.88	5 1/4	1,120.84	5 1/4	749.80	5 1/4	378.76	5 1/4	20.28	5 1/4	
5 1/2	2,226.23	5 1/2	1,855.19	5 1/2	1,484.15	5 1/2	1,113.11	5 1/2	742.07	5 1/2	371.03	5 1/2		5 1/2	
5 3/4	2,218.50	5 3/4	1,847.46	5 3/4	1,476.42	5 3/4	1,105.38	5 3/4	734.34	5 3/4	363.30	5 3/4		5 3/4	
6	2,210.77	6	1,839.73	6	1,468.69	6	1,097.65	6	726.61	6	355.57	6		6	
6 1/4	2,203.04	6 1/4	1,832.00	6 1/4	1,460.96	6 1/4	1,089.92	6 1/4	718.88	6 1/4	347.84	6 1/4		6 1/4	
6 1/2	2,195.31	6 1/2	1,824.27	6 1/2	1,453.23	6 1/2	1,082.19	6 1/2	711.15	6 1/2	340.11	6 1/2		6 1/2	
6 3/4	2,187.58	6 3/4	1,816.54	6 3/4	1,445.50	6 3/4	1,074.46	6 3/4	703.42	6 3/4	332.38	6 3/4		6 3/4	
7	2,179.85	7	1,808.81	7	1,437.77	7	1,066.73	7	695.69	7	324.65	7		7	
7 1/4	2,172.12	7 1/4	1,801.08	7 1/4	1,430.04	7 1/4	1,059.00	7 1/4	687.96	7 1/4	316.92	7 1/4		7 1/4	
7 1/2	2,164.39	7 1/2	1,793.35	7 1/2	1,422.31	7 1/2	1,051.27	7 1/2	680.23	7 1/2	309.19	7 1/2		7 1/2	
7 3/4	2,156.66	7 3/4	1,785.62	7 3/4	1,414.58	7 3/4	1,043.54	7 3/4	672.50	7 3/4	301.46	7 3/4		7 3/4	
8	2,148.93	8	1,777.89	8	1,406.85	8	1,035.81	8	664.77	8	293.73	8		8	
8 1/4	2,141.20	8 1/4	1,770.16	8 1/4	1,399.12	8 1/4	1,028.08	8 1/4	657.04	8 1/4	286.00	8 1/4		8 1/4	
8 1/2	2,133.47	8 1/2	1,762.43	8 1/2	1,391.39	8 1/2	1,020.35	8 1/2	649.31	8 1/2	278.27	8 1/2		8 1/2	
8 3/4	2,125.74	8 3/4	1,754.70	8 3/4	1,383.66	8 3/4	1,012.62	8 3/4	641.58	8 3/4	270.54	8 3/4		8 3/4	
9	2,118.01	9	1,746.97	9	1,375.93	9	1,004.89	9	633.85	9	262.81	9		9	
9 1/4	2,110.28	9 1/4	1,739.24	9 1/4	1,368.20	9 1/4	997.16	9 1/4	626.12	9 1/4	255.08	9 1/4		9 1/4	
9 1/2	2,102.55	9 1/2	1,731.51	9 1/2	1,360.47	9 1/2	989.43	9 1/2	618.39	9 1/2	247.35	9 1/2		9 1/2	
9 3/4	2,094.82	9 3/4	1,723.78	9 3/4	1,352.74	9 3/4	981.70	9 3/4	610.66	9 3/4	239.62	9 3/4		9 3/4	
10	2,087.09	10	1,716.05	10	1,345.01	10	973.97	10	602.93	10	231.89	10		10	
10 1/4	2,079.36	10 1/4	1,708.32	10 1/4	1,337.28	10 1/4	966.24	10 1/4	595.20	10 1/4	224.16	10 1/4		10 1/4	
10 1/2	2,071.63	10 1/2	1,700.59	10 1/2	1,329.55	10 1/2	958.51	10 1/2	587.47	10 1/2	216.43	10 1/2		10 1/2	
10 3/4	2,063.90	10 3/4	1,692.86	10 3/4	1,321.82	10 3/4	950.78	10 3/4	579.74	10 3/4	208.70	10 3/4		10 3/4	
11	2,056.17	11	1,685.13	11	1,314.09	11	943.05	11	572.01	11	200.97	11		11	
11 1/4	2,048.44	11 1/4	1,677.40	11 1/4	1,306.36	11 1/4	935.32	11 1/4	564.28	11 1/4	193.24	11 1/4		11 1/4	
11 1/2	2,040.71	11 1/2	1,669.67	11 1/2	1,298.63	11 1/2	927.59	11 1/2	556.55	11 1/2	185.51	11 1/2		11 1/2	
11 3/4	2,032.98	11 3/4	1,661.94	11 3/4	1,290.90	11 3/4	919.86	11 3/4	548.82	11 3/4	177.78	11 3/4		11 3/4	

CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT:

14'-5 1/4" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STRAPPED 11/16/95

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

ISO 9002 ACCREDITED

Barge EMS 3042
Enterprise Marine
Services LLC

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4165

SHEET NO. 2 OF 2

TANK NUMBER:
3 STAR.

IN.	8 FEET	9 FEET	10 FEET	11 FEET	12 FEET	13 FEET	14 FEET	IN.	FEET	FEET
0	2,396.29 0	2,025.25 0	1,654.21 0	1,283.17 0	912.13 0	541.09 0	170.03 0	0		0
1/4	2,388.56 1/4	2,017.52 1/4	1,646.48 1/4	1,275.44 1/4	904.40 1/4	533.36 1/4	162.32 1/4	1/4		1/4
1/2	2,380.83 1/2	2,009.79 1/2	1,638.75 1/2	1,267.71 1/2	896.67 1/2	525.63 1/2	154.59 1/2	1/2		1/2
3/4	2,373.10 3/4	2,002.06 3/4	1,631.02 3/4	1,259.98 3/4	888.94 3/4	517.90 3/4	146.86 3/4	3/4		3/4
1	2,365.37 1	1,994.33 1	1,623.29 1	1,252.25 1	881.21 1	510.17 1	139.13 1	1		1
1 1/4	2,357.64 1 1/4	1,986.60 1 1/4	1,615.56 1 1/4	1,244.52 1 1/4	873.48 1 1/4	502.44 1 1/4	131.40 1 1/4	1 1/4		1 1/4
1 1/2	2,349.91 1 1/2	1,978.87 1 1/2	1,607.83 1 1/2	1,236.79 1 1/2	865.75 1 1/2	494.71 1 1/2	123.67 1 1/2	1 1/2		1 1/2
1 3/4	2,342.18 1 3/4	1,971.14 1 3/4	1,600.10 1 3/4	1,229.06 1 3/4	858.02 1 3/4	486.98 1 3/4	115.94 1 3/4	1 3/4		1 3/4
2	2,334.45 2	1,963.41 2	1,592.37 2	1,221.33 2	850.29 2	479.25 2	108.21 2	2		2
2 1/4	2,326.72 2 1/4	1,955.68 2 1/4	1,584.64 2 1/4	1,213.60 2 1/4	842.56 2 1/4	471.52 2 1/4	100.48 2 1/4	2 1/4		2 1/4
2 1/2	2,318.99 2 1/2	1,947.95 2 1/2	1,576.91 2 1/2	1,205.87 2 1/2	834.83 2 1/2	463.79 2 1/2	92.75 2 1/2	2 1/2		2 1/2
2 3/4	2,311.26 2 3/4	1,940.22 2 3/4	1,569.18 2 3/4	1,198.14 2 3/4	827.10 2 3/4	456.06 2 3/4	85.02 2 3/4	2 3/4		2 3/4
3	2,303.53 3	1,932.49 3	1,561.45 3	1,190.41 3	819.37 3	448.33 3	77.29 3	3		3
3 1/4	2,295.80 3 1/4	1,924.76 3 1/4	1,553.72 3 1/4	1,182.68 3 1/4	811.64 3 1/4	440.60 3 1/4	69.56 3 1/4	3 1/4		3 1/4
3 1/2	2,288.07 3 1/2	1,917.03 3 1/2	1,545.99 3 1/2	1,174.95 3 1/2	803.91 3 1/2	432.87 3 1/2	61.83 3 1/2	3 1/2		3 1/2
3 3/4	2,280.34 3 3/4	1,909.30 3 3/4	1,538.26 3 3/4	1,167.22 3 3/4	796.18 3 3/4	425.14 3 3/4	53.07 3 3/4	3 3/4		3 3/4
4	2,272.61 4	1,901.57 4	1,530.53 4	1,159.49 4	788.45 4	417.41 4	48.30 4	4		4
4 1/4	2,264.88 4 1/4	1,893.84 4 1/4	1,522.80 4 1/4	1,151.76 4 1/4	780.72 4 1/4	409.68 4 1/4	41.54 4 1/4	4 1/4		4 1/4
4 1/2	2,257.15 4 1/2	1,886.11 4 1/2	1,515.07 4 1/2	1,144.03 4 1/2	772.99 4 1/2	401.95 4 1/2	34.78 4 1/2	4 1/2		4 1/2
4 3/4	2,249.42 4 3/4	1,878.38 4 3/4	1,507.34 4 3/4	1,136.30 4 3/4	765.26 4 3/4	394.22 4 3/4	29.95 4 3/4	4 3/4		4 3/4
5	2,241.69 5	1,870.65 5	1,499.61 5	1,128.57 5	757.53 5	386.49 5	25.11 5	5		5
5 1/4	2,233.96 5 1/4	1,862.92 5 1/4	1,491.88 5 1/4	1,120.84 5 1/4	749.80 5 1/4	378.76 5 1/4	20.28 5 1/4	5 1/4		5 1/4
5 1/2	2,226.23 5 1/2	1,855.19 5 1/2	1,484.15 5 1/2	1,113.11 5 1/2	742.07 5 1/2	371.03 5 1/2	15.45 5 1/2	5 1/2		5 1/2
5 3/4	2,218.50 5 3/4	1,847.46 5 3/4	1,476.42 5 3/4	1,105.38 5 3/4	734.34 5 3/4	363.30 5 3/4		5 3/4		5 3/4
6	2,210.77 6	1,839.73 6	1,468.69 6	1,097.65 6	726.61 6	355.57 6		6		6
6 1/4	2,203.04 6 1/4	1,832.00 6 1/4	1,460.96 6 1/4	1,089.92 6 1/4	718.88 6 1/4	347.84 6 1/4		6 1/4		6 1/4
6 1/2	2,195.31 6 1/2	1,824.27 6 1/2	1,453.23 6 1/2	1,082.19 6 1/2	711.15 6 1/2	340.11 6 1/2		6 1/2		6 1/2
6 3/4	2,187.58 6 3/4	1,816.54 6 3/4	1,445.50 6 3/4	1,074.46 6 3/4	703.42 6 3/4	332.38 6 3/4		6 3/4		6 3/4
7	2,179.85 7	1,808.81 7	1,437.77 7	1,066.73 7	695.69 7	324.65 7		7		7
7 1/4	2,172.12 7 1/4	1,801.08 7 1/4	1,430.04 7 1/4	1,059.00 7 1/4	687.96 7 1/4	316.92 7 1/4		7 1/4		7 1/4
7 1/2	2,164.39 7 1/2	1,793.35 7 1/2	1,422.31 7 1/2	1,051.27 7 1/2	680.23 7 1/2	309.19 7 1/2		7 1/2		7 1/2
7 3/4	2,156.66 7 3/4	1,785.62 7 3/4	1,414.58 7 3/4	1,043.54 7 3/4	672.50 7 3/4	301.46 7 3/4		7 3/4		7 3/4
8	2,148.93 8	1,777.89 8	1,406.85 8	1,035.81 8	664.77 8	293.73 8		8		8
8 1/4	2,141.20 8 1/4	1,770.16 8 1/4	1,399.12 8 1/4	1,028.08 8 1/4	657.04 8 1/4	286.00 8 1/4		8 1/4		8 1/4
8 1/2	2,133.47 8 1/2	1,762.43 8 1/2	1,391.39 8 1/2	1,020.35 8 1/2	649.31 8 1/2	278.27 8 1/2		8 1/2		8 1/2
8 3/4	2,125.74 8 3/4	1,754.70 8 3/4	1,383.66 8 3/4	1,012.62 8 3/4	641.58 8 3/4	270.54 8 3/4		8 3/4		8 3/4
9	2,118.01 9	1,746.97 9	1,375.93 9	1,004.89 9	633.85 9	262.81 9		9		9
9 1/4	2,110.28 9 1/4	1,739.24 9 1/4	1,368.20 9 1/4	997.16 9 1/4	626.12 9 1/4	255.08 9 1/4		9 1/4		9 1/4
9 1/2	2,102.55 9 1/2	1,731.51 9 1/2	1,360.47 9 1/2	989.43 9 1/2	618.39 9 1/2	247.35 9 1/2		9 1/2		9 1/2
9 3/4	2,094.82 9 3/4	1,723.78 9 3/4	1,352.74 9 3/4	981.70 9 3/4	610.66 9 3/4	239.62 9 3/4		9 3/4		9 3/4
10	2,087.09 10	1,716.05 10	1,345.01 10	973.97 10	602.93 10	231.89 10		10		10
10 1/4	2,079.36 10 1/4	1,708.32 10 1/4	1,337.28 10 1/4	966.24 10 1/4	595.20 10 1/4	224.16 10 1/4		10 1/4		10 1/4
10 1/2	2,071.63 10 1/2	1,700.59 10 1/2	1,329.55 10 1/2	958.51 10 1/2	587.47 10 1/2	216.43 10 1/2		10 1/2		10 1/2
10 3/4	2,063.90 10 3/4	1,692.86 10 3/4	1,321.82 10 3/4	950.78 10 3/4	579.74 10 3/4	208.70 10 3/4		10 3/4		10 3/4
11	2,056.17 11	1,685.13 11	1,314.09 11	943.05 11	572.01 11	200.97 11		11		11
11 1/4	2,048.44 11 1/4	1,677.40 11 1/4	1,306.36 11 1/4	935.32 11 1/4	564.28 11 1/4	193.24 11 1/4		11 1/4		11 1/4
11 1/2	2,040.71 11 1/2	1,669.67 11 1/2	1,298.63 11 1/2	927.59 11 1/2	556.55 11 1/2	185.51 11 1/2		11 1/2		11 1/2
11 3/4	2,032.98 11 3/4	1,661.94 11 3/4	1,290.90 11 3/4	919.86 11 3/4	548.82 11 3/4	177.78 11 3/4		11 3/4		11 3/4

*CAPACITY IN: 42-GALLON BARRELS

REFERENCE GAUGE HEIGHT: 14'-5 1/2" (RIM OF 2" DIAMETER SOUNDING PIPE, LOCATED NEAR GEOMETRICAL CENTER OF TANK)

STRAPPED 11/16/95

INSPECTORATE AMERICA CORPORATION